

Product Name: **CF-18-878 PRO Herbicide**

Specification ID# 50002917

CF-18-878 PRO Herbicide is considered a mechanical mixture of four (4) individual products.

Attached are the component product SDSs which make up CF-18-878 PRO Herbicide:

Express® 50 SG MUP PCP # 28176

SDS Date: 10/28/2022

Specification ID#: 50000038

Dry Dicamba MUP PCP # 28735

SDS Date: **08/04/2022**

Specification ID#: 50000129

PJ997 Herbicide PCP # **34140**

SDS Date: 07/20/2021

Specification ID#: 50002049

Ally® Herbicide PCP # 20214

SDS Date: 12/19/2023

Specification ID#: 50001047

Please read the SDS in order to have a complete understanding of all the risks associated with each product before use.

Manufacturer/Distributor:

FMC of Canada Limited 6755 Mississauga Road, Suite 204 Mississauga, ON L5N 7Y2 Canada

Telephone Numbers:

Product Information: 1-833-362-7722

Medical Emergency: 1-800-331-3148 (USA & Canada) Preparation

Date: 01/17/2024

Member of CropLife Canada®/TM Registered trademarks/trademarks of FMC Corporation or an affiliate.

EXPRESS(R) 50 SG MUP



Version **Revision Date:** SDS Number: Date of last issue: -

10/28/2022 50000038 Date of first issue: 03/01/2018 1.1

SECTION 1. IDENTIFICATION

Product identifier

Product name EXPRESS(R) 50 SG MUP

Other means of identification

Product code 50000038

Chemical nature Herbicide

Product Registration Num-

PCP# 28176

Recommended use of the chemical and restrictions on use Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC of Canada Ltd

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

Canada

Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),

Web: https://ag.fmc.com/ca/en

SDS-Info@fmc.com

Supplier Address FMC of Canada Limited

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

<u>Canada</u>

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Category 1

Specific target organ toxicity : Category 2

- repeated exposure

1/14

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

GHS label elements

Hazard pictograms :





Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or re-

peated exposure.

Precautionary Statements : Prevention:

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P314 Get medical advice/ attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Herbicide

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
tribenuron-methyl (ISO)	tribenuron-	101200-48-0	50
	methyl (ISO)		50

SECTION 4. FIRST AID MEASURES

General advice : Remove victim from exposure and then have him lie down in

the recovery position.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

EXPRESS(R) 50 SG MUP



Version **Revision Date:** SDS Number: Date of last issue: -

10/28/2022 50000038 Date of first issue: 03/01/2018 1.1

Keep at rest.

Keep warm and in a quiet place.

If inhaled If unconscious, place in recovery position and seek medical

If symptoms persist, call a physician.

In case of skin contact If on clothes, remove clothes.

In case of skin contact

If on skin, rinse well with water.

Wash off immediately with soap and plenty of water.

If skin irritation persists, call a physician.

In case of eye contact Flush eyes with water as a precaution.

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Do NOT induce vomiting.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms

and effects, both acute and

delayed

May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated

exposure.

Notes to physician Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Nitrogen oxides (NOx)

Sulfur oxides Carbon oxides

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In case of dust exposure wear suitable personal respiratory

protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid, granules

Color : light brown

Odor : mild

pH : 8.4 - 9.4 (20 °C)

Concentration: 10 g/l

In a 1% aqueous dispersion

Flash point : not determined

Flammability (solid, gas) : Not highly flammable

Relative vapor density : not determined

Bulk density : 640 kg/m3packed

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

Solubility(ies)

Water solubility : soluble

Decomposition temperature : Not available for this mixture.

Viscosity

Viscosity, dynamic : not determined

Explosive properties : Not explosive

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Dust may form explosive mixture in air.

No decomposition if stored and applied as directed.

Conditions to avoid : dust formation

moisture

Heat, flames and sparks.

Incompatible materials : Strong acids and strong bases

Strong oxidizing agents

Hazardous decomposition

products

Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: Fixed Dose Method

GLP: yes

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Skin corrosion/irritation

Not classified based on available information.

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No eye irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

GLP : yes

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Species : Guinea pig

Assessment : The product is a skin sensitizer, sub-category 1B.

Method : Maximization Test

Result : The product is a skin sensitizer, sub-category 1B.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Remarks: The product contains no ingredients known to be

mutagenic.

Carcinogenicity

Not classified based on available information.

Product:

Remarks : The product contains no ingredients known to be carcinogen-

ic.

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: The product contains no ingredients found to have

adverse effects on reproduction.

STOT-single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

tribenuron-methyl (ISO):

Species : Rabbit LOAEL : 80 mg/kg

Target Organs : Thyroid, Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Remarks : Increased mortality or reduced survival

Aspiration toxicity

Not classified based on available information.

Components:

tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia): > 120 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)):

0.0162 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

EC50 (Lemna gibba (duckweed)): 0.00652 mg/l

End point: Frond Exposure time: 7 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

Components:

tribenuron-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crustaceans): > 320 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0208

mg/l

Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 0.00424 mg/l

Exposure time: 14 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 114

mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

NOEC (Oncorhynchus mykiss (rainbow trout)): 560 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 41 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

NOEC (Eisenia fetida (earthworms)): 3.2 mg/kg

Exposure time: 56 d

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm

Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm

Remarks: Dietary

LD50 (Apis mellifera (bees)): > 98.4 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): > 9.1 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

tribenuron-methyl (ISO):

Biodegradability : Biodegradation: 29.4 %

Exposure time: 28 d

Bioaccumulative potential

Components:

tribenuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): < 1

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: -0.38

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

Mobility in soil

Product:

Distribution among environmental compartments

Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

Components:

tribenuron-methyl (ISO):

Distribution among environmental compartments

Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

Other adverse effects

Product:

Additional ecological information

 Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water

mark.

Do not contaminate water when cleaning equipment or dis-

posing of equipment washwaters or rinsate.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

Class : 9

Subsidiary risk : ENVIRONM.

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

Packing group : III

Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Tribenuron-methyl)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Tribenuron-methyl)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

METHYL 2-[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL(METHYL)CARBAMOYLSULFAMOYL]BENZOATE

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohy-

drate

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

EXPRESS(R) 50 SG MUP



Version Revision Date: SDS Number: Date of last issue: -

1.1 10/28/2022 50000038 Date of first issue: 03/01/2018

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation © 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet

Dry Dicamba MUP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2018

 1.2
 08/04/2022
 50000129
 Date of first issue: 01/29/2018

SECTION 1. IDENTIFICATION

Product identifier

Product name Dry Dicamba MUP

Other means of identification

Product code 50000129

Chemical nature Mixture

Product Registration Num-

ber

28735

Recommended use of the chemical and restrictions on use

Recommended use Can be used for production of herbicides only.

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC of Canada Ltd

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

Canada

Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),

Web: https://ag.fmc.com/ca/en

SDS-Info@fmc.com

Supplier Address FMC of Canada Limited

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

<u>Canada</u>

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

Combustible dust (Inhalation) (Lungs)

Dry Dicamba MUP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2018

 1.2
 08/04/2022
 50000129
 Date of first issue: 01/29/2018

GHS label elements

Hazard pictograms

Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.

H332 Harmful if inhaled.

May form combustible dust concentrations in air.

Precautionary Statements : Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

Response:

P304 + P340 IF INHALED: Remove victim to fresh air and keep

at rest in a position comfortable for breathing.

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel

unwell. Rinse mouth.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical name		CAS-No.	Concentration (% w/w)
	Name/Synonym		
Dicamba, present as sodium salt	sodium 3,6- dichloro-o-	1982-69-0	70
	anisate		

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

Dry Dicamba MUP



Version Revision Date: SDS Number: Date of last issue: 01/29/2018 1.2 08/04/2022 50000129 Date of first issue: 01/29/2018

Oxygen or artificial respiration if needed.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.

If accidentally swallowed obtain immediate medical attention.

Rinse mouth with water.

Most important symptoms and effects, both acute and

delayed

Harmful if inhaled. Harmful if swallowed.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of

dust, e.g. on floors and ledges.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Dry Dicamba MUP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2018

 1.2
 08/04/2022
 50000129
 Date of first issue: 01/29/2018

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal. Pick up and arrange disposal without creating dust.

Never return spills in original containers for re-use. Do not create a powder cloud by using a brush or compressed

air.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In case of dust exposure wear suitable personal respiratory

Dry Dicamba MUP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2018

 1.2
 08/04/2022
 50000129
 Date of first issue: 01/29/2018

protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Protective measures : Always have on hand a first-aid kit, together with proper in-

structions.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Wear suitable protective equipment.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : extruded granules

Color : light brown

Odor : odorless

Odor Threshold : not determined

pH : 7.5

(as aqueous solution)

Melting point/range : Not available for this mixture.

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Dry Dicamba MUP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2018

 1.2
 08/04/2022
 50000129
 Date of first issue: 01/29/2018

Flammability (solid, gas) : The product is not flammable.

Self-ignition : not auto-flammable

Upper explosion limit / Upper

flammability limit

: Not available for this mixture.

Lower explosion limit / Lower

flammability limit

Not available for this mixture.

Vapor pressure : Not applicable

Relative density : No data available

Density : 0.58 - 0.60 g/cm3

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : Not available for this mixture.

Viscosity

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed. Harmful by inhalation.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Dry Dicamba MUP



Version Revision Date: SDS Number: Date of last issue: 01/29/2018 1.2 08/04/2022 50000129 Date of first issue: 01/29/2018

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute toxicity estimate (Rat): 4.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No skin irritation

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Remarks : Not classified as irritant

Remarks : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit Result : Eye irritation

Remarks : Not classified as irritant

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Result : No data available

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Dry Dicamba MUP



Version Revision Date: SDS Number: Date of last issue: 01/29/2018 1.2 08/04/2022 50000129 Date of first issue: 01/29/2018

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Dicamba, present as sodium salt:

Species : Rat

NOAEL : 110 mg/kg Application Route : Oral Exposure time : 2 y

Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1,000 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 135 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 110 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (algae): 2.3 mg/l Exposure time: 72 h

Components:

Dicamba, present as sodium salt:

Toxicity to fish : (Oncorhynchus mykiss (rainbow trout)): 135 mg/l

Dry Dicamba MUP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2018

 1.2
 08/04/2022
 50000129
 Date of first issue: 01/29/2018

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 120.7 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (algae): 3.7 - 41 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to terrestrial organ-

isms

(Birds): 1,373 mg/kg

Persistence and degradability

Product:

Biodegradability : Result: No data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

No other ecological effects to be specially mentioned.

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Dry Dicamba MUP



Version Revision Date: SDS Number: Date of last issue: 01/29/2018
1.2 08/04/2022 50000129 Date of first issue: 01/29/2018

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

0-00-0

Dicamba, present as sodium salt

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

Dry Dicamba MUP



Version Revision Date: SDS Number: Date of last issue: 01/29/2018 1.2 08/04/2022 50000129 Date of first issue: 01/29/2018

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC

Dry Dicamba MUP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/29/2018

 1.2
 08/04/2022
 50000129
 Date of first issue: 01/29/2018

Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation © 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet

PJ997 Herbicide

SDS #: FO004353-A **Revision date: 2021-07-20**

> Format: NA Version 1.01



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

PJ997 Herbicide **Product Name**

Other means of identification

Product Code(s) FO004353-A

Legacy Product Code PJ997-R001; 50002049

CARFENTRAZONE-ETHYL: **Synonyms**

ethyl α,2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]

-4-fluorobenzenepropanoate (CAS name);

ethyl (RS)-2-chloro-3-[2-chloro-5- (4-difluoromethyl-4,5-dihydro-3-methyl-5oxo-1H-1,2,4-triazol-1-yl) -4-fluorophenyl] propionate (IUPAC name)

Active Ingredient(s) Carfentrazone-ethyl

Chemical Family Triazolinones

PCP# 34140

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label.

FMC of Canada Limited Supplier Address

6755 Mississauga Road, Suite 204 Mississauga, ON L5N 7Y2

Canada

Web: https://ag.fmc.com/ca/en

Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722)

Email: SDS-Info@fmc.com

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

Version 1.01

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation Category 2

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Signal Word: Warning

Hazard Statements

H319 - Causes serious eye irritation



Precautionary Statements - Prevention

P264 - Wash hands thoroughly after handling

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Triazolinones.

Chemical name	CAS-No	Weight %
Carfentrazone-ethyl	128639-02-1	40
Crystalline silica, quartz	14808-60-7	<1
Naphthalene sulfonic acid-formaldehyde	9084-06-4	15 - 20
condensate, sodium salt		

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin ContactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

PJ997 Herbicide

SDS #: FO004353-A **Revision date:** 2021-07-20

Version 1.01

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice Have person sip a

glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison

control center or doctor. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

May cause eye irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Immediate medical attention is required in cases of ingestion. It may be helpful to show this safety data sheet to physician.

Notes to physician: A specific antidote for exposure to this material is not known. Gastric lavage and/or the administration of activated charcoal can be considered. After decontamination, treatment should be directed at the control of symptoms and the clinical condition.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Small Fire Dry chemical. Carbon dioxide (CO₂).

Large Fire Water spray. Foam.

Unsuitable extinguishing media Avoid heavy hose streams.

Specific Hazards Arising from the

Chemical

Hazardous Combustion Products

None known

The essential breakdown products are volatile, toxic, irritant and inflammable compounds such as nitrogen oxides, hydrogen fluoride, hydrogen chloride, sulphur dioxide, carbon monoxide, carbon dioxide and various fluorinated and chlorinated organic compounds.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge No information available. No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate upwind.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of

lakes, streams, ponds, and sewer drains. Keep out of waterways. Do not release to the

environment.

Methods for Containment Nearby surface water drains should be covered. Minor spills on the floor or other impervious

surface should immediately be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with detergent and water. Do not let wash liquid enter drains or waterways. Absorb wash liquid with an inert absorbent such as universal binder, Fuller's earth, bentonite or other absorbent clay and collect in suitable containers. The used containers should be properly closed and labelled.

Version 1.01

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practice. Do not contaminate

other pesticides, fertilizers, water, food, or feed by storage or disposal. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly after handling. Remove

contaminated clothing and shoes.

Storage Store in closed, labelled containers. The storage room should be constructed of

incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should

not be present. A hand wash station should be available.

Packaging material Must only be kept in original packaging.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Carfentrazone-ethyl	TWA: 1 mg/m ³	-	-	-
(128639-02-1)				
Crystalline silica, quartz	TWA: 0.025 mg/m ³	TWA: 50 µg/m ³	IDLH: 50 mg/m ³	Mexico: TWA 0.025
(14808-60-7)			TWA: 0.05 mg/m ³	mg/m³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Crystalline silica, quartz	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³	TWA: 0.025 mg/m ³
(14808-60-7)		_	respirable	
, , ,			-	

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles. Maintain eye

wash fountain and quick-drench facilities in work area.

Skin and Body Protection Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection The product does not automatically present an airborne exposure concern during normal

handling. In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers should put on officially approved respiratory protection equipment

with a universal filter type including particle filter.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Remove

and wash contaminated clothing before re-use. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers.

Version 1.01

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Granules **Physical State** Solid

Off-white to beige Color

Odor Latex

Odor threshold No information available

На 8 63

Melting point/freezing point No information available **Boiling Point/Range** No information available

Flash point Not applicable

Evaporation Rate No information available No information available Flammability (solid, gas)

Flammability Limit in Air

No information available **Upper flammability limit:** No information available Lower flammability limit: Vapor pressure No information available Vapor density No information available

Relative density Pour density: 44.7 lbs/ft3 (0.716 g/mL)

Tap density: 45.9 lbs/ft3 (0.735 g/mL)

Specific gravity No information available Water solubility Emulsifies in water Solubility in other solvents No information available No information available **Partition coefficient Autoignition temperature** No information available **Decomposition temperature** No information available No information available Viscosity, kinematic No information available Viscosity, dynamic

Not explosive **Explosive properties Oxidizing properties** Non-oxidizina

Molecular weight No information available

Pour density: 44.7 lbs/ft3 (0.716 g/mL) **Bulk density** Tap density: 45.9 lbs/ft3 (0.735 g/mL)

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heating of the product will produce harmful and irritant vapors.

Incompatible materials None known.

Hazardous Decomposition Products See Section 5 for more information.

11. TOXICOLOGICAL INFORMATION

Product Information

> 5000 mg/kg (female rat) LD50 Oral > 5000 mg/kg (rat) (male/female) LD50 Dermal LC50 Inhalation (dust) > 5.18 mg/L 4 hr (rat) (male/female)

Serious eye damage/eye irritation

Moderately irritating (rabbit). Skin corrosion/irritation Slightly irritating (rabbit).

Page 5/9

Version 1.01

Sensitization Non-sensitizing (mice-LLNA).

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Carfentrazone-ethyl (128639-02-1)	= 5143 mg/kg (rat)	> 4000 mg/kg (rat)	> 5 mg/L 4h (rat)
Naphthalene sulfonic acid-formaldehyde condensate, sodium salt (9084-06-4)	= 3800 mg/kg(Rat)		

Information on toxicological effects

Symptoms May cause eye irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Long-term exposure caused neurotoxicity (body tremors, decreased motor activity),

decreased body weight and increased liver and spleen weight

Mutagenicity Carfentrazone-ethyl: Not genotoxic in laboratory studies.

Carcinogenicity Carfentrazone-ethyl No evidence of carcinogenicity from animal studies.

Neurological effectsCarfentrazone-ethyl Not neurotoxic.

Reproductive toxicity Carfentrazone-ethyl . No toxicity to reproduction in animal studies.

Developmental toxicityCarfentrazone-ethyl . Not teratogenic in animal studies.

STOT - single exposure Not classified. STOT - repeated exposure Not classified.

Neurological effects Carfentrazone-ethyl Not neurotoxic.

Aspiration hazard The product does not present an aspiration pneumonia hazard.

Chemical name	ACGIH	IARC	NTP	OSHA
Crystalline silica, quartz	A2	Group 1	Known	X
14808-60-7		·		

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Carfentrazone-ethyl (128639-02	2-1)			
Active Ingredient(s)	Duration	Species	Value	Units
	72 h EC50	Algae	0.012	mg/L
	96 h LC50	Rainbow trout	1.6	mg/L
	48 h LC50	Daphnia	>9.8	mg/L
	96 h NOEC	Algae	1.0	μg/L
	21 d NOEC	Fish	0.0187	mg/L
	21 d NOEC	Crustacea	0.22	mg/L
	LC50	Eisenia fetida	> 820	mg/kg
	LD50 Oral	Bee	> 200	μg/bee
	LD50 contact	Bee	> 200	μg/bee
	LD50 acute oral	Northern bobwhite	>2250	mg/kg
	LD50 Oral	Bobwhite quail	>2000	mg/kg

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other
			aquatic invertebrates
Carfentrazone-ethyl	EC50 = 12 μg/l	96 h LC50 = 1,6 mg/L&0,0187	48 h EC50 > 9,8 mg/L&0,22

Version 1.01

128639-02-1	14d EC50 = 0,0057 mg/L		
Sodium Benzoate		96 h LC50: 420 - 558 mg/L	48 h EC50: < 650 mg/L (Daphnia
532-32-1		(Pimephales promelas) flow-through	magna)
		96 h LC50: > 100 mg/L (Pimephales	- '
		promelas) static	
Bis(2-ethylhexyl) sodium		96 h LC50: 20 - 40 mg/L	48 h EC50: = 36 mg/L (Daphnia
sulfosuccinate		(Oncorhynchus mykiss) semi-static	magna)
577-11-7		96 h LC50: < 24 mg/L	
		(Oncorhynchus mykiss) static 96 h	
		LC50: = 37 mg/L (Lepomis	
		macrochirus) static	

Persistence and degradability Carfentrazone-ethyl . Non-persistent. Readily hydrolyzed. Not readily biodegradable.

Bioaccumulation Carfentrazone-ethyl . The substance does not have a potential for bioconcentration.

Mobility Carfentrazone-ethyl . Not relevant.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and

packages

Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT This material is not a hazardous material as defined by U.S. Department of Transportation

49 CFR Parts 100 through 185, unless shipped in bulk packaging. The classification below pertains to the shipment in bulk packaging [(>119 gal, liquid) or (882 lb, solid)].

TDG Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no

UN3077

Proper Shipping Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (carfentrazone-ethyl)

Hazard class 9
Packing Group III
Marine Pollutant Yes.

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl), 9, III,

Marine Pollutant

ICAO/IATA

UN/ID no UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (carfentrazone-ethyl)

Hazard class 9
Packing Group

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl), 9, III,

Marine Pollutant

IMDG/IMO

UN/ID no UN307

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (carfentrazone-ethyl)

Hazard class 9
Packing Group III
EmS No. F-A, S-F

Environmental Hazards Marine Pollutant

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl), 9, III,

Marine Pollutant

Version 1.01

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning

Causes moderate eye irritation. DO NOT get in eyes.

Avoid breathing dust. Avoid contact with eyes, skin or clothing.

Wash thoroughly with soap and water after handling.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Crystalline silica, quartz 14808-60-7	X	X	X

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Carfentrazone-ethyl 128639-02-1					Х			
Crystalline silica, quartz	X	Х	X	X	Х	X	X	X

SDS #: FO004353-A

Revision date: 2021-07-20

Versi	on '	1.	01

14808-60-7							
Naphthalene sulfonic acid-formaldehyde condensate, sodium salt 9084-06-4	X	Х	Х	Х	Х	Х	X

CANADA

This Safety Data Sheet is for a pesticide product registered by the Pest Management Regulatory Agency (PMRA), and is therefore also subject to certain requirements under Canadian pesticide laws, including the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required by the Hazardous Product Regulations (HPR) and WHMIS 2015 for safety data sheets, and for workplace labels of non-pesticide chemicals. The following information is determined by PMRA.

The approved pest control product label (the label), under the Pest Control Products Act, needs to be followed at all times and in cases where there are any discrepancies between the approved label and an SDS for that product it is the label information that prevails.

16. OTHER INFORMATION

NFPA	Health Hazards 1	1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 1	1	Flammability 1	Physical hazard 0	Personal Protection X

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2021-07-20 Reason for revision: Initial Release

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

SECTION 1. IDENTIFICATION

Product identifier

Product name Ally® Herbicide

Other means of identification

Product code 50001047

Product Registration Num-

ber

PCP #20214

Recommended use of the chemical and restrictions on use

Recommended use

Can be used as herbicide only.

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC of Canada Ltd

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

Canada

Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),

Web: https://ag.fmc.com/ca/en

SDS-Info@fmc.com

<u>Supplier Address</u> FMC of Canada Limited

6755 Mississauga Road, Suite 204

Mississauga, ON L5N 7Y2

Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Other hazards

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Metsulfuron-methyl	Metsulfuron- methyl	74223-64-6	60
Sodium alkyl naphtha- lene sulfonate	Sodium alkyl naphthalene sulfonate	68425-94-5	>= 1 - < 5 *
sucrose	sucrose	57-50-1	>= 1 - < 5 *
trisodium orthophos- phate	trisodium ortho- phosphate	7601-54-9	>= 1 - < 5 *

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and

delayed

None known.

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx)

Sulfur oxides Carbon oxides Hydrogen cyanide

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO

Use a water spray to cool fully closed containers.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak. Use personal protective equipment. Evacuate personnel to safe areas.

Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Never return spills in original containers for re-use. Pick up and transfer the spilled material to a properly labeled contain-

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

er without creating dust. For spills on concrete or other nonporous surfaces, the area can be cleaned using a small quantity of soap and water. Do not allow the cleaning solution to enter drains. Use an inert absorbent material to soak up the cleaning solution and transfer it to the properly labeled container. When the spill occurs on soil, the only effective way to decontaminate the area is to remove the top 5 to 7 centimeters of soil.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sucrose	57-50-1	TWA	10 mg/m3	CA AB OEL
		TWA (Total	10 mg/m3	CA BC OEL
		dust)		
		TWA (respir-	3 mg/m3	CA BC OEL
		able dust		
		fraction)		
		TWAEV	10 mg/m3	CA QC OEL
		TWA	10 mg/m3	ACGIH

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Do not breathe dust.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : granular

Color : light brown

Odor : odorless

Odor Threshold : No data available

pH : 4.2

Melting point/range : No data available

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Boiling point/boiling range : Decomposition: yes

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : The product is not flammable.

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Relative vapor density : Not applicable

Relative density : 1.47 (25 °C)

Density : No data available

Solubility(ies)

Water solubility : dispersible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Surface tension : Not applicable

Molecular weight : Not applicable

SECTION 10. STABILITY AND REACTIVITY

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Dust may form explosive mixture in air.

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Avoid dust formation.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Remarks: Inhalation is not expected to be a relevant route of

expoure.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

Metsulfuron-methyl:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: US EPA Test Guideline OPP 81-1

Assessment: The substance or mixture has no acute oral tox-

icitv

LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

citv

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403 Symptoms: Breathing difficulties

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

Symptoms: Irritation

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: no mortality

Sodium alkyl naphthalene sulfonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

trisodium orthophosphate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 420

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.83 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Components:

Metsulfuron-methyl:

Species : Rabbit

Assessment : Not classified as irritant

Method : US EPA Test Guideline OPP 81-5

Result : No skin irritation

Sodium alkyl naphthalene sulfonate:

Remarks : No data available

trisodium orthophosphate:

Species : Rabbit Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Components:

Metsulfuron-methyl:

Species : Rabbit Result : slight irritation

Assessment : Not classified as irritant

Method : EPA OPP 81-4

Sodium alkyl naphthalene sulfonate:

Result : Eye irritation

trisodium orthophosphate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type : Buehler Test Species : Guinea pig

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Method : US EPA Test Guideline OPPTS 870.2600

Result : Animal test did not cause sensitization by skin contact.

GLP : yes

Components:

Metsulfuron-methyl:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : US EPA Test Guideline OPPTS 870.2600

Result : Not a skin sensitizer.

trisodium orthophosphate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Metsulfuron-methyl:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Chromosome aberration test in vitro Metabolic activation: Metabolic activation

Result: positive

GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

trisodium orthophosphate:

Genotoxicity in vitro : Test Type: Micronucleus test

Test system: Human lymphocytes Method: OECD Test Guideline 487

Result: negative

Test Type: gene mutation test Test system: mouse lymphoma cells Method: OECD Test Guideline 490

Result: negative

Germ cell mutagenicity - : In vitro tests did not show mutagenic effects

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Assessment

Carcinogenicity

Not classified based on available information.

Components:

Metsulfuron-methyl:

Species : Rat, male and female

Exposure time : 104 weeks NOAEL : 500 ppm Result : negative

Species : Mouse, male and female

Exposure time : 18 month(s)

NOAEL : 5,000 ppm

Result : negative

trisodium orthophosphate:

Carcinogenicity - Assess- : Weight of evidence does not support classification as a car-

ment cinogen

Reproductive toxicity

Not classified based on available information.

Components:

Metsulfuron-methyl:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit, female Application Route: Ingestion Symptoms: Maternal effects.

Result: negative

Test Type: Embryo-fetal development

Species: Rat, female Application Route: Ingestion Symptoms: Maternal effects.

Result: negative

trisodium orthophosphate:

Effects on fertility : Species: Rat, male and female

Application Route: Oral Dose: 1000 mg/kg bw

General Toxicity Parent: NOAEL: 1,000 mg/kg body weight

Fertility: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 422

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Species: Rat

Application Route: Oral

Duration of Single Treatment: 20 d

General Toxicity Maternal: NOAEL: > 410 mg/kg body weight

Result: negative

Remarks: Based on data from similar materials

Species: Rat, male and female Application Route: Oral Dose: 1000 mg/kg bw/day

Duration of Single Treatment: 30 d

Developmental Toxicity: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Not classified based on available information.

Components:

trisodium orthophosphate:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Components:

trisodium orthophosphate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Metsulfuron-methyl:

Species : Rat, male and female

NOEL : 1000 ppm Application Route : Oral - feed Exposure time : 90 days

Symptoms : Reduced body weight

trisodium orthophosphate:

Species : Dog, male

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

12/19/2023 50001047 Date of first issue: 12/19/2023 1.0

NOAEL 323 mg/kg LOAEL 1,107 mg/kg

Application Route Oral Exposure time 90 d

Dose 94, 323, 1107 mg/kg bw/day

Based on data from similar materials Remarks

Dog, female Species NOAEL 493 mg/kg LOAEL 1,434 mg/kg

Application Route Oral 90 d Exposure time

129, 493, 1434 mg/kg bw/day Dose

Remarks Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Neurological effects

Components:

Metsulfuron-methyl:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks Information presented in section 11 conforms to the require-

ments of the Hazardous Products Regulations (HPR) and WHMIS 2015. See Section 15 for applicable information conforming to the requirements of the Pest Management Regula-

tory Agency (PMRA).

Remarks No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Metsulfuron-methyl:

LC50 (Poecilia reticulata (guppy)): > 100 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 120 mg/l

Exposure time: 48 h

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Test Type: static test

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 43.1 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Anabaena flos-aquae (cyanobacterium)): 65.7 μg/l

Exposure time: 96 h Method: OPPTS 850.5400

GLP: yes

NOEC (Anabaena flos-aquae (cyanobacterium)): 45 µg/l

Exposure time: 96 h Method: OPPTS 850.5400

GLP: yes

ErC50 (Selenastrum capricornutum (green algae)): 157 μg/l

Exposure time: 72 h

GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 50 µg/l

Exposure time: 72 h

GLP: yes

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 68 mg/l

Exposure time: 21 d

NOEC (Pimephales promelas (fathead minnow)): 10 mg/l

End point: reproduction Exposure time: 21 d

Method: OECD Test Guideline 229

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 3.13 mg/l

End point: reproduction Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 211

NOEC (Daphnia magna (Water flea)): 0.5 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

NOEC (Eisenia fetida (earthworms)): 6 mg/kg

Exposure time: 56 d

NOEC (Eisenia fetida (earthworms)): 5.6 mg/kg

End point: reproduction

Method: OECD Test Guideline 222

GLP: yes

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 50 μg/bee

Exposure time: 48 h

End point: Acute contact toxicity

Method: OEPP/EPPO Test Guideline 170

LD50 (Apis mellifera (bees)): > 50 μg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Method: OEPP/EPPO Test Guideline 170

LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg

NOEC (Colinius virginianus): 1,000 mg/kg

End point: Reproduction Test

NOEC (Anas platyrhynchos (Mallard duck)): 1,000 ppm

End point: Reproduction Test Method: OECD Test Guideline 206

Sodium alkyl naphthalene sulfonate:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

sucrose:

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Toxicity to fish : Remarks: No data available

trisodium orthophosphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Metsulfuron-methyl:

Biodegradability : Result: Not readily biodegradable.

Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and

water.

Sodium alkyl naphthalene sulfonate:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

sucrose:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Components:

Metsulfuron-methyl:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): < 1

Exposure time: 28 d

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

Pow: 0.018 (25 °C) log Pow: -1.7 (25 °C)

pH: 7

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

Environmental hazards

Do not apply directly to water, or to areas where surface water

is present, or to intertidal areas below the mean high water

mark.

Do not contaminate water when cleaning equipment or dis-

posing of equipment washwaters or rinsate.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Metsulfuron-methyl)

Class : 9

Subsidiary risk : ENVIRONM.

Packing group : III

Labels : 9 (ENVIRONM.)

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Metsulfuron-methyl)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Metsulfuron-methyl)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Metsulfuron-methyl)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(Metsulfuron-methyl)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

MEM TECHNICAL (MANATI)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

according to the Hazardous Products Regulations



Ally® Herbicide

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/19/2023 50001047 Date of first issue: 12/19/2023

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet