according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name RHIZOMAGIC® SL

Other means of identification

Product code 50003073

Unique Formula Identifier

(UFI)

: T501-207M-2001-6QGH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Crop nutrition

stance/Mixture

Recommended restrictions :

on use

Use as recommended by the label.

For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Chemicals Hellas MEPE

Syngrou Avenue 348 17674 Kallithea

Greece

Telephone: +30 211 1982768 Telefax: +30 211 1138614

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Greece: 30-2111768478 (CHEMTREC)

Medical emergency:

Greece: 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Corrosive to metals, Category 1 H290: May be corrosive to metals.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word : Warning

Hazard statements : H290 May be corrosive to metals.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P234 Keep only in original packaging. P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Follow the recommended instructions for use of the fertilizer to avoid risks to

human health and the environment.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
phosphoric acid	7664-38-2	Met. Corr. 1; H290	>= 5 - < 10
	231-633-2	Acute Tox. 4; H302	
	015-011-00-6	Skin Corr. 1B; H314	
		Eye Dam. 1; H318	
		Aquatic Chronic 2;	
		H411	
		specific concentration	
		limit	
		Skin Corr. 1B; H314	
		>= 25 %	
		Skin Irrit. 2; H315	
		10 - < 25 %	
		Eye Irrit. 2; H319	
		10 - < 25 %	
		10 120 70	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		500 mg/kg	
boric acid	10043-35-3	Repr. 1B; H360FD	>= 0,1 - < 0,3
	233-139-2		
	005-007-00-2		
Zinc sulphate, monohydrate	7446-19-7	Acute Tox. 4; H302	>= 0,1 - < 0,25
		Eye Dam. 1; H318	5,1 10,20
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

		aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10 Acute toxicity estimate Acute oral toxicity: 1.710 mg/kg	
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,036 %	>= 0,0025 - < 0,025
		Acute toxicity estimate Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0,21 mg/l	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : Wash off with soap and water.

If symptoms persist, call a physician.

Wash contaminated clothing before re-use.

In case of eye contact : Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

If swallowed : Gently wipe or rinse the inside of the mouth with water.

Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Sulphur oxides

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Metal oxides metal fumes

Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Specific extinguishing meth-

ods

: Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labelled containers. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

6/28

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. Do not inhale aer-

osol. When using do not eat or drink. When using do not smoke. Wash hands and face before breaks and immediately

after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Crop nutrition

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
phosphoric acid	7664-38-2	TWA	1 mg/m3	2000/39/EC
	Further information: Indicative			
		STEL	2 mg/m3	2000/39/EC
	Further information: Indicative			
		TWA	1 mg/m3	GR OEL

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

STEL 3 mg/m3 GR OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
boric acid	Workers	Inhalation	Long-term systemic effects	8,3 mg/m3
	Workers	Dermal	Long-term systemic effects	392 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4,15 mg/m3
	Consumers	Dermal	Long-term systemic effects	196 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,98 mg/kg bw/day
	Consumers	Oral	Acute local effects	0,98 mg/kg bw/day
1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
boric acid	Fresh water	2,9 mg/l
	Marine water	2,9 mg/l
	Sewage treatment plant	10 mg/l
	Soil	5,7 mg/kg dry
		weight (d.w.)
	Intermittent use (freshwater)	13,7 mg/l
Zinc sulphate, monohydrate	Sewage treatment plant	5,2 mg/l
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles

Ensure that eyewash stations and safety showers are close

to the workstation location.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

In the case of dust or aerosol formation use respirator with an

approved filter.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : dark brown
Odour : characteristic
Odour Threshold : No data available
Melting point/ range : No data available
Boiling point/boiling range : No data available
Upper explosion limit / Upper : No data available

flammability limit

Lower explosion limit / Lower

flammability limit

: No data available

Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available

pH : 3,0 - 5,0

Concentration: 100 %

Viscosity

Viscosity, dynamic : No data available Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n- : No data available

octanol/water

Vapour pressure : No data available Relative density : 1,21 - 1,25

Density : 1,21 - 1,25

Density : No data available

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Particle Size Distribution : No data available Shape : No data available

9.2 Other information

Explosives : Not explosive
Oxidizing properties : Non-oxidizing
Self-ignition : No data available
Evaporation rate : No data available
Molecular weight : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

Avoid formation of aerosol.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

phosphoric acid:

Acute oral toxicity : LD50 (Rat, female): > 300 - < 2.000 mg/kg

Method: OECD Test Guideline 423

boric acid:

Acute oral toxicity : LD50 (Rat, male): > 2.600 mg/kg

Method: OECD Test Guideline 401

Remarks: no mortality

Acute inhalation toxicity : LC0 (Rat, male and female): > 2,03 mg/l

Exposure time: 5 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg

Remarks: no mortality

Zinc sulphate, monohydrate:

Acute oral toxicity : LD50 (Rat, male): 1.710 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Symptoms: irritating Remarks: no mortality

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 450 mg/kg

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l

Test atmosphere: dust/mist

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

phosphoric acid:

Species : Rabbit Assessment : Corrosive

Result : Corrosive after 3 minutes to 1 hour of exposure

boric acid:

Species : Rabbit

Result : No skin irritation

Zinc sulphate, monohydrate:

Species : Mouse Result : slight irritation

Remarks : Based on data from similar materials

Species : Rabbit

Result : slight irritation

Remarks : Based on data from similar materials

Species : Guinea pig
Result : slight irritation

Remarks : Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Assessment : Irritating to eyes.
Result : Eye irritation
Remarks : Eye irritation

Components:

phosphoric acid:

Result : Irreversible effects on the eye

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Remarks : Based on skin corrosivity

boric acid:

Species : Rabbit Result : slight irritation

Zinc sulphate, monohydrate:

Result : Irreversible effects on the eye

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

Species : Rabbit

Method : EPA OPP 81-4

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Result : No data available

Remarks : Not expected to cause skin sensitisation

Components:

boric acid:

Test Type : Buehler Test Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Zinc sulphate, monohydrate:

Exposure routes : Skin contact Species : Mouse

Result : Not a skin sensitizer.

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Species : Guinea pig Method : FIFRA 81.06

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

phosphoric acid:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

boric acid:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Test Type: sister chromatid exchange assay

Result: negative

Test Type: gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Application Route: Oral

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Zinc sulphate, monohydrate:

Genotoxicity in vitro : Test Type: gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro

Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Rat (male) Cell type: Liver cells

Application Route: Ingestion

Exposure time: 4 h

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

boric acid:

Species : Mouse, male and female

Application Route : Oral Exposure time : 103 weeks

Dose : 0, 446, 1150mg/kg/bw/day

> 1.150 mg/kg bw/day

Result : negative

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Zinc sulphate, monohydrate:

Remarks : No human information is available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

phosphoric acid:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat, male and female

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Application Route: Ingestion

General Toxicity - Parent: NOAEL: 500 mg/kg body weight General Toxicity F1: NOAEL: 500 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

General Toxicity Maternal: NOAEL: 370 mg/kg body weight Developmental Toxicity: NOAEL: 370 mg/kg body weight

Result: negative

Remarks: Based on data from similar materials

boric acid:

Effects on fertility : Test Type: Three-generation study

Species: Rat, male and female

Application Route: Oral

Dose: 5.9, 17.5, 58.5(mgb)/kg/bw/d

General Toxicity - Parent: LOAEL: 58,5 mg/kg bw/day General Toxicity F1: LOAEL: 58,5 mg/kg bw/day General Toxicity F2: LOAEL: 58,5 mg/kg bw/day

Result: negative

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

Dose: 3.3, 6.3, 9.6, 13.3, 25mgb/kg

General Toxicity Maternal: LOAEL: 13,3 mg/kg bw/day Embryo-foetal toxicity: NOAEL: >= 12,9 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertil-

ity, and/or on development, based on animal experiments

Zinc sulphate, monohydrate:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male

Application Route: Ingestion

General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight

General Toxicity F1: NOAEL: 48 mg/kg body weight

Fertility: NOAEL: 112 mg/kg bw/day

Symptoms: No effects on reproduction parameters

Method: OPPTS 870.3800

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

boric acid:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Zinc sulphate, monohydrate:

Remarks : No data available

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

phosphoric acid:

Species : Rat, male and female

NOAEL : 250 mg/kg
Application Route : Oral - gavage
Exposure time : 42 - 54 d

Method : OECD Test Guideline 422

boric acid:

Species : Rat, male and female LOAEL : 58.5 mg/kg bw/day

Application Route : Oral - feed Exposure time : 2 years

Dose : 0, 5.9, 17.5, 58.5mg/kg/bw/d

Species : Rat, female NOAEC : 0,47 mg/l

Application Route : inhalation (dust/mist/fume)
Dose : 0.077, 0.175, 0.47 mg/l

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female

NOAEL : 15 mg/kg Application Route : Ingestion

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Exposure time : 28 d

Method : OECD Test Guideline 407

Symptoms : Irritation

Species : Rat, male and female

NOAEL : 69 mg/kg Application Route : Ingestion Exposure time : 90 d

Symptoms : Irritation, Reduced body weight

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

phosphoric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3,25 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

boric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 79,7 mg/l

Exposure time: 96 h Test Type: static test

Remarks: Based on data from similar materials

LC50 (Limanda limanda): 74 mg/l

Exposure time: 96 h

Test Type: flow-through test

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Ceriodaphnia dubia (water flea)): 102 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 40,2

mg/l

Exposure time: 74,5 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 17,5

mg/l

Exposure time: 74,5 h

Method: OECD Test Guideline 201

LOEC: 3,6 mg/l Exposure time: 10 d Test Type: semi-static test

Toxicity to microorganisms : EC50 (activated sludge): > 175 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

NOEC (activated sludge): 17,5 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 6,4 mg/l

Exposure time: 34 d

Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 6,4 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Toxicity to soil dwelling or- : LC50: > 175 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

ganisms Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

NOEC: >= 175 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Zinc sulphate, monohydrate:

Toxicity to fish : LC50 (Fish): 0,112 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,131 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0,0052

mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

- 1

Toxicity to fish (Chronic tox-

icity)

EC10:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0056 mg/l Exposure time: 10 d

M-Factor (Chronic aquatic

toxicity)

10

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7

mg/l

Exposure time: 96 h Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,9 mg/l

Exposure time: 48 h Test Type: static test

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

1

12.2 Persistence and degradability

Components:

phosphoric acid:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Zinc sulphate, monohydrate:

Biodegradability : Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version **Revision Date:** SDS Number: Date of last issue: -

02.06.2025 50003073 Date of first issue: 02.06.2025 1.0

Components:

boric acid:

Bioaccumulation Species: Fish

Exposure time: 60 d

Bioconcentration factor (BCF): < 0,1

Partition coefficient: n-

octanol/water

log Pow: -1,09 (22 °C)

Zinc sulphate, monohydrate:

Bioaccumulation Remarks: Not inherently biodegradable.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 56 d

Bioconcentration factor (BCF): 6,62 Method: OECD Test Guideline 305

Remarks: Substance is not persistent, bioaccumulative, and

toxic (PBT).

Partition coefficient: n-

octanol/water

log Pow: 0,7 (20 °C)

pH: 7

log Pow: 0,99 (20 °C)

pH: 5

12.4 Mobility in soil

Components:

1,2-benzisothiazol-3(2H)-one:

Distribution among environ-

mental compartments

Koc: 9,33 ml/g, log Koc: 0,97

Method: OECD Test Guideline 121 Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

Components:

phosphoric acid:

Additional ecological infor-

mation

Harmful effects on aquatic organisms also due to pH shift.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Dispose of the packaging in accordance with the local regula-

tions in force.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 1805
ADR : UN 1805
RID : UN 1805
IMDG : UN 1805
IATA : UN 1805

14.2 UN proper shipping name

ADN : PHOSPHORIC ACID SOLUTION

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version **Revision Date:** SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

ADR PHOSPHORIC ACID SOLUTION RID PHOSPHORIC ACID SOLUTION **IMDG** PHOSPHORIC ACID SOLUTION

IATA Phosphoric acid, solution

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN 8 **ADR** 8 **RID** 8 **IMDG** 8 IATA 8

14.4 Packing group

ADN

Packing group Ш Classification Code C1 Hazard Identification Number : 80 Labels 8

ADR

Packing group Ш Classification Code C₁ Hazard Identification Number : 80 Labels 8 Tunnel restriction code (E)

RID

Ш Packing group Classification Code C1 Hazard Identification Number : 80 Labels 8

IMDG

Packing group Ш Labels 8 **EmS Code** F-A, S-B

IATA (Cargo)

Packing instruction (cargo 856

aircraft)

Packing instruction (LQ) Y841 Packing group Ш Labels

Corrosive

IATA (Passenger)

Packing instruction (passen-852

ger aircraft)

Packing instruction (LQ) Y841 Ш Packing group

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version **Revision Date:** SDS Number: Date of last issue: -

02.06.2025 50003073 Date of first issue: 02.06.2025 1.0

Labels Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous yes

Environmentally hazardous yes

Environmentally hazardous yes

IMDG

Marine pollutant yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances. mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

boric acid

Regulation (EU) No 2024/590 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ENVIRONMENTAL HAZARDS

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

E2

AIIC : On the inventory, or in compliance with the inventory

DSL : This product contains chemical substance(s) exempt from

CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control

product.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H290 : May be corrosive to metals.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H360FD : May damage fertility. May damage the unborn child.

H400 : Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage
Met. Corr. : Corrosive to metals
Repr. : Reproductive toxicity
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

GR OEL

2000/39/EC / TWA

2000/39/EC / STEL

GR OEL / TWA

: Limit Value - eight hours

Short term exposure limit

Long term exposure limit

GR OEL / STEL

: Short term exposure limit

Short term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



RHIZOMAGIC® SL

Version Revision Date: SDS Number: Date of last issue: -

1.0 02.06.2025 50003073 Date of first issue: 02.06.2025

Further information

Classification of the mixture: Classification procedure:

Met. Corr. 1 H290 Calculation method

Eye Irrit. 2 H319 Based on product data or assessment

Aquatic Chronic 2 H411 Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GR / 6N