

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

### 1. IDENTIFICATION

Product name : FENOVA®

#### Manufacturer or supplier's details

Company : FMC LATINOAMERICA S.A.

Address : (SUCURSAL BOLIVIA)  
EQUIPETROL, AV. SAN MARTÍN,  
EDIF. AMBASSADOR P-19,  
SANTA CRUZ – BOLIVIA  
+591 (3) 337-7474

E-mail address : SDS-Info@fmc.com

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)  
0086-0532 8388 9090 (National Registration Center for Chemicals)

Medical Emergency Number : CALL 800-10-6966, JAPANESE UNIVERSITY HOSPITAL  
POISON INFORMATION CENTER. SANTA CRUZ-BOLIVIA.  
86 532 8388 9090

#### Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Use as recommended by the label.

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Skin sensitization : Sub-category 1B

Specific target organ toxicity - repeated exposure : Category 2

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic : Category 2

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

hazard

### GHS label elements

Hazard pictograms



Signal Word

: WARNING

Hazard Statements

: H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.  
H317 May cause an allergic skin reaction.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**  
P260 Do not breathe mist or vapors.  
P264 Wash hands thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or with adequate ventilation.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing.  
**Response:**  
P301 + P317 + P330 IF SWALLOWED: Get medical help.  
Rinse mouth.  
P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.  
Get medical help.  
P304 + P340 + P317 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help.  
P319 Get medical help if you feel unwell.  
P333 + P317 If skin irritation or rash occurs: Get medical help.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Hazard Statements required by Andean Technical Manual for the Registration and Control of Chemical Pesticides for Agricultural Use (Resolution no. 2075):  
Harmful if swallowed, in contact with skin or if inhaled.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version 1.0      Revision Date: 08.04.2025      SDS Number: 50000614      Date of last issue: -  
Date of first issue: 08.04.2025

Substance / Mixture : Mixture

Chemical nature : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	$\geq 50 - < 70$
Alcohols, C9-11-ethoxylated	68439-46-3	$\geq 10 - < 20$
fenoxaprop-P-ethyl (ISO)	71283-80-2	$\geq 10 - < 20$
1,2-benzisothiazol-3(2H)-one	2634-33-5	$\geq 0,025 - < 0,1$
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	$\geq 50 - < 70$
Alcohols, C9-11-ethoxylated	68439-46-3	$\geq 10 - < 20$
fenoxaprop-P-ethyl (ISO)	71283-80-2	$\geq 10 - < 20$
1,2-benzisothiazol-3(2H)-one	2634-33-5	$\geq 0,025 - < 0,1$

## 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this material safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.  
If symptoms persist, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed, in contact with skin or if inhaled.  
May cause an allergic skin reaction.  
May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Hydrogen chloride  
Chlorine compounds

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labeled containers.  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Prevent unauthorized access.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect against strong heat from sunshine or other source, e.g. fire.  
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version 1.0      Revision Date: 08.04.2025      SDS Number: 50000614      Date of last issue: -  
Date of first issue: 08.04.2025

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH

#### Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Face-shield
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.  
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
- Hygiene measures : Avoid contact with skin, eyes and clothing.  
Do not inhale aerosol.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version 1.0	Revision Date: 08.04.2025	SDS Number: 50000614	Date of last issue: - Date of first issue: 08.04.2025
----------------	------------------------------	-------------------------	--

---

Color	:	white
Odor	:	Aromatic hydrocarbon
Odor Threshold	:	No data available
pH	:	5,08 Concentration: 1 %
Melting point/freezing point	:	< 0 °C
Boiling point/boiling range	:	not determined
Flash point	:	> 95 °C  Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (liquids)	:	ignitable, Based on available information, the classification criteria for flammability hazard are not met.
Self-ignition	:	> 400 °C
Upper explosion limit / Upper flammability limit	:	Not available for this mixture.
Lower explosion limit / Lower flammability limit	:	Not available for this mixture.
Vapor pressure	:	Not available for this mixture.
Relative vapor density	:	Not available for this mixture.
Relative density	:	1,0249 (20 °C)
Density	:	No data available
Solubility(ies) Water solubility	:	emulsifiable
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Autoignition temperature	:	No data available
Decomposition temperature	:	not determined

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

Viscosity  
Viscosity, dynamic : 1.777 mPa.s ( 20 °C)

Viscosity, kinematic : 1734 mm<sup>2</sup>/s ( 20 °C)  
784 mm<sup>2</sup>/s ( 40 °C)

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

Particle size : Not applicable

### 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.  
Protect from frost.  
Heating of the product will produce harmful and irritant vapours.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : No decomposition if stored and applied as directed.

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

#### Product:

Acute oral toxicity : LD50(Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Assessment: The component/mixture is moderately toxic after single ingestion.  
Remarks: Resolution no. 2075



# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

Acute inhalation toxicity : LC50(Rat): > 2,09 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest attainable concentration.  
Based on data from similar materials

Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Resolution no. 2075

Acute dermal toxicity : LD50(Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

Assessment: The component/mixture is moderately toxic after single contact with skin.  
Remarks: Resolution no. 2075

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4,688 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Alcohols, C9-11-ethoxylated:**

Acute oral toxicity : LD50 (Rat): 1.192 mg/kg

Acute inhalation toxicity : Remarks: No data available

#### **fenoxaprop-P-ethyl (ISO):**

Acute oral toxicity : LD50 (Rat): 3.150 - 4.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1,224 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: EPA OPP 81-2  
Assessment: The substance or mixture has no acute dermal toxicity

### **1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4,688 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Alcohols, C9-11-ethoxylated:**

Acute oral toxicity : LD50 (Rat): 1.192 mg/kg

Acute inhalation toxicity : Remarks: No data available

### **fenoxaprop-P-ethyl (ISO):**

Acute oral toxicity : LD50 (Rat): 3.150 - 4.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1,224 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: EPA OPP 81-2  
Assessment: The substance or mixture has no acute dermal toxicity

### **1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

#### **Product:**

Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials  
Repeated exposure may cause skin dryness or cracking.

Remarks : May cause skin irritation and/or dermatitis.

#### **Components:**

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rabbit  
Assessment : Repeated exposure may cause skin dryness or cracking.  
  
Result : No skin irritation  
Remarks : Minimal effects that do not meet the threshold for classification.  
Based on data from similar materials

##### **Alcohols, C9-11-ethoxylated:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

##### **fenoxaprop-P-ethyl (ISO):**

Assessment : No skin irritation  
  
Method : EPA OPP 81-5  
Remarks : Minimal effects that do not meet the threshold for classification.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

### 1,2-benzisothiazol-3(2H)-one:

Species	: Rabbit
Exposure time	: 72 h
Method	: OECD Test Guideline 404
Result	: No skin irritation

### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rabbit
Assessment	: Repeated exposure may cause skin dryness or cracking.
Result	: No skin irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from similar materials

### Alcohols, C9-11-ethoxylated:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

### fenoxaprop-P-ethyl (ISO):

Assessment	: No skin irritation
Method	: EPA OPP 81-5
Remarks	: Minimal effects that do not meet the threshold for classification.

### 1,2-benzisothiazol-3(2H)-one:

Species	: Rabbit
Exposure time	: 72 h
Method	: OECD Test Guideline 404
Result	: No skin irritation

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Product:

Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Slight irritation and redness may be possible. Based on data from similar materials

Remarks	: Vapors may cause irritation to the eyes, respiratory system and the skin.
---------	---

#### Components:

### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

Species : Rabbit  
Assessment : No eye irritation  
Remarks : Minimal effects that do not meet the threshold for classification.  
Based on data from similar materials

### Alcohols, C9-11-ethoxylated:

Species : Bovine cornea  
Result : Eye irritation  
Remarks : Based on data from similar materials

### fenoxaprop-P-ethyl (ISO):

Assessment : No eye irritation  
Method : EPA OPP 81-4  
Remarks : Minimal effects that do not meet the threshold for classification.

Remarks : Product dust may be irritating to eyes, skin and respiratory system.

### 1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea  
Method : OECD Test Guideline 437  
Result : No eye irritation

Species : Rabbit  
Method : EPA OPP 81-4  
Result : Irreversible effects on the eye

### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rabbit  
Assessment : No eye irritation  
Remarks : Minimal effects that do not meet the threshold for classification.  
Based on data from similar materials

### Alcohols, C9-11-ethoxylated:

Species : Bovine cornea  
Result : Eye irritation  
Remarks : Based on data from similar materials

### fenoxaprop-P-ethyl (ISO):

Assessment : No eye irritation  
Method : EPA OPP 81-4  
Remarks : Minimal effects that do not meet the threshold for classification.

Remarks : Product dust may be irritating to eyes, skin and respiratory

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

system.

### 1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation
Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Based on available data, the classification criteria are not met.

#### Product:

Test Type	:	Local lymph node test
Method	:	OECD Test Guideline 429
Result	:	Probability or evidence of low to moderate skin sensitization rate in humans
Remarks	:	Causes sensitization.

#### Components:

##### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

##### Alcohols, C9-11-ethoxylated:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitization.
Remarks	:	Based on data from similar materials

##### fenoxaprop-P-ethyl (ISO):

Method	:	EPA OPP 81-6
Result	:	May cause sensitization by skin contact.

##### 1,2-benzisothiazol-3(2H)-one:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

Result : May cause sensitization by skin contact.

Species : Guinea pig

Method : FIFRA 81.06

Result : May cause sensitization by skin contact.

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Test Type : Maximization Test

Species : Guinea pig

Result : Not a skin sensitizer.

Remarks : Based on data from similar materials

### **Alcohols, C9-11-ethoxylated:**

Test Type : Maximization Type

Species : Guinea pig

Result : Does not cause skin sensitization.

Remarks : Based on data from similar materials

### **fenoxaprop-P-ethyl (ISO):**

Method : EPA OPP 81-6

Result : May cause sensitization by skin contact.

### **1,2-benzisothiazol-3(2H)-one:**

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitization by skin contact.

Species : Guinea pig

Method : FIFRA 81.06

Result : May cause sensitization by skin contact.

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

#### **Product:**

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **Components:**

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.  
Species: Rat

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

Application Route: inhalation (vapor)

Result: negative

### Alcohols, C9-11-ethoxylated:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

### 1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.



# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

### **Alcohols, C9-11-ethoxylated:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

### **1,2-benzisothiazol-3(2H)-one:**

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Product:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species	: Rat, male and female
Application Route	: inhalation (vapor)
Exposure time	: 12 month(s)
NOAEC	: 1,8 mg/l
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species	: Rat, male and female
Application Route	: inhalation (vapor)
Exposure time	: 12 month(s)
NOAEC	: 1,8 mg/l
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Product:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

### Components:

#### **Alcohols, C9-11-ethoxylated:**

- Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Dermal  
Dose: 0, 10, 100, 250 mg/kg bw  
General Toxicity Parent: NOAEL:  $\geq$  250 mg/kg bw/day  
Result: negative
- Effects on fetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Dermal  
Dose: 0, 10, 100, 250 mg/kg bw  
General Toxicity Maternal: NOAEL:  $\geq$  250 mg/kg bw/day  
Developmental Toxicity: NOAEL:  $\geq$  250 mg/kg bw/day  
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

#### **1,2-benzisothiazol-3(2H)-one:**

- Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity Parent: NOAEL: 18,5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters.  
Method: OPPTS 870.3800  
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

#### **Alcohols, C9-11-ethoxylated:**

- Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Dermal  
Dose: 0, 10, 100, 250 mg/kg bw  
General Toxicity Parent: NOAEL:  $\geq$  250 mg/kg bw/day  
Result: negative
- Effects on fetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Dermal  
Dose: 0, 10, 100, 250 mg/kg bw  
General Toxicity Maternal: NOAEL:  $\geq$  250 mg/kg bw/day  
Developmental Toxicity: NOAEL:  $\geq$  250 mg/kg bw/day  
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

assessment

ductive toxicity

### **1,2-benzisothiazol-3(2H)-one:**

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity Parent: NOAEL: 18,5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters.  
Method: OPPTS 870.3800  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **Components:**

##### **Alcohols, C9-11-ethoxylated:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **Alcohols, C9-11-ethoxylated:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

#### **Product:**

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

#### **Components:**

##### **fenoxaprop-P-ethyl (ISO):**

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

##### **1,2-benzisothiazol-3(2H)-one:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

### fenoxaprop-P-ethyl (ISO):

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### 1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rat, male and female  
NOAEC : 0,9 - 1,8 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 12 Months

#### **Alcohols, C9-11-ethoxylated:**

Species : Rat, male and female  
NOAEL :  $\geq 500$  mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 d  
Dose : 0, 15, 50, 150, 500 mg/kg bw/d  
Remarks : Based on data from similar materials

### fenoxaprop-P-ethyl (ISO):

Species : Rat  
NOAEL : 0,7 mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Symptoms : Increased kidneys weight, increased liver weight

### 1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female  
NOAEL : 15 mg/kg  
Application Route : Ingestion  
Exposure time : 28 d  
Method : OECD Test Guideline 407  
Symptoms : Irritation

Species : Rat, male and female  
NOAEL : 69 mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Symptoms : Irritation, Reduced body weight

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species	: Rat, male and female
NOAEC	: 0,9 - 1,8 mg/l
Application Route	: inhalation (vapor)
Exposure time	: 12 Months

### **Alcohols, C9-11-ethoxylated:**

Species	: Rat, male and female
NOAEL	: $\geq 500$ mg/kg bw/day
Application Route	: Ingestion
Exposure time	: 90 d
Dose	: 0, 15, 50, 150, 500 mg/kg bw/d
Remarks	: Based on data from similar materials

### **fenoxaprop-P-ethyl (ISO):**

Species	: Rat
NOAEL	: 0,7 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Increased kidneys weight, increased liver weight

### **1,2-benzisothiazol-3(2H)-one:**

Species	: Rat, male and female
NOAEL	: 15 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d
Method	: OECD Test Guideline 407
Symptoms	: Irritation

Species	: Rat, male and female
NOAEL	: 69 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

### **Product:**

No aspiration toxicity classification

### **Components:**

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

May be fatal if swallowed and enters airways.

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

### Experience with human exposure

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

### Further information

#### Product:

Remarks : No data available

Remarks : No data available

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

##### **fenoxaprop-P-ethyl (ISO):**

Remarks : No data available

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

##### **fenoxaprop-P-ethyl (ISO):**

Remarks : No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 1,62 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,46 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 3,28 mg/l Exposure time: 96 h
Toxicity to terrestrial organisms	:	LD50: 160 µg/bee Exposure time: 48 h End point: Acute contact toxicity Species: Apis mellifera (bees)  LD50: 327 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees)

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 1,4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l Exposure time: 24 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	LL50 (Tetrahymena pyriformis): 677,9 mg/l Exposure time: 72 h Test Type: Growth inhibition
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EL50: 0,89 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

##### **Alcohols, C9-11-ethoxylated:**

Toxicity to fish	:	Remarks: No data available
------------------	---	----------------------------



# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

### fenoxaprop-P-ethyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,31 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,97 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : IC50 (Desmodesmus subspicatus (green algae)): 0,51 mg/l  
Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0,039 mg/l  
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0,076 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,16 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: 24,8 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.000 mg/kg  
Species: Colinus virginianus (Bobwhite quail)

LD50: > 2.000 mg/kg  
Species: Anas platyrhynchos (Mallard duck)

LD50: > 100 µg/bee  
Exposure time: 48 h  
Species: Apis mellifera (bees)

### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1,4 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677,9 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50: 0,89 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Alcohols, C9-11-ethoxylated:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

### fenoxaprop-P-ethyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,31 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,97 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : IC50 ( Desmodesmus subspicatus (green algae)): 0,51 mg/l  
Exposure time: 72 h

EC50 ( Lemna gibba (duckweed)): 0,039 mg/l  
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0,076 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,16 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: 24,8 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.000 mg/kg  
Species: Colinus virginianus (Bobwhite quail)

LD50: > 2.000 mg/kg  
Species: Anas platyrhynchos (Mallard duck)

LD50: > 100 µg/bee

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

Exposure time: 48 h  
Species: Apis mellifera (bees)

### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC ( Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

#### Components:

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 58,6 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

### **Alcohols, C9-11-ethoxylated:**

Biodegradability : Inoculum: activated sludge, non-adapted  
Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Remarks: Based on data from similar materials

### **fenoxaprop-P-ethyl (ISO):**

Biodegradability : Result: Not readily biodegradable.

### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 58,6 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

### **Alcohols, C9-11-ethoxylated:**

Biodegradability : Inoculum: activated sludge, non-adapted  
Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Remarks: Based on data from similar materials

### **fenoxaprop-P-ethyl (ISO):**

Biodegradability : Result: Not readily biodegradable.

### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

### **Bioaccumulative potential**

#### **Product:**

Bioaccumulation : Remarks: No data is available on the product itself.

Remarks: No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

### Components:

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,72  
Method: QSAR

#### **Alcohols, C9-11-ethoxylated:**

Bioaccumulation : Species: Pimephales promelas (fathead minnow)  
Bioconcentration factor (BCF): 237  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3,74 (25 °C)  
Method: QSAR

#### **fenoxaprop-P-ethyl (ISO):**

Partition coefficient: n-octanol/water : log Pow: 4,28

#### **1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305  
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)  
pH: 7  
  
log Pow: 0,99 (20 °C)  
pH: 5

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,72  
Method: QSAR

#### **Alcohols, C9-11-ethoxylated:**

Bioaccumulation : Species: Pimephales promelas (fathead minnow)  
Bioconcentration factor (BCF): 237  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3,74 (25 °C)

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

octanol/water

Method: QSAR

### **fenoxaprop-P-ethyl (ISO):**

Partition coefficient: n-octanol/water : log Pow: 4,28

### **1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305  
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)  
pH: 7

log Pow: 0,99 (20 °C)  
pH: 5

### **Mobility in soil**

#### **Product:**

Distribution among environmental compartments : Remarks: No data is available on the product itself.

#### **Components:**

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

#### **1,2-benzisothiazol-3(2H)-one:**

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97  
Method: OECD Test Guideline 121  
Remarks: Highly mobile in soils

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

#### **1,2-benzisothiazol-3(2H)-one:**

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97  
Method: OECD Test Guideline 121  
Remarks: Highly mobile in soils

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

#### Components:

##### **fenoxaprop-P-ethyl (ISO):**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

##### **fenoxaprop-P-ethyl (ISO):**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.



# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fenoxaprop-P-ethyl, Aromatic hydrocarbons)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

##### IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Fenoxaprop-P-ethyl, Aromatic hydrocarbons)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

##### IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fenoxaprop-P-ethyl, Aromatic hydrocarbons)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version 1.0	Revision Date: 08.04.2025	SDS Number: 50000614	Date of last issue: - Date of first issue: 08.04.2025
----------------	------------------------------	-------------------------	--

---

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.  fenoxaprop-P-ethyl (ISO)
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

---

### 16. OTHER INFORMATION

Revision Date	:	08.04.2025
Date format	:	dd.mm.yyyy

#### Further information

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®


Version  
1.0

Revision Date:  
08.04.2025

SDS Number:  
50000614

Date of last issue: -  
Date of first issue: 08.04.2025

### NFPA:



### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## FENOVA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2025	50000614	Date of first issue: 08.04.2025

---

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

BO / EN