

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name TRIFLUSULFURON METHYL 50 WW% WP

Other means of identification

Product code 50000144

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Manufacturer or supplier's details

Supplier Address FMC Agricultural Solutions A/S
Thyborønvej 78
DK-7673 Harbøre
Denmark

Telephone: +45 9690 9690
Telefax: +45 9690 9691
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:
Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0	Revision Date: 26.08.2024	SDS Number: 50000144	Date of last issue: - Date of first issue: 26.08.2024
----------------	------------------------------	-------------------------	--

gory 1

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

triflusulfuron-methyl

Additional Labelling

EUH401

To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0 Revision Date: 26.08.2024 SDS Number: 50000144 Date of last issue: -
Date of first issue: 26.08.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
triflusulfuron-methyl	126535-15-7 607-714-00-7	Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10	>= 30 - < 50
docusate sodium	577-11-7 209-406-4	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - < 3
Substances with a workplace exposure limit :			
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	14807-96-6 238-877-9		>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0	Revision Date: 26.08.2024	SDS Number: 50000144	Date of last issue: - Date of first issue: 26.08.2024
----------------	------------------------------	-------------------------	--

- | | |
|-------------------------|---|
| In case of skin contact | : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|----------|--|
| Symptoms | : Possibly irritation
Generally, sulphonylurea herbicides cause lethargy, confusion, dizziness, seizures and coma on ingestion. |
| Risks | : Suspected of causing cancer. |

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|---|
| Treatment | : Immediate medical attention is required in case of ingestion.

Treat symptomatically. |
|-----------|---|
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |

5.2 Special hazards arising from the substance or mixture

- | | |
|---------------------------------------|--|
| Specific hazards during fire-fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NO _x)
Hydrogen fluoride
Sulphur oxides
Fluorine compounds |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Avoid dust formation.
Use personal protective equipment.
If it can be safely done, stop the leak.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against : Provide appropriate exhaust ventilation at places where dust

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0	Revision Date: 26.08.2024	SDS Number: 50000144	Date of last issue: - Date of first issue: 26.08.2024
----------------	------------------------------	-------------------------	--

fire and explosion is formed.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : < 40 °C

Further information on storage stability : Keep in a dry place.
No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Dust 3 mg/m³
Value type (Form of exposure): GV (Total dust)
Basis: DK OEL

6 mg/m³
Value type (Form of exposure): S (Total dust)
Basis: DK OEL

5 mg/m³
Value type (Form of exposure): GV (Respirable dust)
Basis: DK OEL

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0 Revision Date: 26.08.2024 SDS Number: 50000144 Date of last issue: -
Date of first issue: 26.08.2024

10 mg/m³
Value type (Form of exposure): GV (Dust)
Basis: DK OEL

10 mg/m³
Value type (Form of exposure): S (Respirable dust)
Basis: DK OEL

20 mg/m³
Value type (Form of exposure): S (Dust)
Basis: DK OEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	14807-96-6	GV (fibres)	0,003 fibres per cubic centimeter	DK OEL
	Further information: Means that the substance is included in the list of substances considered carcinogenic.			
		S (fibres)	0,006 fibres per cubic centimeter	DK OEL
	Further information: Means that the substance is included in the list of substances considered carcinogenic.			
		TWA (Respirable dust)	0,1 mg/m ³	2004/37/EC
	Further information: Carcinogens or mutagens			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	Workers	Inhalation	Long-term systemic effects	2,16 mg/m ³
	Workers	Inhalation	Acute systemic effects	2,16 mg/m ³
	Workers	Inhalation	Long-term local effects	3,16 mg/m ³
	Workers	Inhalation	Acute local effects	3,6 mg/m ³
	Workers	Dermal	Long-term systemic effects	43,2 mg/kg bw/day
	Workers	Dermal	Long-term local effects	4,54 mg/cm ²
	Consumers	Inhalation	Long-term systemic effects	1,08 mg/m ³
	Consumers	Inhalation	Acute systemic effects	1,08 mg/m ³
	Consumers	Inhalation	Long-term local effects	1,8 mg/m ³
	Consumers	Inhalation	Acute local effects	1,8 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0 Revision Date: 26.08.2024 SDS Number: 50000144 Date of last issue: -
Date of first issue: 26.08.2024

	Consumers	Dermal	Long-term systemic effects	21,6 mg/kg bw/day
	Consumers	Dermal	Long-term local effects	2,27 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	160 mg/kg bw/day
	Consumers	Oral	Acute systemic effects	160 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Talc ($\text{Mg}_3\text{H}_2(\text{SiO}_3)_4$)	Fresh water	597,97 mg/l
	Marine water	141,26 mg/l
	Fresh water sediment	31,33 mg/kg dry weight (d.w.)
	Marine sediment	3,13 mg/kg dry weight (d.w.)
	Air	10 mg/m ³
	Intermittent use (freshwater)	597,97 mg/l
	Intermittent use (marine water)	141,26 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Equipment should conform to EN 143

Filter type : Particulates type (P)

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Form	:	powder
Colour	:	brown
Odour	:	odourless
Melting point/freezing point	:	Decomposes without melting.
Boiling point/boiling range	:	Decomposition
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	not auto-flammable
Decomposition temperature	:	No data available
pH	:	8,3 (20 °C)
Viscosity		Concentration: 10 g/l 10 g/l Method: CIPAC MT 75
Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Relative density	:	Not applicable
Bulk density	:	730 kg/m ³ loose 790 kg/m ³ packed
Relative vapour density	:	Not applicable
Particle characteristics		
Particle size	:	No data available

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.
Evaporation rate	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Heating of the mixture may evolve harmful and irritant vapours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat): > 6,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

Components:

triflusulfuron-methyl:

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 5,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402

docusate sodium:

Acute oral toxicity	:	LD50 (Rat, male and female): > 2.100 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rabbit, male): > 10.000 mg/kg Method: OECD Test Guideline 402

Talc (Mg₃H₂(SiO₃)₄):

Acute oral toxicity	:	LD0 (Rat, male): > 5.000 mg/kg Method: OECD Test Guideline 423 Remarks: no mortality
Acute inhalation toxicity	:	LC0 (Rat, male and female): > 2,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: no mortality
Acute dermal toxicity	:	LD0 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 Remarks: no mortality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	(Data on the product itself) Information source: Internal study report

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

Components:

triflusulfuron-methyl:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

docusate sodium:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

Talc (Mg₃H₂(SiO₃)₄):

Species	:	reconstructed human epidermis (RhE)
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes
Remarks	:	(Data on the product itself)

Information source: Internal study report

Components:

triflusulfuron-methyl:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

docusate sodium:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Risk of serious damage to eyes.

Talc (Mg₃H₂(SiO₃)₄):

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Animal test did not cause sensitization by skin contact.
GLP	: yes

Components:

triflusulfuron-methyl:

Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.

docusate sodium:

Exposure routes	: Skin contact
Species	: Humans
Result	: Does not cause skin sensitisation.

Talc (Mg₃H₂(SiO₃)₄):

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.

Exposure routes	: Inhalation
Species	: Rat
Result	: Does not cause respiratory sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

triflusulfuron-methyl:

Genotoxicity in vitro	: Test Type: Ames test Result: negative
-----------------------	--

Germ cell mutagenicity- Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	--

docusate sodium:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
-----------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0	Revision Date: 26.08.2024	SDS Number: 50000144	Date of last issue: - Date of first issue: 26.08.2024
----------------	------------------------------	-------------------------	--

Genotoxicity in vivo : Remarks: No data available

Talc (Mg₃H₂(SiO₃)₄):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: gene mutation test
Method: QSAR
Result: negative

Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Rat (male)
Application Route: Oral
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Suspected of causing cancer.

Components:

triflusulfuron-methyl:

Species : Rat, male
Dose : > 30 mg/kg/ bw/day
Method : OECD Test Guideline 453
Symptoms : Leydig-cell adenoma

Carcinogenicity - Assessment : The observed tumors do not appear to be relevant for men.

Talc (Mg₃H₂(SiO₃)₄):

Species : Rat, male and female
Application Route : Oral
Exposure time : 101 days
Dose : 100 mg/kg bw/day
NOAEL : 100 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative
Target Organs : Stomach
Tumor Type : Leiomyosarcoma

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0	Revision Date: 26.08.2024	SDS Number: 50000144	Date of last issue: - Date of first issue: 26.08.2024
----------------	------------------------------	-------------------------	--

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

docusate sodium:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Duration of Single Treatment: 6 - 15 d
Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Talc (Mg₃H₂(SiO₃)₄):

Effects on fertility : Species: Rabbit, female
Application Route: Oral
Dose: 9, 42, 195, 900 mg/kg bw/day
General Toxicity - Parent: NOAEL: > 900 mg/kg body weight
General Toxicity F1: NOAEL: > 900 mg/kg body weight
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 0,16,74,350,1600mg/kg bw/day
Duration of Single Treatment: 20 d
General Toxicity Maternal: NOAEL: >= 1.600 mg/kg bw/day
Embryo-foetal toxicity: NOAEL: 1.600 mg/kg bw/day
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

triflusulfuron-methyl:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Talc (Mg₃H₂(SiO₃)₄):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

triflusulfuron-methyl:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

docusate sodium:

Species : Rat, male and female
NOAEL : 750 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408

Talc (Mg₃H₂(SiO₃)₄):

Species : Rat, male and female
NOAEL : 100 mg/kg
Application Route : Oral - feed
Exposure time : 101 d
Dose : 100 mg/kg bw/day

Species : Rat, male and female
NOAEL : 2 mg/m³
LOAEL : 6 mg/m³
Application Route : inhalation (dust/mist/fume)
Test atmosphere : dust/mist
Exposure time : 20 d
Dose : 0, 2, 6, 18 mg/m³

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

triflusulfuron-methyl:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0	Revision Date: 26.08.2024	SDS Number: 50000144	Date of last issue: - Date of first issue: 26.08.2024
----------------	------------------------------	-------------------------	--

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Generally, sulphonylurea herbicides cause lethargy, confusion, dizziness, seizures and coma on ingestion.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 150 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.200 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to algae/aquatic plants : EC50 (Lemna gibba (duckweed)): 0,0043 mg/l
End point: Frond
Exposure time: 14 d
Method: ASTM E 1415-91
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report

ErC50 (Pseudokirchneriella subcapitata (microalgae)): 0,43 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report

Components:

triflusulfuron-methyl:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 730 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 884 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,5 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 ErC50 (Lemna gibba (gibbous duckweed)): 0,0035 mg/l Exposure time: 14 h Method: ASTM E 1415-91 EC50 (green algae): 0,62 mg/l Exposure time: 98 h
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to fish (Chronic toxicity)	:	NOEC: 210 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 204
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 11 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to soil dwelling organisms	:	LC50: > 1.000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	:	LC50: > 2.250 mg/kg Species: Colinus virginianus (Bobwhite quail) Method: EPA OPP 71-1 LC50: > 5.620 mg/kg Species: Anas platyrhynchos (Mallard duck) Method: EPA OPP 71-1 LD50: > 25 µg/bee End point: Acute contact toxicity Species: Apis mellifera (bees)

docusate sodium:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 49 mg/l Exposure time: 96 h Method: Regulation (EC) No. 440/2008, Annex, C.1
------------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0	Revision Date: 26.08.2024	SDS Number: 50000144	Date of last issue: - Date of first issue: 26.08.2024
----------------	------------------------------	-------------------------	--

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 15,2 mg/l Exposure time: 48 h Method: Regulation (EC) No. 440/2008, Annex, C.2
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 82,5 mg/l Exposure time: 72 h Method: Regulation (EC) No. 440/2008, Annex, C.3
Toxicity to microorganisms	: EC50 (Pseudomonas putida): 164 mg/l Exposure time: 16,5 h Method: DIN 38 412 Part 8 EC10 (Pseudomonas putida): 122 mg/l Exposure time: 16,5 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10: 9 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Talc (Mg₃H₂(SiO₃)₄):

Toxicity to fish	: LC50 (Fish): 89.581,016 mg/l Exposure time: 96 h Method: QSAR
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Daphnia magna (Water flea)): 36.812,359 mg/l Exposure time: 48 h Method: QSAR
Toxicity to algae/aquatic plants	: NOEC (green algae): 918,089 mg/l Exposure time: 30 d Method: QSAR EC50 (green algae): 7.202,7 mg/l Exposure time: 96 h Method: QSAR
Toxicity to fish (Chronic toxicity)	: NOEC: 1.412,648 mg/l Exposure time: 30 d Species: Fish Method: QSAR
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 1.459,798 mg/l Exposure time: 30 d Species: Daphnia (water flea) Method: QSAR

12.2 Persistence and degradability

Product:

Biodegradability	: Remarks: No data is available on the product itself.
------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0	Revision Date: 26.08.2024	SDS Number: 50000144	Date of last issue: - Date of first issue: 26.08.2024
----------------	------------------------------	-------------------------	--

Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

triflusulfuron-methyl:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Hydrolyses readily.

docusate sodium:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 91 %
Exposure time: 28 d

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

triflusulfuron-methyl:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 0,96 (25 °C)
pH: 7

log Pow: 2,3 (25 °C)
pH: 5

log Pow: -0,07 (25 °C)
pH: 9

docusate sodium:

Bioaccumulation : Remarks: Not applicable

Partition coefficient: n-octanol/water : log Pow: 1,998 (20 °C)

Talc (Mg₃H₂(SiO₃)₄):

Bioaccumulation : Bioconcentration factor (BCF): 3,16
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: -9,4 (25 °C)
pH: 7
Method: QSAR

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0	Revision Date: 26.08.2024	SDS Number: 50000144	Date of last issue: - Date of first issue: 26.08.2024
----------------	------------------------------	-------------------------	--

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

triflusulfuron-methyl:

Distribution among environmental compartments : Remarks: Moderately mobile in soil at low pH.
Very mobile at high pH.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0	Revision Date: 26.08.2024	SDS Number: 50000144	Date of last issue: - Date of first issue: 26.08.2024
----------------	------------------------------	-------------------------	--

Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triflusulfuron-methyl)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triflusulfuron-methyl)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triflusulfuron-methyl)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triflusulfuron-methyl)
IATA	: Environmentally hazardous substance, solid, n.o.s. (Triflusulfuron-methyl)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
ADR	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version 1.0	Revision Date: 26.08.2024	SDS Number: 50000144	Date of last issue: - Date of first issue: 26.08.2024
----------------	------------------------------	-------------------------	--

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- | | | |
|--|---|---|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : | Conditions of restriction for the following entries should be considered: Number on list 75
If you intend to use this product as tattoo ink, please contact your vendor. |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : | Not applicable |
| Regulation (EC) on substances that deplete the ozone layer | : | Not applicable |
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast) | : | Not applicable |
| Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals | : | Not applicable |
| REACH - List of substances subject to authorisation (Annex XIV) | : | Not applicable |

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS
---	----	-----------------------

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

- | | | |
|--|---|--|
| The substance/mixture is subject to the provisions of BEK no 822 of 16/06/2023 (as amended) "Executive order on Measures to Protect Workers from the Risks related to Exposure to Carcinogenic Substances and Materials at Work". The work with this substance/mixture may pose a cancer risk. | : | Talc (Mg ₃ H ₂ (SiO ₃) ₄)
triflusulfuron-methyl |
|--|---|--|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. triflusulfuron-methyl Chlorite-group minerals dolomite
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H351	: Suspected of causing cancer.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
DK OEL	: Denmark. Occupational Exposure Limits

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

2004/37/EC / TWA	:	Long term exposure limit
DK OEL / S	:	Exposure period of 15 minutes
DK OEL / GV	:	Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Carc. 2	H351
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Based on product data or assessment
Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIFLUSULFURON METHYL 50 WW% WP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.08.2024	50000144	Date of first issue: 26.08.2024

fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

DK / 6N