according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Abamectin 18 g/l EW

Other means of identification

Product code 50000673

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Insecticide

Recommended restrictions :

stance/Mixture

on use For professional users only.

1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

Use as recommended by the label.

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: +45-69918573 (CHEMTREC)

Medical emergency:

Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

exposure, Category 2 longed or repeated exposure.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P260 Do not breathe mist or vapours.P264 Wash skin thoroughly after handling.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER/

doctor if you feel unwell.

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in

accordance with local regulations.

Hazardous components which must be listed on the label:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO)

Additional Labelling

Restricted to professional users.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name Distillates (petroleum), hy-	CAS-No. EC-No. Index-No. Registration number 64742-55-8	Classification Asp. Tox. 1; H304	Concentration (% w/w) >= 1 - < 10
drotreated light paraffinic (With < 3% DMSO-extract)	265-158-7 649-468-00-3	EUH066	
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2 606-143-00-0	Acute Tox. 2; H300 Acute Tox. 1; H330 Repr. 2; H361d STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000 specific concentration limit STOT RE 1; H372 >= 5 % STOT RE 2; H373 0,5 - < 5 %	>= 1 - < 2,5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Exposure causes symptoms of nervous system depression,

such as pupil dilation, vomiting, excitation, incoordination, tremors, lethargy, coma. High doses cause death by respirato-

ry failure.

Risks : Harmful if swallowed.

May cause damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Immediate medical attention is required in case of ingestion.

If there is any sign of poisoning, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been ex-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

posed to an insecticide. Describe his/her condition and the extent of exposure. Immediately remove the exposed person from the area where the product is present. Perform artificial respiration if needed.

A specific antidote for exposure to this material is not known. Gastric lavage and/or administration of activated charcoal can be considered. After decontamination, treatment of exposure is as for a general chemical and should be directed at the

control of symptoms and the clinical condition.

Abamectin acts as agonist of the GABA (gamma-aminobutyric

acid) neurotransmitter in nerve cells.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Carbon oxides

Nitrogen oxides (NOx) Oxides of phosphorus

Carbon oxides

Fire may produce irritating, corrosive and/or toxic gases.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use personal protective equipment.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Further information on stor-

age conditions

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present.

Recommended storage tem- : <

perature

< 35 °C

Further information on stor-

age stability

No decomposition if stored and applied as directed.

A hand wash station should be available.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	, , ,	Control parameters	Basis
		of exposure)		
diethyl phthalate	84-66-2	GV	3 mg/m3	DK OEL
		S	6 mg/m3	DK OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
diethyl phthalate	Workers	Inhalation	Long-term systemic effects	10,56 mg/m3
	Workers	Dermal	Long-term systemic effects	15 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,6 mg/m3
	Consumers	Dermal	Long-term systemic effects	7,5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,75 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
diethyl phthalate	Fresh water	0,012 mg/l
	Marine water	0,0012 mg/l
	Sewage treatment plant	2 mg/l
	Fresh water sediment	0,137 mg/kg dry

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/l EW

Version Revision Date: SDS Number: Date of last issue: -

21.05.2025 50000673 Date of first issue: 21.05.2025 1.0

	weight (d.w.)
Marine sediment	0,0137 mg/kg dry weight (d.w.)
Soil	0,137 mg/kg dry weight (d.w.)
Oral	33 mg/kg
Intermittent use (freshwater)	0,12 mg/l

8.2 Exposure controls

Personal protective equipment

Eye wash bottle with pure water Eye/face protection

Tightly fitting safety goggles

Hand protection

Material Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Impervious clothing Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

In case of mist, spray or aerosol exposure wear suitable per-Respiratory protection

sonal respiratory protection and protective suit.

Plan first aid action before beginning work with this product. Protective measures

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid Colour off-white slight, aromatic Odour Melting point/freezing point No data available Boiling point/boiling range No data available Upper explosion limit / Upper No data available

flammability limit

Lower explosion limit / Lower

flammability limit

> 100 °C Flash point

Method: Pensky-Martens closed cup

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Auto-ignition temperature : > 400 °C

Decomposition temperature : No data available

pH : 6,5 (25 °C)

(undiluted)

Viscosity

Viscosity, dynamic : ca. 250 - 4.000 mPa.s (20 °C)

ca. 100 - 3.000 mPa.s (40 °C)

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : not determined Solubility in other solvents : No data available Partition coefficient: n- : No data available

octanol/water

Vapour pressure : No data available
Relative density : No data available
Density : 1.010 g/l (20 °C)
Relative vapour density : No data available

Particle characteristics

Particle size : No data available Particle Size Distribution : No data available

9.2 Other information

Explosives : Not explosive
Oxidizing properties : Non-oxidizing
Evaporation rate : No data available
Miscibility with water : dispersible
Molecular weight : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

Avoid formation of aerosol.

Protect from frost, heat and sunlight.

Heating of the product will produce harmful and irritant va-

pours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat): 466 mg/kg

Method: OECD Test Guideline 425

Symptoms: Tremors, ataxia, Breathing difficulties

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,62 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403 Symptoms: Fatality, Tremors, ataxia

GLP: yes

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The component/mixture is minimally toxic after

single contact with skin.

Components:

Distillates (petroleum), hydrotreated light paraffinic (With < 3% DMSO-extract):

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Acute oral toxicity : LD50 (Rat): 340 mg/kg

Method: OECD Test Guideline 425

Symptoms: Fatality

LD50 (Rat): 300 - 2.000 mg/kg Method: OECD Test Guideline 423

Symptoms: ataxia, apathy, Tremors, Fatality

LD50 (Rat, male): ca. 76 mg/kg

Symptoms: apathy, piloerection, hemorrhage

LD50 (Rat, female): ca. 34 mg/kg

Symptoms: apathy, piloerection, hemorrhage

LD50 (Rat, male and female): 14,5 - 21 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 0,052 - 0,54 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

GLP : yes

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Components:

Distillates (petroleum), hydrotreated light paraffinic (With < 3% DMSO-extract):

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Assessment : Repeated exposure may cause skin dryness or cracking.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : slight or no skin irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Components:

Distillates (petroleum), hydrotreated light paraffinic (With < 3% DMSO-extract):

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : Slight or no eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

Components:

Distillates (petroleum), hydrotreated light paraffinic (With < 3% DMSO-extract):

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406 Result : Not a skin sensitizer.

Remarks : Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Components:

Distillates (petroleum), hydrotreated light paraffinic (With < 3% DMSO-extract):

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: Based on data from similar materials

Test Type: reverse mutation assay

Test system: TA98

Metabolic activation: Metabolic activation

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Species: Mouse (male and female)

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity- As-

sessment

Remarks: Mineral oil, highly refined, DMSO < 3% (IP346;

Viscosity $\leq 20.5 \text{ mm2/s at } 40^{\circ}\text{C}$

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test

Species: mice

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Result: negative GLP: yes

Germ cell mutagenicity- As-

sessment

No genotoxic potential

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Components:

Distillates (petroleum), hydrotreated light paraffinic (With < 3% DMSO-extract):

Result : negative

Carcinogenicity - Assess-

ment

Based on available data, the classification criteria are not met.

Remarks: Mineral oil, highly refined, DMSO < 3% (IP346;

Viscosity \leq 20.5 mm2/s at 40°C)

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Method : OECD Test Guideline 451

Remarks : Not classified

Method : OECD Test Guideline 453

Remarks : Not classified

Carcinogenicity - Assess-

ment

: Weight of evidence does not support classification as a car-

cinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Distillates (petroleum), hydrotreated light paraffinic (With < 3% DMSO-extract):

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat, male and female

Application Route: Oral

Early Embryonic Development: NOAEL: 1.000 mg/kg bw/day

Method: OECD Test Guideline 421

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Pre-natal

Species: Rat

Application Route: Dermal

Teratogenicity: NOAEL: 2.000 mg/kg bw/day

Symptoms: Maternal effects

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Remarks: Mineral oil, highly refined, DMSO < 3% (IP346;

Viscosity \leq 20.5 mm2/s at 40°C)

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Reproductive toxicity - As- : Some evidence of adverse effects on sexual function and

sessment fertility, and/or on development, based on animal experiments.

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Target Organs : Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

Distillates (petroleum), hydrotreated light paraffinic (With < 3% DMSO-extract):

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Oral - gavage
Exposure time : 13 weeks

Remarks : Effects are of limited toxicological significance.

Based on data from similar materials

Species : Rat, male and female

NOAEC : > 0.98 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 weeks

Remarks : No significant adverse effects were reported

Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Dog LOEL : 0,5 mg/kg Application Route : Oral Exposure time : 18 weeks

Method : OECD Test Guideline 409

Species : Rat

LOAEC : 0,0027 mg/l
Application Route : Inhalation
Exposure time : 30 d

Species : Rat, female
NOAEL : 3,0 mg/kg
LOAEL : 6,7 mg/kg
Application Route : Oral
Exposure time : 28 d

Dose : 0, 3, 6.7, 8.9, 11.5 mg/kg bw/day Method : OECD Test Guideline 407

GLP : yes

Symptoms : Tremors, Fatality

Species : Rat, female
NOAEL : 3,8 mg/kg
LOAEL : 9,3 mg/kg
Application Route : Oral
Exposure time : 90 d

Dose : 0, 1.8, 3.8, 9.3, 9.6 mg/kg bw/day
Method : OECD Test Guideline 408

GLP : yes

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Components:

Distillates (petroleum), hydrotreated light paraffinic (With < 3% DMSO-extract):

May be fatal if swallowed and enters airways.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Exposure causes symptoms of nervous system depression,

such as pupil dilation, vomiting, excitation, incoordination, tremors, lethargy, coma. High doses cause death by respirato-

ry failure.

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Remarks : Exposure causes symptoms of nervous system depression,

such as pupil dilation, vomiting, excitation, incoordination, tremors, lethargy, coma. High doses cause death by respirato-

ry failure.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,32 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,028 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Toxicity to terrestrial organ-

isms

LD50: > 2.000 mg/kg

Species: Colinus virginianus (Bobwhite quail)

LC50: 0,63 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

LC50: 0,16 µg/bee

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214

Components:

Distillates (petroleum), hydrotreated light paraffinic (With < 3% DMSO-extract):

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 24 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOELR (Pseudokirchneriella subcapitata (green algae)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEL: > 1,93 mg/l

Exposure time: 0,16 h

Toxicity to fish (Chronic tox-

icity)

NOELR: > 1.000 mg/l

Exposure time: 14 d

Species: Oncorhynchus mykiss (rainbow trout)

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc.

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOELR: 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,027 - 0,044 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0008 - 0,0015 mg/l

End point: Immobilization

Exposure time: 48 h Method: OECD Test Guideline 202

GLP: yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

EC50 (Daphnia magna (Water flea)): 0,0002 - 0,00028 mg/l

End point: Immobilization Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

EC50 (Daphnia pulex (Water flea)): 0,000159 mg/l

End point: Immobilization Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

NOEC (Daphnia pulex (Water flea)): 0,000089 mg/l

End point: Immobilization Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus capricornutum (fresh water algae)):

56,68 - 85,41 mg/l Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic tox-

icity)

10.000

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,0044 mg/l Exposure time: 28 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,00003 mg/l End point: reproduction Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

M-Factor (Chronic aquatic

toxicity)

10.000

Toxicity to soil dwelling or-

ganisms

LC50: 14,24 - 18,37 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on nitrogen mineraliza-

tion.

Method: OECD Test Guideline 217

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Remarks: No significant adverse effect on carbon mineraliza-

tion.

Toxicity to terrestrial organ-

isms

LD50: $0,00071 - 0,00099 \mu g/bee$

Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214

LD50: > 5000 ppm

Species: Coturnix japonica (Japanese quail)

Remarks: Dietary

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

Components:

Distillates (petroleum), hydrotreated light paraffinic (With < 3% DMSO-extract):

Biodegradability : Result: Inherently biodegradable.

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Biodegradability : Result: Not readily biodegradable.

Remarks: It undergoes degradation in the environment and in

waste water treatment plants.

12.3 Bioaccumulative potential

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Species: Danio rerio (zebra fish)

Bioconcentration factor (BCF): 54 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n- : log Pow: 5,5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

octanol/water

12.4 Mobility in soil

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environ-

mental compartments

: Remarks: Mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Abamectin)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Abamectin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Abamectin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Abamectin)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Abamectin)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75, 3, 28

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified (Number on list 28)

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

: Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ENVIRONMENTAL HAZARDS

34 Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar proper-

ties as regards flammability and environmental hazards as the products referred to in points (a)

to (d)

E1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The substance/mixture is subject to the provisions of BEK nr 290 of 19/03/2024 (as amended)"Executive Order on measures to prevent the risks arising from work with carcinogenic, mutagenic or reprotoxic substances and materials" The work with this substance/mixture may pose a risk for cancer and/or reproductive toxicity.

Distillates, petroleum, hydrotreated light paraffinic

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

mixture of tristyryl phenol-polyethylene glycol-phosphoric acid

ester, triethanol ammonium salt

abamectin (combination of avermectin B1a and avermectin

B1b) (ISO)

Poly(oxy-1,2-ethanediyl), .alpha.-[2,4,6-tris(1-

phenylethyl)phenyl]-.omega.-hydroxy-, phosphate, potassium

salt

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H300 : Fatal if swallowed.

H304 : May be fatal if swallowed and enters airways.

H330 : Fatal if inhaled.

H361d : Suspected of damaging the unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

EUH066 : Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard Repr. : Reproductive toxicity

STOT RE : Specific target organ toxicity - repeated exposure

DK OEL : Denmark. Occupational Exposure Limits

DK OEL / S : Exposure period of 15 minutes
DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Abamectin 18 g/I EW

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2025 50000673 Date of first issue: 21.05.2025

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Acute Tox. 4 H302 Based on product data or assessment STOT RE 2 H373 Based on product data or assessment

Aquatic Acute 1 H400 Based on product data or assessment

Aquatic Chronic 1 H410 Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

DK / 6N