

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

---

### 1. IDENTIFICATION

Product name : VERIMARK® 20 SC

#### Manufacturer or supplier's details

Company : FMC CORPORATION

Address : 2929 WALNUT STREET  
PHILADELPHIA, PA 19104 USA  
(215) 299-6000 (GENERAL INFORMATION)

E-mail address : SDS-Info@fmc.com

Emergency telephone : +506-40003869  
911

Medical Emergency Number : Costa Rica - National Center of Poisoning - (506) 2223-1028;  
800-INTOXICA  
Dominican Republic: DOMINICAN REPUBLIC - Center for  
Drug Information and Poisoning - (809) 562-6601 Ext. 1801  
El Salvador - Rosales National Hospital - (503) 2231-9262  
Guatemala - Center of Toxicological Information and Assis-  
tance - (502) 2251-3560 / 2232-0735  
Honduras - Hospital School - (504) 232-6105  
Nicaragua - National Center of Toxicology - (505) 2289-4700  
ext. 1294 cel. 8755-0983  
Panama Center of Research and Information on Medications  
and Toxicology (507) 523-4948

#### Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

Hazard pictograms

:



Signal Word

: WARNING

Hazard Statements

: H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Cyantraniliprole	736994-63-1	>= 10 - < 20

## 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled

: If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of eye contact

: Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed

: Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

If symptoms persist, call a physician.

Most important symptoms  
and effects, both acute and  
delayed

: None known.

Protection of first-aiders

: Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician

: Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

: Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing  
media

: Do not spread spilled material with high-pressure water streams.

Specific hazards during fire  
fighting

: Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion prod-  
ucts

: Fire may produce irritating, corrosive and/or toxic gases.  
Bromine compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Chlorinated compounds  
Hydrogen chloride  
Hydrogen cyanide

Specific extinguishing meth-  
ods

: Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment  
for fire-fighters

: Firefighters should wear protective clothing and self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-  
tive equipment and emer-  
gency procedures

: Use personal protective equipment.  
Evacuate personnel to safe areas.  
Do not touch or walk through the spilled material.  
If it can be safely done, stop the leak.  
Ensure adequate ventilation.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labeled containers.  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.  
Avoid formation of respirable particles.  
Dispose of rinse water in accordance with local and national regulations.  
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Materials to avoid : Do not store near acids.
- Further information on storage stability : No decomposition if stored and applied as directed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

- |                          |   |
|--------------------------|---|
| Hand protection          |   |
| Material                 | : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.   |
| Remarks                  | : The suitability for a specific workplace should be discussed with the producers of the protective gloves.   |
| Eye protection           | : Eye wash bottle with pure water<br>Tightly fitting safety goggles   |
| Skin and body protection | : Impervious clothing<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place.   |
| Protective measures      | : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.<br>Wear suitable protective equipment.<br>When using do not eat, drink or smoke.<br>In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |
| Hygiene measures         | : Avoid contact with skin, eyes and clothing.<br>Do not inhale aerosol.<br>When using do not eat or drink.<br>When using do not smoke.<br>Wash hands before breaks and at the end of workday.<br>Remove and wash contaminated clothing and gloves, including the inside, before re-use.   |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- |                              |  |
|------------------------------|--|
| Physical state               | : liquid   |
| Color                        | : off-white  |
| Odor                         | : odorless   |
| Odor Threshold               | : No data available  |
| pH                           | : 4,42 - 4,46<br>Concentration: 1 %<br>Method: CIPAC MT 75.3<br>(1% solution in water) |
| Melting point/freezing point | : No data available  |

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

---

Boiling point/boiling range	:	No data available
Flash point	:	> 98 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Self-ignition	:	> 800 °C
		No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1,08 g/cm <sup>3</sup> Method: Regulation (EC) No. 440/2008, Annex, A.3
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	1.916 mPa.s ( 20 °C) Method: CIPAC MT 192 30 rpm
		1.588 mPa.s ( 40 °C) Method: CIPAC MT 192 30 rpm
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

Oxidizing properties	: Non-oxidizing
Surface tension	: 33,3 mN/m, 22,5 °C
Molecular weight	: Not applicable
Particle size	: No data available
Particle Size Distribution	: D50 = 1,37 µm D90 = 3,48 µm Measurement method: CIPAC MT 187

### 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Avoid extreme temperatures. Avoid formation of aerosol. Protect from frost, heat and sunlight. Heating of the mixture may evolve harmful and irritant vapours.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: Stable under recommended storage conditions. No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity	: LD50(Rat): > 5.000 mg/kg Method: OECD Test Guideline 425 Assessment: The substance or mixture has no acute oral toxicity Remarks: no mortality
Acute inhalation toxicity	: LC50(Rat, male and female): > 3,7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality  
Highest attainable concentration.

Acute dermal toxicity : LD50(Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Components:

#### **Cyantraniliprole:**

Acute oral toxicity : LD50 (Mouse, female): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

LD50 (Rat, female): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: no mortality

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 404  
Result : slight irritation



# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

---

### **Components:**

#### **Cyantraniliprole:**

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

#### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

### **Product:**

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	slight irritation

### **Components:**

#### **Cyantraniliprole:**

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	slight irritation
GLP	:	yes

#### **Respiratory or skin sensitization**

##### **Skin sensitization**

Based on available data, the classification criteria are not met.

##### **Respiratory sensitization**

Based on available data, the classification criteria are not met.

### **Product:**

Test Type	:	Local lymph node test
Species	:	Mouse
Assessment	:	Not a skin sensitizer.
Method	:	OECD Test Guideline 429
Result	:	Did not cause sensitization on laboratory animals.

### **Components:**

#### **Cyantraniliprole:**

Test Type	:	Local lymph node test
Routes of exposure	:	Dermal
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

GLP	:	yes
Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.
GLP	:	yes
Test Type	:	Buehler Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.
GLP	:	yes
Test Type	:	Magnussen-Kligman test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Causes skin sensitization.
GLP	:	yes
Remarks	:	see user defined free text

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product:

Genotoxicity in vitro	:	Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
-----------------------	---	--

#### Components:

##### **Cyantraniliprole:**

Genotoxicity in vitro	:	Test Type: reverse mutation assay Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative  Test Type: reverse mutation assay Test system: Escherichia coli Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative  Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation
-----------------------	---	---

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

---

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Components:

##### **Cyantraniliprole:**

Species : Rat, male and female  
Application Route : Ingestion  
Exposure time : 2 Years  
NOAEL : 200 - 2.000 ppm  
Method : OECD Test Guideline 453  
Result : negative

Species : Mouse, male and female  
Application Route : Ingestion  
Exposure time : 18 month(s)  
NOAEL : 7.000 ppm  
Method : OECD Test Guideline 451  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### **Cyantraniliprole:**

Effects on fetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 1.000 mg/kg bw/day

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

Embryo-fetal toxicity.: NOAEL: 1.000 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: negative

Test Type: Pre-natal  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 25 mg/kg bw/day  
Embryo-fetal toxicity.: NOAEL: 100 mg/kg bw/day  
Symptoms: Maternal effects.  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Components:

##### Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Components:

##### Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### Cyantraniliprole:

Species : Rat  
NOAEL : > 1.000 mg/kg  
Application Route : Oral  
Exposure time : 28 Days  
Method : OECD Test Guideline 407  
Symptoms : increased liver weight  
Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female  
NOAEL : 6,9 - 168 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3100

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female  
NOAEL : 1091,8 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3100  
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female  
NOAEL : 3,08 - 3,48 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3150  
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female  
NOAEL : 8,3 - 106,6 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 2 yr  
Method : OPPTS 870.4300  
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female  
NOAEL : 768,8 - 903,8 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 18 Months  
Method : OPPTS 870.4200  
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female  
NOAEL : 5,67 - 6 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 1 yr  
Method : OPPTS 870.4100  
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female  
NOAEL : 1000 mg/kg  
Application Route : Dermal  
Exposure time : 28 Days  
Method : OECD Test Guideline 410  
GLP : yes  
Symptoms : Irritation  
Remarks : Effects are of limited toxicological significance.

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### Components:

### Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

### Neurological effects

#### Components:

#### **Cyantraniliprole:**

No neurotoxicity observed in animal studies.

#### **Further information**

#### Product:

Remarks : No data available

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): ca. 39 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,209 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Information given is based on tests on the mixture itself.
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 66,3 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to soil dwelling organisms	:	> 1.000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)  Method: OECD Test Guideline 216 Remarks: No significant adverse effect on Nitrogen mineralization.  Method: OECD Test Guideline 217 Remarks: No significant adverse effect on Carbon mineralization.
Toxicity to terrestrial organisms	:	LD50: 9,5 µg/bee Exposure time: 72 h End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214  NOEL: < 1 µg a.i./bee

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

---

Exposure time: 72 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213

NOEL: 0,11 µg a.i./bee  
Exposure time: 72 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213

LD50: 2,45 µg/bee  
Exposure time: 72 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213

NOEL: 2020 mg a.i./kg  
End point: Acute oral toxicity  
Species: Colinus virginianus (Bobwhite quail)  
Method: EPA OPP 71-1

LD50: > 2020 mg a.i./kg  
End point: Acute oral toxicity  
Species: Colinus virginianus (Bobwhite quail)  
Method: EPA OPP 71-1

### Components:

#### **Cyantraniliprole:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l  
Exposure time: 96 h  
Method: US EPA Test Guideline OPP 72-1  
GLP: yes

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0204 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 ( Pseudokirchneriella subcapitata (green algae)): > 13 mg/l  
Exposure time: 72 h

ErC50 ( Lemna gibba (duckweed)): 0,278 mg/l  
Exposure time: 7 d

EyC50 ( Lemna gibba (duckweed)): 0,060 mg/l  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

---

Toxicity to fish (Chronic toxicity) : NOEC: 2,9 mg/l  
Exposure time: 28 d  
Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0,11 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 1,01 mg/l  
Exposure time: 90 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: Early Life-Stage  
Method: US EPA Test Guideline OPP 72-4  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00656 mg/l  
End point: Growth  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: Static-Renewal  
Method: US EPA Test Guideline OPPTS 850.1300  
GLP: yes

LOEC: 0,00969 mg/l  
End point: Growth  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: Static-Renewal  
Method: US EPA Test Guideline OPPTS 850.1300  
GLP: yes

NOEC: 0,00447 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 0,72 mg/l  
End point: reproduction  
Exposure time: 35 d  
Species: Americamysis bahia (mysid shrimp)  
Test Type: flow-through test  
Method: US EPA Test Guideline OPP 72-4  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : NOEC: 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 222  
GLP: yes



# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

---

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms

: LD50: > 0,0934 µg/bee  
Exposure time: 72 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 214  
GLP: yes

LD50: > 0,1055 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213  
GLP: yes

LD50: > 2.250 mg/kg  
End point: Acute oral toxicity  
Species: Colinus virginianus  
Method: US EPA Test Guideline OPPTS 850.2100  
GLP: yes

NOEC: 1.000 ppm  
End point: Reproduction Test  
Species: Anas platyrhynchos (Mallard duck)  
Method: OECD Test Guideline 206  
GLP: yes

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No data is available on the product itself.

#### Components:

##### **Cyantraniliprole:**

Biodegradability : Remarks: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 9,09 - 37,7 d  
Remarks: Fresh water

Degradation half life (DT50): 76,6 - 119 d  
Remarks: Soil

Degradation half life (DT50): 22,8 - 25,1 d  
Remarks: total system

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

---

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Remarks: No data available

#### Components:

##### **Cyantraniliprole:**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): < 1  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1,97 (22 °C)  
pH: 4

log Pow: 2,07 (22 °C)  
pH: 7

log Pow: 1,74 (22 °C)  
pH: 9

### Mobility in soil

#### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

#### Components:

##### **Cyantraniliprole:**

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2,38  
Kd: 3,73 ml/g  
Remarks: Mobile in soils

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, puncture the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

#### IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Cyantraniliprole)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

#### IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
Class	: 9

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

---

Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The ingredients of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.  Cyantraniliprole Palygorskite
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

---

## 16. OTHER INFORMATION

Revision Date	:	03.03.2025
---------------	---	------------

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version  
1.0

Revision Date:  
03.03.2025


SDS Number:  
50000117

Date of last issue: -  
Date of first issue: 03.03.2025

Date format : dd.mm.yyyy

### Further information

#### NFPA:



#### HMIS® IV:

HEALTH	*	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## VERIMARK® 20 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.03.2025	50000117	Date of first issue: 03.03.2025

---

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

HN / EN