according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/09/2024

 1.0
 08/09/2024
 50002211
 Date of first issue: 08/09/2024

SECTION 1. IDENTIFICATION

Product identifier

Product name TALSTAR® ONE INSECTICIDE

Other means of identification

Product code 50002211

Recommended use of the chemical and restrictions on use

Can be used as insecticide only.

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

<u>Supplier Address</u> FMC Corporation

2929 Walnut Street Philadelphia PA 19104

USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Specific target organ toxicity

-in all and a sure

- single exposure

Category 1 (Central nervous system)

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/09/2024

 1.0
 08/09/2024
 50002211
 Date of first issue: 08/09/2024

Specific target organ toxicity

- repeated exposure

Category 1 (Central nervous system)

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H332 Harmful if inhaled.

H370 Causes damage to organs (Central nervous system). H372 Causes damage to organs (Central nervous system)

through prolonged or repeated exposure.

Precautionary Statements : Prevention:

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

P307 + P311 IF exposed: Call a POISON CENTER or doctor/

physician.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

| Chemical name CA |
|------------------|
|------------------|

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

| Bifenthrin | 82657-04-3 | 7.9 |
|------------------|------------|-------------|
| propane-1,2-diol | 57-55-6 | > 10 - < 20 |

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice

If symptoms persist, call a physician.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

If skin irritation persists, call a physician.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

Harmful if inhaled.

Harmful if swallowed.

delayed

Causes damage to organs.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing : Do not spread spilled material with high-pressure water

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 08/09/2024 50002211 Date of first issue: 08/09/2024 1.0

media streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

Carbon oxides

Thermal decomposition can lead to release of irritating gases

and vapors.

Fluorinated compounds Chlorinated compounds Hydrogen chloride Hydrogen fluoride

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation.

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapors/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------------|---------|-------------------------------------|--|---------|
| propane-1,2-diol | 57-55-6 | TWA | 10 mg/m3 | US WEEL |

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Always have on hand a first-aid kit, together with proper in-

structions.

Plan first aid action before beginning work with this product. Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

Physical state : liquid

Color : beige

Odor : mild

Odor Threshold : No data available

pH : 6.7

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : does not flash

Evaporation rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 8.53 lb/gal

Bulk density : 8.53 lb/gal

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Protect from frost, heat and sunlight.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : LD50 Oral (Rat): 632 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.60 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

Components:

Bifenthrin:

Acute oral toxicity : LD50 (Rat, male and female): 50.2 - 58.8 mg/kg

Symptoms: Convulsions, Tremors

Acute inhalation toxicity : LC50 (Rat, female): 0.6 - 1.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403 Symptoms: Tremors, Convulsions

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

LC50 (Rat, male): 1.10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: Tremors, Fatality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Remarks: no mortality

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l

Exposure time: 2 h
Test atmosphere: vapor
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Result : slight or no skin irritation.

Components:

Bifenthrin:

Species : Rabbit

Result : slight or no skin irritation.

GLP : yes

Species : Rabbit

Method : OECD Test Guideline 404
Result : slight or no skin irritation.

GLP : yes

propane-1,2-diol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Result : No eye irritation

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

Components:

Bifenthrin:

Species : Rabbit

Result : Slight or no eye irritation
Method : OECD Test Guideline 405

GLP : yes

propane-1,2-diol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Result : Not a skin sensitizer.

Components:

Bifenthrin:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitization by skin contact.

GLP : ves

propane-1,2-diol:

Test Type : Maximization Test Species : Guinea pig

Result : negative

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: reverse mutation assay

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mouse lymphoma assay

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Sex-linked Recessive Lethal Test

Species: Drosophila melanogaster (vinegar fly)

Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat

Method: OECD Test Guideline 486

Result: negative

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years

NOAEL : 3 mg/kg bw/day

Result : negative

Species : Mouse, male

Application Route : Oral

Exposure time : 18 month(s)

NOAEL : 7.6 mg/kg bw/day

Result : positive

Symptoms : malignant tumors

propane-1,2-diol:

Species: RatApplication Route: OralExposure time: 2 YearsResult: negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral

General Toxicity Parent: NOAEL: 3 mg/kg bw/day General Toxicity F1: NOAEL: 5 mg/kg bw/day

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 2.7 mg/kg bw/day

Teratogenicity: NOAEL: 2.7 mg/kg bw/day

Symptoms: Maternal effects. Result: No teratogenic effects.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 1 mg/kg bw/day

Teratogenicity: NOAEL: 2 mg/kg bw/day

Result: No teratogenic effects.

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 7.2 mg/kg bw/day Developmental Toxicity: LOAEL: 7.2 mg/kg bw/day Embryo-fetal toxicity:: NOEL: 9.0 mg/kg bw/day

Method: OECD Test Guideline 426

Result: Animal testing did not show any effects on fertility., Some evidence of adverse effects on development, based on

animal experiments.

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Mouse Application Route: Oral

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

Application Route: Oral

Method: OECD Test Guideline 414

Result: Animal testing did not show any effects on fertility.

Remarks: Based on data from similar materials

STOT-single exposure

Causes damage to organs (Central nervous system).

Components:

Bifenthrin:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

Components:

Bifenthrin:

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

Bifenthrin:

Species : Rat, male and female

NOEL : 100 ppm Application Route : Oral - feed Exposure time : 90 d

Remarks : No toxicologically significant effects were found.

Species : Dog, male and female
NOEL : 2.5 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 13 w

Exposure time : 13 w : Tremors

propane-1,2-diol:

Species : Rat, male and female

NOAEL : 1,700 mg/kg

Application Route : Oral Exposure time : 2 Years

Species : Rat, male and female

NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Bifenthrin:

Toxicity to fish : LC50 (Salmo gairdneri): 0.00015 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00035 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.000256 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

LC50 (Pimephales promelas (fathead minnow)): 0.000234

mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia): 0.00011 mg/l

Exposure time: 48 h

LC50 (Daphnia): 0.0016 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): 0.822 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox- : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00012 mg/l

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

icity) Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0013 µg/l

Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 0.00095 µg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

LD50 (Eisenia fetida (earthworms)): > 16 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen minerali-

zation

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): 1,800 mg/kg

LD50 (Anas platyrhynchos (Mallard duck)): > 2,150 mg/kg

LD50 (Apis mellifera (bees)): 0.1 - 0.35 µg/bee

Exposure time: 24 h

End point: Acute oral toxicity Method: OECD Test Guideline 213

LD50 (Apis mellifera (bees)): 0.1 - 0.3 µg/bee

Exposure time: 24 h

End point: Acute contact toxicity Method: OECD Test Guideline 214

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Mysidopsis bahia (opossum shrimp)): 18,800 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100

mq/l

Exposure time: 48 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 13,020 mg/l Exposure time: 7 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

Persistence and degradability

Components:

Bifenthrin:

Biodegradability : Result: Not readily biodegradable.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 23.6 % Exposure time: 64 d

Method: OECD Test Guideline 306

Bioaccumulative potential

Components:

Bifenthrin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1,709

Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

See section 9 for octanol-water partition coefficient.

Partition coefficient: n-

octanol/water

log Pow: 6.6

propane-1,2-diol:

Partition coefficient: n-

octanol/water

log Pow: -1.07

Mobility in soil

Components:

Bifenthrin:

Distribution among environ-

mental compartments

Koc: 236610 ml/g, log Koc: 5.37

Remarks: immobile

Stability in soil

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Bifenthrin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Bifenthrin)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

: 964

ger aircraft)

Environmentally hazardous : yes

964

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Bifenthrin)

Class : 9
Packing group : III
Labels : 9

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/09/2024

 1.0
 08/09/2024
 50002211
 Date of first issue: 08/09/2024

EmS Code : F-A, S-F Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Bifenthrin)

Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

Bifenthrin 82657-04-3 >= 5 - < 10 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol 57-55-6 >= 10 - < 20 %

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: 08/09/2024 1.0 08/09/2024 50002211 Date of first issue: 08/09/2024

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

sodium hydroxide 1310-73-2 >= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table

117.3:

sodium hydroxide 1310-73-2 $\Rightarrow 0 - < 0.1 \%$

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

 water
 7732-18-5

 propane-1,2-diol
 57-55-6

 Bifenthrin
 82657-04-3

Maine Chemicals of High Concern

octamethylcyclotetrasiloxane [D4] 556-67-2

Vermont Chemicals of High Concern

octamethylcyclotetrasiloxane [D4] 556-67-2

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

2-METHYLBIPHENYL-3-YLMETHYL (Z)-(1RS,3RS)-3-(2-

CHLORO-3,3,3-TRIFLUOROPROP-1-ENYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE

Smectite-group minerals

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/09/2024

 1.0
 08/09/2024
 50002211
 Date of first issue: 08/09/2024

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:


Caution

Harmful if swallowed, Harmful if inhaled, Harmful if absorbed through the skin., This pesticide is extremely toxic to fish and aquatic invertebrates.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

US WEEL / TWA : 8-hr TWA

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/09/2024

 1.0
 08/09/2024
 50002211
 Date of first issue: 08/09/2024

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response: EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

according to the OSHA Hazard Communication Standard



TALSTAR® ONE INSECTICIDE

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/09/2024

 1.0
 08/09/2024
 50002211
 Date of first issue: 08/09/2024

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet