

SAFETY DATA SHEET

MOLYBDENUM 250



Version	Revision Date:	SDS Number:	Date of last issue: 11.10.2024
1.3	23.04.2025	50001126	Date of first issue: 25.03.2024

Section 1: Identification

Product name : MOLYBDENUM 250

Recommended use of the chemical and restrictions on use

Recommended use : Crop nutrition

Restrictions on use : Use as recommended by the label.
For professional users only.

Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : Level 5, 3 Te Kahu Way, Mount Wellington
1060 Auckland
New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
0800 734 607 (Ixm)

Medical emergency:
0800 764 766 (NZ Poisons Information Centre)
0800 111174 (24 hour Medical Emergency)
0800 387668 (Transport Emergency)

Section 2: Hazard identification

GHS Classification

Skin corrosion/irritation : Category 2

Eye irritation : Category 2

GHS label elements

Hazard pictograms :



SAFETY DATA SHEET

MOLYBDENUM 250



Version 1.3	Revision Date: 23.04.2025	SDS Number: 50001126	Date of last issue: 11.10.2024 Date of first issue: 25.03.2024
----------------	------------------------------	-------------------------	---

Signal word : Warning

Hazard statements : H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Disposal:
P501 Dispose of contents/ container to a local hazardous waste disposal facility.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
molybdic acid, disodium salt, dihydrate	10102-40-6	>= 30 -< 50
phosphoric acid	7664-38-2	>= 20 -< 25

Section 4: First-aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul-

MOLYBDENUM 250

Version 1.3	Revision Date: 23.04.2025	SDS Number: 50001126	Date of last issue: 11.10.2024 Date of first issue: 25.03.2024
----------------	------------------------------	-------------------------	---

- ty.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
Causes serious eye irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

Section 5: Fire-fighting measures

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment : Firefighters should wear protective clothing and self-contained

SAFETY DATA SHEET

MOLYBDENUM 250



Version 1.3	Revision Date: 23.04.2025	SDS Number: 50001126	Date of last issue: 11.10.2024 Date of first issue: 25.03.2024
----------------	------------------------------	-------------------------	---

for firefighters

breathing apparatus.

Section 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Do not store near acids.

SAFETY DATA SHEET



MOLYBDENUM 250

Version 1.3 Revision Date: 23.04.2025 SDS Number: 50001126 Date of last issue: 11.10.2024
Date of first issue: 25.03.2024

Further information on storage stability : No decomposition if stored and applied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
molybdic acid, disodium salt, dihydrate	10102-40-6	WES-TWA	10 mg/m3 (Molybdenum)	NZ OEL
		WES-TWA	5 mg/m3 (Molybdenum)	NZ OEL
		TWA (Inhalable particulate matter)	10 mg/m3 (Molybdenum)	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3 (Molybdenum)	ACGIH
		TWA (Respirable particulate matter)	0.5 mg/m3 (Molybdenum)	ACGIH
phosphoric acid	7664-38-2	WES-TWA	1 mg/m3	NZ OEL
		TWA STEL	1 mg/m3 3 mg/m3	ACGIH ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are

SAFETY DATA SHEET

MOLYBDENUM 250



Version
1.3

Revision Date:
23.04.2025

SDS Number:
50001126

Date of last issue: 11.10.2024
Date of first issue: 25.03.2024

located close to the working place.
Wear suitable protective equipment.

Section 9: Physical and chemical properties

Physical state	: liquid
Colour	: yellow
Odour	: Barely perceptible
Odour Threshold	: No data available
pH	: 3.00 - 4.50 Concentration: 100 %
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: ca. 1.63
Density	: No data available
Bulk density	: No data available
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available

SAFETY DATA SHEET

MOLYBDENUM 250



Version 1.3	Revision Date: 23.04.2025	SDS Number: 50001126	Date of last issue: 11.10.2024 Date of first issue: 25.03.2024
----------------	------------------------------	-------------------------	---

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : Non-oxidizing

Particle size : No data available

Section 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures

Hazardous decomposition products : Toxic fumes

Section 11: Toxicological information

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

phosphoric acid:

Acute oral toxicity : LD50 (Rat, female): 2,600 mg/kg
Method: OECD Test Guideline 423

Skin corrosion/irritation

Causes skin irritation.

Product:

Assessment : Irritating to skin.
Result : Skin irritation

SAFETY DATA SHEET

MOLYBDENUM 250



Version	Revision Date:	SDS Number:	Date of last issue: 11.10.2024
1.3	23.04.2025	50001126	Date of first issue: 25.03.2024

Components:

phosphoric acid:

Species	:	Rabbit
Assessment	:	Corrosive
Result	:	Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result	:	irritating
Assessment	:	Irritating to eyes.

Components:

phosphoric acid:

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks	:	Not expected to cause skin sensitisation
---------	---	--

Chronic toxicity

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

phosphoric acid:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

MOLYBDENUM 250



Version	Revision Date:	SDS Number:	Date of last issue: 11.10.2024
1.3	23.04.2025	50001126	Date of first issue: 25.03.2024

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

phosphoric acid:

Effects on fertility	:	Test Type: reproductive and developmental toxicity study Species: Rat, male and female Application Route: Ingestion General Toxicity - Parent: NOAEL: 500 mg/kg body weight General Toxicity F1: NOAEL: 500 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion General Toxicity Maternal: NOAEL: 370 mg/kg body weight Developmental Toxicity: NOAEL: 370 mg/kg body weight Result: negative Remarks: Based on data from similar materials

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

phosphoric acid:

Species	:	Rat, male and female
NOAEL	:	250 mg/kg
Application Route	:	Oral - gavage
Exposure time	:	42 - 54 d
Method	:	OECD Test Guideline 422

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks	:	No data available
---------	---	-------------------

MOLYBDENUM 250

Version	Revision Date:	SDS Number:	Date of last issue:
1.3	23.04.2025	50001126	11.10.2024
			Date of first issue: 25.03.2024

Section 12: Ecological information**Ecotoxicity****Components:****phosphoric acid:**

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3.25 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201 |
| Toxicity to microorganisms | : | EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209 |

Persistence and degradability**Components:****phosphoric acid:**

- | | | |
|------------------|---|---|
| Biodegradability | : | Remarks: The methods for determining biodegradability are not applicable to inorganic substances. |
|------------------|---|---|

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

- | | | |
|-----------------------------------|---|-------------------|
| Additional ecological information | : | No data available |
|-----------------------------------|---|-------------------|

Components:**phosphoric acid:**

- | | | |
|-----------------------------------|---|--|
| Additional ecological information | : | Harmful effects on aquatic organisms also due to pH shift. |
|-----------------------------------|---|--|

SAFETY DATA SHEET

MOLYBDENUM 250



Version	Revision Date:	SDS Number:	Date of last issue: 11.10.2024
1.3	23.04.2025	50001126	Date of first issue: 25.03.2024

Section 13: Disposal considerations

Disposal methods

- | | | |
|------------------------|---|--|
| Waste from residues | : | Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers. |

Section 14: Transport information

International Regulations

UNRTDG

- | | | |
|----------------------|---|----------------|
| UN number | : | Not applicable |
| Proper shipping name | : | Not applicable |
| Class | : | Not applicable |
| Subsidiary risk | : | Not applicable |
| Packing group | : | Not applicable |
| Labels | : | Not applicable |

IATA-DGR

- | | | |
|--|---|----------------|
| UN/ID No. | : | Not applicable |
| Proper shipping name | : | Not applicable |
| Class | : | Not applicable |
| Subsidiary risk | : | Not applicable |
| Packing group | : | Not applicable |
| Labels | : | Not applicable |
| Packing instruction (cargo aircraft) | : | Not applicable |
| Packing instruction (passenger aircraft) | : | Not applicable |

IMDG-Code

- | | | |
|----------------------|---|----------------|
| UN number | : | Not applicable |
| Proper shipping name | : | Not applicable |
| Class | : | Not applicable |
| Subsidiary risk | : | Not applicable |
| Packing group | : | Not applicable |
| Labels | : | Not applicable |
| EmS Code | : | Not applicable |
| Marine pollutant | : | Not applicable |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

- | | | |
|----------------------|---|----------------|
| UN number | : | Not applicable |
| Proper shipping name | : | Not applicable |

SAFETY DATA SHEET

MOLYBDENUM 250



Version 1.3	Revision Date: 23.04.2025	SDS Number: 50001126	Date of last issue: 11.10.2024 Date of first issue: 25.03.2024
----------------	------------------------------	-------------------------	---

Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR002571

ACVM Registration No.: Exempt

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory
TECI	:	On the inventory, or in compliance with the inventory

SAFETY DATA SHEET



MOLYBDENUM 250

Version	Revision Date:	SDS Number:	Date of last issue: 11.10.2024
1.3	23.04.2025	50001126	Date of first issue: 25.03.2024

Section 16: Other information

Revision Date : 23.04.2025

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or

SAFETY DATA SHEET

MOLYBDENUM 250



Version	Revision Date:	SDS Number:	Date of last issue: 11.10.2024
1.3	23.04.2025	50001126	Date of first issue: 25.03.2024

implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N