

SAFETY DATA SHEET

FURY 50 EC



Version	Revision Date:	SDS Number:	Date of last issue: 2018/04/10
3.2	2024/08/06	50001340	Date of first issue: 2018/04/10

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FURY 50 EC

Other means of identification : ZETA-CYPERMETHRIN 50 G/L EC

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 Walnut Street
Philadelphia PA 19104
USA

Telephone : (215) 299-6000

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
001-803-017-9114 (CHEMTREC)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
0800 140 1447

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Carcinogenicity : Category 2

Specific target organ toxicity - : Category 3 (Central nervous system)

SAFETY DATA SHEET



FURY 50 EC

Version	Revision Date:	SDS Number:	Date of last issue:
3.2	2024/08/06	50001340	2018/04/10
			Date of first issue: 2018/04/10

single exposure

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.

SAFETY DATA SHEET

FURY 50 EC



Version
3.2

Revision Date:
2024/08/06

SDS Number:
50001340

Date of last issue: 2018/04/10
Date of first issue: 2018/04/10

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Zeta cypermethrin	52315-07-8	$\geq 2,5$ -< 10
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	≥ 60 -<= 90
calcium dodecylbenzenesulphonate	26264-06-2	≥ 1 -< 3

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.

SAFETY DATA SHEET



FURY 50 EC

Version 3.2	Revision Date: 2024/08/06	SDS Number: 50001340	Date of last issue: 2018/04/10 Date of first issue: 2018/04/10
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

- Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.
May be fatal if swallowed and enters airways.
Causes skin irritation.
Causes serious eye damage.
May cause drowsiness or dizziness.
Suspected of causing cancer.
- Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Chlorinated compounds
Hydrogen chloride
Hydrogen cyanide
Carbon oxides
Sulfur oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protection : Use personal protective equipment.

SAFETY DATA SHEET



FURY 50 EC

Version	Revision Date:	SDS Number:	Date of last issue: 2018/04/10
3.2	2024/08/06	50001340	Date of first issue: 2018/04/10

- tive equipment and emergency procedures : Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum),	64742-94-5	TWA	200 mg/m3	ACGIH

SAFETY DATA SHEET

FURY 50 EC



Version 3.2	Revision Date: 2024/08/06	SDS Number: 50001340	Date of last issue: 2018/04/10 Date of first issue: 2018/04/10
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

heavy arom.; Kerosine — un-specified			(total hydrocarbon vapor)	
--------------------------------------	--	--	---------------------------	--

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Form : liquid
- Color : light yellow
- Odor : aromatic
- pH : 5,46
- Melting point/freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : No data available
- Self-ignition : No data available

SAFETY DATA SHEET



FURY 50 EC

Version 3.2	Revision Date: 2024/08/06	SDS Number: 50001340	Date of last issue: 2018/04/10 Date of first issue: 2018/04/10
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

Density	: 0,94 g/cm ³ (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong acids Strong bases Strong oxidizing agents
Hazardous decomposition products	: Carbon oxides Hydrogen cyanide (hydrocyanic acid) Hydrogen chloride gas

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity	: LD50 (Rat, male and female): 422 mg/kg Method: US EPA Test Guideline OPP 81-1 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat, female): 2,6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: US EPA Test Guideline OPP 81-3 Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 2.000 mg/kg Method: US EPA Test Guideline OPP 81-2 Remarks: Based on data from similar materials

Components:

Zeta cypermethrin:

Acute oral toxicity	: LD50 (Rat, male and female): 69,2 - 142,3 mg/kg
---------------------	---------------------------------------------------

SAFETY DATA SHEET



FURY 50 EC

Version	Revision Date:	SDS Number:	Date of last issue:
3.2	2024/08/06	50001340	2018/04/10
			Date of first issue: 2018/04/10

Method: FIFRA 81.01

GLP: yes

Acute inhalation toxicity : LC50 (Rat, female): 1,6 - 3,4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,28 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Method : US EPA Test Guideline OPP 81-5
Result : Skin irritation
Remarks : Based on data from similar materials

Remarks : Extremely corrosive and destructive to tissue.

SAFETY DATA SHEET



FURY 50 EC

Version	Revision Date:	SDS Number:	Date of last issue: 2018/04/10
3.2	2024/08/06	50001340	Date of first issue: 2018/04/10

Components:

Zeta cypermethrin:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	:	Rabbit
Result	:	No skin irritation

Assessment	:	Repeated exposure may cause skin dryness or cracking.
------------	---	-------------------------------------------------------

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	US EPA Test Guideline OPP 81-4
Remarks	:	Based on data from similar materials

Remarks	:	May cause irreversible eye damage.
---------	---	------------------------------------

Components:

Zeta cypermethrin:

Species	:	Rabbit
Result	:	slight irritation
Assessment	:	Not classified as irritant

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Species	:	Rabbit
Result	:	Irreversible effects on the eye

SAFETY DATA SHEET

FURY 50 EC



Version	Revision Date:	SDS Number:	Date of last issue: 2018/04/10
3.2	2024/08/06	50001340	Date of first issue: 2018/04/10

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: US EPA Test Guideline OPP 81-6
Result	: Does not cause skin sensitization.
Remarks	: Based on data from similar materials

Components:

Zeta cypermethrin:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Dermal
Species	: mice
Assessment	: May cause sensitization by skin contact.
Method	: OECD Test Guideline 429
Result	: May cause sensitization by skin contact.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Does not cause skin sensitization.
Remarks	: Based on data from similar materials

calcium dodecylbenzenesulphonate:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Zeta cypermethrin:

Genotoxicity in vitro	: Test Type: Ames test
	Result: negative
	Test Type: unscheduled DNA synthesis assay
	Test system: rat hepatocytes
	Result: negative

FURY 50 EC

Version	Revision Date:	SDS Number:	Date of last issue:
3.2	2024/08/06	50001340	2018/04/10
			Date of first issue: 2018/04/10

Test Type: Chromosome aberration test in vitro
Metabolic activation: with and without metabolic activation
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Chinese hamster
Cell type: Bone marrow
Application Route: Oral
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: sister chromatid exchange assay
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative
Remarks: Based on data from similar materials

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Suspected of causing cancer.

Components:**Zeta cypermethrin:**

Species : Rat
Application Route : Oral
Exposure time : 24 month(s)
NOAEL : 7,5 mg/kg bw/day

FURY 50 EC

Version	Revision Date:	SDS Number:	Date of last issue: 2018/04/10
3.2	2024/08/06	50001340	Date of first issue: 2018/04/10

Result : negative

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Mouse
Application Route : Dermal
Exposure time : 104 weeks
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
Application Route : Oral
Exposure time : 720 d
NOAEL : 250 mg/kg body weight
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**Zeta cypermethrin:**

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity F1: NOAEL: 22 mg/kg bw/day
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 12,5 mg/kg bw/day
Developmental Toxicity: NOAEL: 35 mg/kg bw/day
Method: OECD Test Guideline 426
Result: negative
GLP: yes

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Effects on fertility : Test Type: Fertility
Species: Rat, male and female

SAFETY DATA SHEET



FURY 50 EC

Version	Revision Date:	SDS Number:	Date of last issue: 2018/04/10
3.2	2024/08/06	50001340	Date of first issue: 2018/04/10

Application Route: Oral
Method: OECD Test Guideline 415
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

May cause drowsiness or dizziness.

Components:

Zeta cypermethrin:

Target Organs : Nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

Assessment : May cause respiratory irritation.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



FURY 50 EC

Version	Revision Date:	SDS Number:	Date of last issue: 2018/04/10
3.2	2024/08/06	50001340	Date of first issue: 2018/04/10

Components:

Zeta cypermethrin:

Target Organs	: Nervous system
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Zeta cypermethrin:

Species	: Dog
NOAEL	: 5 mg/kg
LOAEL	: 15 mg/kg
Application Route	: Oral
Exposure time	: 1 yr
Dose	: 1, 5, 15 mg/kg/d
Symptoms	: Gastrointestinal disturbance, Neurological disorders

Species	: Dog
NOAEL	: 6 mg/kg bw/day
LOAEL	: 18 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Nervous system

Species	: Rat
NOAEL	: 16.7 mg/kg bw/day
LOAEL	: 33.7 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Nervous system

Species	: Dog
NOAEL	: 6 mg/kg
LOAEL	: 18 mg/kg
Application Route	: Oral
Exposure time	: 1 yr
Dose	: 3, 6, 18, 33 mg/kg/d
Method	: EPA OPP 83-1
Symptoms	: Tremors

Species	: Rat
NOAEL	: 4,5 mg/kg
Application Route	: Oral
Exposure time	: 2 yr
Dose	: 0.6, 4.5, 30, 45 mg/kg/d
Target Organs	: Liver

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rat, male and female
NOAEL	: 750 mg/kg

SAFETY DATA SHEET



FURY 50 EC

Version	Revision Date:	SDS Number:	Date of last issue: 2018/04/10
3.2	2024/08/06	50001340	Date of first issue: 2018/04/10

Application Route : Oral - gavage
Exposure time : 90 day
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 1 mg/l
LOAEL : 0,5 mg/l
Application Route : inhalation (vapor)
Exposure time : 90 day
Symptoms : Alpha-2u-globulin nephropathy

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 100 mg/kg bw/day
LOAEL : 200 mg/kg bw/day
Application Route : Oral - gavage
Exposure time : 28 - 54 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Zeta cypermethrin:

The substance does not have properties associated with aspiration hazard potential.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Zeta cypermethrin:

General Information : Symptoms: May cause paraesthesia

SAFETY DATA SHEET

FURY 50 EC



Version 3.2	Revision Date: 2024/08/06	SDS Number: 50001340	Date of last issue: 2018/04/10 Date of first issue: 2018/04/10
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

Further information

Product:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Concentrations substantially above the TLV value may cause narcotic effects.
Solvents may degrease the skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Zeta cypermethrin:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0,69 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,141 µg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (algae): > 1 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Fish): 0,015 µg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Crustaceans): 0,01 µg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	: LC50 (worms): > 100 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	: LD50 (Colinus virginianus (Bobwhite quail)): > 2.025 mg/kg NOEC (Colinus virginianus (Bobwhite quail)): 150 mg/kg End point: Reproduction Test LD50 (Apis mellifera (bees)): 0,059 µg/bee LC50 (Apis mellifera (bees)): 0,033 µg/bee

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

SAFETY DATA SHEET

FURY 50 EC



Version 3.2	Revision Date: 2024/08/06	SDS Number: 50001340	Date of last issue: 2018/04/10 Date of first issue: 2018/04/10
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

- Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: water accommodated fractions (WAF)
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1,4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: water accommodated fractions (WAF)
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: water accommodated fractions (WAF)
- Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677,9 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

calcium dodecylbenzenesulphonate:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,65 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials
- NOEC (Daphnia magna (Water flea)): 1,18 mg/l
Exposure time: 21 d

SAFETY DATA SHEET

FURY 50 EC



Version	Revision Date:	SDS Number:	Date of last issue:
3.2	2024/08/06	50001340	2018/04/10
			Date of first issue: 2018/04/10

Remarks: Based on data from similar materials

Toxicity to microorganisms	:	EC50 (activated sludge): 500 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): 1.000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): 1.356 mg/kg Exposure time: 14 d Method: OECD Test Guideline 223

Persistence and degradability

Components:

Zeta cypermethrin:

Biodegradability : Result: Not readily biodegradable.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 58,6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

Bioaccumulative potential

Components:

Zeta cypermethrin:

Bioaccumulation : Remarks: Accumulation in aquatic organisms is expected.

Partition coefficient: n-octanol/water : log Pow: 5 - 6 (24 °C)

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Partition coefficient: n-octanol/water : log Pow: 1,99 - 18,02
Method: QSAR

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70,79
Method: QSAR

SAFETY DATA SHEET



FURY 50 EC

Version 3.2	Revision Date: 2024/08/06	SDS Number: 50001340	Date of last issue: 2018/04/10 Date of first issue: 2018/04/10
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

Mobility in soil

Components:

Zeta cypermethrin:

Distribution among environmental compartments : Remarks: immobile

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:

Zeta cypermethrin:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zeta-Cypermethrin)
Class	: 9

SAFETY DATA SHEET



FURY 50 EC

Version	Revision Date:	SDS Number:	Date of last issue: 2018/04/10
3.2	2024/08/06	50001340	Date of first issue: 2018/04/10

Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Zeta-Cypermethrin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Zeta-Cypermethrin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

SAFETY DATA SHEET

FURY 50 EC



Version 3.2	Revision Date: 2024/08/06	SDS Number: 50001340	Date of last issue: 2018/04/10 Date of first issue: 2018/04/10
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Zeta cypermethrin
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 2024/08/06

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

SAFETY DATA SHEET



FURY 50 EC

Version	Revision Date:	SDS Number:	Date of last issue: 2018/04/10
3.2	2024/08/06	50001340	Date of first issue: 2018/04/10

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

ID / EN