

# SAFETY DATA SHEET

## INTAKE

This safety data sheet complies with the requirements of:  
Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS # : NP-0001-A  
Revision date: 2019-02-08  
Format: EU  
Version 1.03

### Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0001-A

Product Name INTAKE

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: An adjuvant for use in agriculture and horticulture

Restrictions on use Use as recommended by the label.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer  
FMC Agro Limited  
Rectors Lane  
Pentre  
Flintshire  
CH5 2DH  
United Kingdom  
Tel: + 44 1244 537370  
E-mail: fmc.agro.uk@fmc.com

#### Supplier

For further information, please contact:

Contact point Tel: +44(0) 1244 537370  
Email: fmc.agro.uk@fmc.com

#### 1.4. Emergency telephone number

Emergency telephone Tel: +44(0) 1244 537370 (Office hours only)

### Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 1 Sub-category B (H314)
Specific target organ toxicity — single exposure	Category 3 (H335)

#### 2.2. Label elements

Hazard pictograms



**Signal Word**  
Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage  
H335 - May cause respiratory irritation

#### **Precautionary Statements**

P261: Avoid breathing mist or vapors.  
P264 - Wash hands thoroughly after handling  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P501: Dispose of contents/container as hazardous waste.

#### **2.3. Other hazards**

This product is not identified as a PBT/vPvB substance.

### **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **3.1 Substances**

The product is a mixture, not a substance.

#### **3.2 Mixture containing the following hazardous ingredients:**

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Propionic Acid	201-176-3	79-09-4	30-50	Skin Corr. 1B (H314) STOT SE 3 (H335)	01-2119486971-24-XXXX
Amphoteric surfactant	Present	90170-43-7	1-5	Eye Irrit. 2 (H319)	01-2119976233-35-XXXX

#### **Additional Information**

For the full text of the H- and EUH- phrases mentioned in this Section, see Section 16.

### **Section 4: FIRST AID MEASURES**

#### **4.1. Description of first aid measures**

<b>Eye Contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Transfer to hospital for specialist examination.
<b>Skin Contact</b>	Immediately remove all stained or splashed clothing that is not adhering to the skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.
<b>Inhalation</b>	Remove person from exposure ensuring one's own safety while doing so. If symptoms persist, call a doctor.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate medical attention.

#### **4.2. Most important symptoms and effects, both acute and delayed**

**Most important symptoms and effects, both acute and delayed**

Skin contact: Irritation or pain may occur at the site of contact. There may be redness or whiteness of the skin in the area of exposure. Blistering may occur. Severe burns may occur.

Eye contact: There may be pain and redness. The eyes may water profusely. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure. Possible systemic effects via inhalation.

**4.3. Indication of any immediate medical attention and special treatment needed****Indication of immediate medical attention and special treatment needed, if necessary**

Eye bathing equipment should be available on the premises. A decontamination shower should be available on the premises. Show this safety data sheet to the doctor in attendance.

**Section 5: FIREFIGHTING MEASURES****5.1. Extinguishing media****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

**Unsuitable extinguishing media**

No information available

**5.2. Special hazards arising from the substance or mixture**

Corrosive. Toxic fumes may be released in fire situations.

**Hazardous Combustion Products**

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

**5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

**Section 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Do not attempt to take action without suitable protective clothing. For personal protection see section 8. Stop leak if you can do it without risk. Remove all sources of ignition. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. In the case of large spills (1 ton or more), alert the appropriate authorities.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

**For emergency responders**

Use personal protection recommended in Section 8.

**6.2. Environmental precautions**

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

**Methods for Containment** Surface drains within close vicinity of the spill should be covered. Dike to confine spill and absorb with non-combustible absorbent such as clay, sand or soil.

**Methods for cleaning up** Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see Section 13).

### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Handling

Avoid contact with skin, eyes and clothing. Use only in area provided with appropriate exhaust ventilation. Keep away from open flames, hot surfaces and sources of ignition.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage

Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

### 7.3. Specific end use(s)

#### Specific Use(s)

No data available.

#### Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
Propionic Acid 79-09-4	TWA 10 ppm TWA 31 mg/m <sup>3</sup> STEL 20 ppm STEL 62 mg/m <sup>3</sup>	STEL 15 ppm STEL 46 mg/m <sup>3</sup> TWA 10 ppm TWA 31 mg/m <sup>3</sup>	TWA 10 ppm TWA 31 mg/m <sup>3</sup> STEL 20 ppm STEL 62 mg/m <sup>3</sup>	TWA 10 ppm TWA 31 mg/m <sup>3</sup> STEL 20 ppm STEL 62 mg/m <sup>3</sup>	-
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
Propionic Acid 79-09-4	TWA 10 ppm TWA 31 mg/m <sup>3</sup> STEL 20 ppm STEL 62 mg/m <sup>3</sup>	TWA 10 ppm TWA 31 mg/m <sup>3</sup> STEL 20 ppm STEL 62 mg/m <sup>3</sup>	STEL 62 mg/m <sup>3</sup> TWA 31 mg/m <sup>3</sup>	TWA 10 ppm TWA 31 mg/m <sup>3</sup> STEL 20 ppm STEL 61 mg/m <sup>3</sup>	TWA 10 ppm TWA 31 mg/m <sup>3</sup>
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Propionic Acid 79-09-4	STEL 20 ppm STEL 62 mg/m <sup>3</sup> TWA 10 ppm TWA 31 mg/m <sup>3</sup>	SS-C** TWA 10 ppm TWA 30 mg/m <sup>3</sup> STEL 20 ppm STEL 60 mg/m <sup>3</sup>	TWA 30 mg/m <sup>3</sup> STEL 45 mg/m <sup>3</sup>	TWA 10 ppm TWA 30 mg/m <sup>3</sup> STEL 15 ppm STEL 45 mg/m <sup>3</sup>	TWA 10 ppm TWA 31 mg/m <sup>3</sup> STEL 20 ppm STEL 62 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

**8.2. Exposure controls**

**Engineering measures** Ensure adequate ventilation, especially in confined areas. Ensure lighting and electrical equipment are not a source of ignition.

**Personal protective equipment**

**Eye/Face Protection** Tightly fitting safety goggles. Provide emergency on-site eyewash.

**Hand Protection** Gloves (acid resistant).

**Skin and Body Protection** Impervious clothing.

**Respiratory Protection** Gas/vapour filter, type A: organic vapours (EN141).

**Environmental exposure controls** Refer to specific Member State legislation for requirements under Community environmental legislation.

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid
<b>Appearance</b>	Liquid
<b>Odour</b>	Pungent
<b>Colour</b>	Colourless
<b>Odour threshold</b>	No information available
<b>pH</b>	2.5 - 3.5
<b>Melting point/freezing point</b>	No information available
<b>Boiling point/boiling range</b>	No information available
<b>Flash point</b>	> 61 °C
<b>Evaporation Rate</b>	No information available
<b>Flammability (solid, gas)</b>	
<b>Flammability Limit in Air</b>	
Upper flammability limit:	No information available
Lower flammability limit	No information available
<b>Vapour pressure</b>	No information available
<b>Vapour density</b>	No information available
<b>Specific gravity</b>	1.00 - 1.05
<b>Water solubility</b>	Soluble in water
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Viscosity, kinematic</b>	No information available
<b>Viscosity, dynamic</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidising properties</b>	Non-oxidizing (by EC criteria)

**9.2. Other information**

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC content (%)</b>	No information available
<b>Density</b>	No information available
<b>Bulk density</b>	No information available
<b>K<sub>st</sub></b>	No information available

**Section 10: STABILITY AND REACTIVITY****10.1. Reactivity**

None under normal use conditions

**10.2. Chemical stability**

Stable under recommended storage conditions.

**Explosion data**

**Sensitivity to Mechanical Impact** No information available.

**Sensitivity to Static Discharge** No information available.

**10.3. Possibility of hazardous reactions**

**Hazardous polymerisation**

Hazardous polymerization does not occur.

**Hazardous reactions**

Can react with some metals to liberate flammable hydrogen gas.

**10.4. Conditions to avoid**

Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition. Extremes of temperature and direct sunlight.

**10.5. Incompatible materials**

Bases, Oxidising or reducing agents, Metals, Amines.

**10.6. Hazardous decomposition products**

May emit toxic fumes under fire conditions: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

**Section 11: TOXICOLOGICAL INFORMATION**

**11.1. Information on toxicological effects**

**Acute toxicity**

**Product Information**

Product does not present an acute toxicity hazard based on known or supplied information.

**LD50 Oral** > 8000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
Propionic Acid	= 351 mg/kg ( Rat )	= 3235 mg/kg ( Rabbit )	> 20 mg/L ( Rat ) 4 h

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Sensitisation** No information available.

**Mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Symptoms**

Skin contact: Irritation or pain may occur at the site of contact. There may be redness or whiteness of the skin in the area of exposure. An itchy rash may occur at the site of contact. Blistering may occur.

Eye contact: There may be pain and redness. The eyes may water profusely. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. There may be soreness and

redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. There may be coughing and a sore throat.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

**Aspiration hazard**

No information available.

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

There is no data available for this product.

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Propionic Acid	96 h EC50: = 43 mg/L (Desmodesmus subspicatus) 72 h EC50: = 45.8 mg/L (Desmodesmus subspicatus)	96 h LC50: > 1 mg/L (Pimephales promelas) static 96 h LC50: 73 - 99.7 mg/L (Lepomis macrochirus) static 96 h LC50: = 51 mg/L (Oncorhynchus mykiss) static	-

### 12.2. Persistence and degradability

Product is biodegradable.

### 12.3. Bioaccumulative potential

Chemical name	Partition coefficient
Propionic Acid	0.25 - 0.33

### 12.4. Mobility in soil

**Mobility in soil**

No information available.

**Mobility**

Soluble in water.

### 12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from residues / unused products**

Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not discharge to sewer systems.

**Contaminated Packaging**

Clean container with water. Dispose of rinse water in accordance with local and national

guidelines. Empty containers should be taken to an approved waste handling site for recycling or disposal.

EWC Waste Disposal No 02 01 08

OTHER INFORMATION NOTE : The user's attention is drawn to the possible existence of specific European, national or local regulations regarding disposal.

## Section 14: TRANSPORT INFORMATION

### IMDG/IMO

14.1 UN/ID no UN1760  
14.2 Proper Shipping Name CORROSIVE LIQUID, N.O.S. (PROPIONIC ACID)  
14.3 Hazard class 8  
14.4 Packing Group III  
14.5 Marine Pollutant Not applicable  
14.6 Special Provisions No special precautions.  
Tunnel code: E  
Transport category: 3

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code This product is not transported in bulk containers.

### RID

14.1 UN/ID no UN1760  
14.2 Proper Shipping Name CORROSIVE LIQUID, N.O.S. (PROPIONIC ACID)  
14.3 Hazard class 8  
14.4 Packing Group III  
14.5 Environmental Hazard Not applicable  
14.6 Special Provisions No special precautions.  
Tunnel code: E  
Transport category: 3

### ADR/RID

14.1 UN/ID no UN1760  
14.2 Proper Shipping Name CORROSIVE LIQUID, N.O.S. (PROPIONIC ACID)  
14.3 Hazard class 8  
14.4 Packing Group III  
14.5 Environmental Hazard Not applicable  
14.6 Special Provisions No special precautions.  
Tunnel code: E  
Transport category: 3

### ICAO/IATA

14.1 UN/ID no UN1760  
14.2 Proper Shipping Name CORROSIVE LIQUID, N.O.S. (PROPIONIC ACID)  
14.3 Hazard class 8  
14.4 Packing Group III  
14.5 Environmental Hazard Not applicable  
14.6 Special Provisions No special precautions.  
Tunnel code: E  
Transport category: 3

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union



**Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)  
This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

**Persistent Organic Pollutants**

Not Applicable

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not Applicable

**International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Propionic Acid 79-09-4	X	X	X	X	X	X	X	X
Amphoteric surfactant 90170-43-7			X		X			

**15.2. Chemical safety assessment**

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

<b>Section 16: OTHER INFORMATION</b>
--------------------------------------

**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under sections 2 and 3**

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

**Legend**

<b>ADR:</b>	European Agreement concerning the International Carriage of Dangerous Goods by Road
<b>CAS:</b>	CAS (Chemical Abstracts Service)
<b>Ceiling:</b>	Maximum limit value:
<b>DNEL:</b>	Derived No Effect Level (DNEL)
<b>EINECS:</b>	EINECS (European Inventory of Existing Chemical Substances)
<b>GHS:</b>	Globally Harmonised System (GHS)
<b>IATA:</b>	International Air Transport Association (IATA)
<b>ICAO:</b>	International Civil Aviation Organization
<b>IMDG:</b>	International Maritime Dangerous Goods (IMDG)
<b>LC50:</b>	LC50 (lethal concentration)
<b>LD50:</b>	LD50 (lethal dose)
<b>PBT:</b>	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
<b>RID:</b>	Regulations Concerning the International Transport of Dangerous Goods by Rail
<b>STEL:</b>	Short term exposure limit
<b>SVHC</b>	SVHC: Substances of Very High Concern for Authorisation:
<b>TWA:</b>	time weighted average
<b>vPvB:</b>	very Persistent and very Bioaccumulative

Revision date: 2019-02-08

Reason for revision: SDS sections updated.

**Disclaimer**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide.

**This company shall not be held liable for any damage resulting from handling or from contact with the above product.**

**Prepared By**

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2019 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**