

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ally® XP Herbicide

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as herbicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 Walnut Street
Philadelphia PA 19104
USA

Telephone : (215) 299-6000

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
0086-0532 8388 9090 (National Registration Center for Chemicals)

Medical emergency:
86 532 8388 9090

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: granular
Color	: off-white light brown
Odor	: odorless

Very toxic to aquatic life with long lasting effects.

GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

GHS label elements

Hazard pictograms

:



Signal Word

: WARNING

Hazard Statements

: H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

:

Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Metsulfuron-methyl	74223-64-6	≥ 50 -< 70
Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	≥ 2.5 -< 10
sucrose	57-50-1	≥ 1 -< 10
trisodium orthophosphate	7601-54-9	≥ 1 -< 2.5

4. FIRST AID MEASURES

General advice

: Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version 1.1	Revision Date: 2024/09/19	SDS Number: 50001047	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Wash off with soap and water. If symptoms persist, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Do not induce vomiting without medical advice. Keep respiratory tract clear. Never give anything by mouth to an unconscious person. Do not give milk or alcoholic beverages. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: Avoid inhalation, ingestion and contact with skin and eyes.
Notes to physician	: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Dry chemical, CO ₂ , water spray or regular foam.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Fire may produce irritating, corrosive and/or toxic gases. Nitrogen oxides (NO _x) Sulfur oxides Carbon oxides Hydrogen cyanide
Specific extinguishing methods	: Use a water spray to cool fully closed containers. Remove undamaged containers from fire area if it is safe to do so. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version 1.1	Revision Date: 2024/09/19	SDS Number: 50001047	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Use personal protective equipment.
Evacuate personnel to safe areas.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use. Pick up and transfer the spilled material to a properly labeled container without creating dust. For spills on concrete or other non-porous surfaces, the area can be cleaned using a small quantity of soap and water. Do not allow the cleaning solution to enter drains. Use an inert absorbent material to soak up the cleaning solution and transfer it to the properly labeled container. When the spill occurs on soil, the only effective way to decontaminate the area is to remove the top 5 to 7 centimeters of soil.

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Avoidance of contact : Avoid strong acids, bases, and oxidizers.

Storage

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sucrose	57-50-1	TWA	10 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Particulates type

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not breathe dust.
When using do not eat or drink.
When using do not smoke.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	granular
Form	:	granular
Color	:	off-white
		light brown
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	ca. 4.6
Melting point/ range	:	No data available
Boiling point/boiling range	:	Decomposition: yes
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	The product is not flammable.
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	1.47 (25 °C)
Density	:	No data available
Solubility(ies)		

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version 1.1	Revision Date: 2024/09/19	SDS Number: 50001047	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Water solubility	: dispersible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Surface tension	: Not applicable
Molecular weight	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Dust may form explosive mixture in air. No decomposition if stored and applied as directed.
Conditions to avoid	: Avoid extreme temperatures. Avoid dust formation.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
---------------------	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version 1.1	Revision Date: 2024/09/19	SDS Number: 50001047	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
Remarks: Inhalation is not expected to be a relevant route of exposure.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

Components:

Metsulfuron-methyl:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: US EPA Test Guideline OPP 81-1
Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Breathing difficulties
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

trisodium orthophosphate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 420

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.83 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Components:

Metsulfuron-methyl:

Species : Rabbit
Assessment : Not classified as irritant
Method : US EPA Test Guideline OPP 81-5
Result : No skin irritation

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Remarks : No data available

trisodium orthophosphate:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

Components:

Metsulfuron-methyl:

Species	:	Rabbit
Result	:	slight irritation
Assessment	:	Not classified as irritant
Method	:	EPA OPP 81-4

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Result	:	Eye irritation
--------	---	----------------

trisodium orthophosphate:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Buehler Test
Species	:	Guinea pig
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	Animal test did not cause sensitization by skin contact.
GLP	:	yes

Components:

Metsulfuron-methyl:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	Not a skin sensitizer.

trisodium orthophosphate:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

Components:

Metsulfuron-methyl:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Metabolic activation: Metabolic activation
Result: positive
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

trisodium orthophosphate:

Genotoxicity in vitro : Test Type: Micronucleus test
Test system: Human lymphocytes
Method: OECD Test Guideline 487
Result: negative

Test Type: gene mutation test
Test system: mouse lymphoma cells
Method: OECD Test Guideline 490
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Metsulfuron-methyl:

Species : Rat, male and female
Exposure time : 104 weeks
NOAEL : 500 ppm
Result : negative

Species : Mouse, male and female
Exposure time : 18 month(s)
NOAEL : 5,000 ppm
Result : negative

trisodium orthophosphate:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version 1.1	Revision Date: 2024/09/19	SDS Number: 50001047	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Metsulfuron-methyl:

Effects on fertility	: Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rabbit, female Application Route: Ingestion Symptoms: Maternal effects. Result: negative
	: Test Type: Embryo-fetal development Species: Rat, female Application Route: Ingestion Symptoms: Maternal effects. Result: negative

trisodium orthophosphate:

Effects on fertility	: Species: Rat, male and female Application Route: Oral Dose: 1000 mg/kg bw General Toxicity Parent: NOAEL: 1,000 mg/kg body weight Fertility: NOAEL: 1,000 mg/kg body weight Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Species: Rat Application Route: Oral Duration of Single Treatment: 20 d General Toxicity Maternal: NOAEL: > 410 mg/kg body weight Result: negative Remarks: Based on data from similar materials
	: Species: Rat, male and female Application Route: Oral Dose: 1000 mg/kg bw/day Duration of Single Treatment: 30 d Developmental Toxicity: NOAEL: 1,000 mg/kg body weight Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

trisodium orthophosphate:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

trisodium orthophosphate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Metsulfuron-methyl:

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral - feed
Exposure time : 90 days
Symptoms : Reduced body weight

trisodium orthophosphate:

Species : Dog, male
NOAEL : 323 mg/kg
LOAEL : 1,107 mg/kg
Application Route : Oral
Exposure time : 90 d
Dose : 94, 323, 1107 mg/kg bw/day
Remarks : Based on data from similar materials

Species : Dog, female
NOAEL : 493 mg/kg
LOAEL : 1,434 mg/kg
Application Route : Oral
Exposure time : 90 d
Dose : 129, 493, 1434 mg/kg bw/day
Remarks : Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version
1.1

Revision Date:
2024/09/19

SDS Number:
50001047

Date of last issue: -
Date of first issue: 2018/03/01

Neurological effects

Components:

Metsulfuron-methyl:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Metsulfuron-methyl:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 43.1 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Anabaena flos-aquae (cyanobacterium)): 65.7 µg/l
Exposure time: 96 h
Method: OPPTS 850.5400
GLP: yes

NOEC (Anabaena flos-aquae (cyanobacterium)): 45 µg/l
Exposure time: 96 h
Method: OPPTS 850.5400
GLP: yes

ErC50 (Selenastrum capricornutum (green algae)): 157 µg/l
Exposure time: 72 h
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 50 µg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version 1.1	Revision Date: 2024/09/19	SDS Number: 50001047	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 68 mg/l
Exposure time: 21 d

NOEC (Pimephales promelas (fathead minnow)): 10 mg/l
End point: reproduction
Exposure time: 21 d
Method: OECD Test Guideline 229
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 3.13 mg/l
End point: reproduction
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211

NOEC (Daphnia magna (Water flea)): 0.5 mg/l
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 6 mg/kg
Exposure time: 56 d

NOEC (Eisenia fetida (earthworms)): 5.6 mg/kg
End point: reproduction
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 50 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OEPP/EPPO Test Guideline 170

LD50 (Apis mellifera (bees)): > 50 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OEPP/EPPO Test Guideline 170

LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg

NOEC (Colinus virginianus): 1,000 mg/kg
End point: Reproduction Test

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

NOEC (Anas platyrhynchos (Mallard duck)): 1,000 ppm
End point: Reproduction Test
Method: OECD Test Guideline 206

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

sucrose:

Toxicity to fish : Remarks: No data available

trisodium orthophosphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Metsulfuron-methyl:

Biodegradability : Result: Not readily biodegradable.
Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

sucrose:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Components:

Metsulfuron-methyl:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): < 1
Exposure time: 28 d
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : Pow: 0.018 (25 °C)
log Pow: -1.7 (25 °C)
pH: 7

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | |
|------------------------|--|
| Waste from residues | : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- | | |
|---------------------------|--|
| UN number | : UN 3077 |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Metsulfuron-methyl) |
| Class | : 9 |
| Subsidiary risk | : ENVIRONM. |
| Packing group | : III |
| Labels | : 9 (ENVIRONM.) |
| Environmentally hazardous | : yes |

IATA-DGR

- | | |
|--|--|
| UN/ID No. | : UN 3077 |
| Proper shipping name | : Environmentally hazardous substance, solid, n.o.s.
(Metsulfuron-methyl) |
| Class | : 9 |
| Packing group | : III |
| Labels | : Miscellaneous |
| Packing instruction (cargo aircraft) | : 956 |
| Packing instruction (passenger aircraft) | : 956 |
| Environmentally hazardous | : yes |

IMDG-Code

- | | |
|----------------------|--|
| UN number | : UN 3077 |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Metsulfuron-methyl) |
| Class | : 9 |
| Packing group | : III |
| Labels | : 9 |
| EmS Code | : F-A, S-F |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

GB 6944/12268

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl)
Class	: 9
Packing group	: III
Labels	: 9
Marine pollutant	: no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under SAWS : Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not applicable

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product is prohibited only for bulk transport in inland river.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

Metsulfuron-methyl

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 2024/09/19
Date format	: yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Ally® XP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/19	50001047	Date of first issue: 2018/03/01

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CN / EN