

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** EXPRESS PRO HERBICIDE

#### Other means of identification

**Product code** 50000060

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Can be used as herbicide only.

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

#### Supplier Address

FMC France  
11 bis Quai Perrache  
69002 LYON  
France

Telephone: 04 37 23 65 70

E-mail address: SDS-Info@fmc.com, fmc.france@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Company emergency number - BIG (24 hours):  
+32 14 58 45 45

Medical emergency:  
Poison centers in France:  
Paris: 01.40.05.48.48  
Lyon: 04.72.11.69.11  
Marseille: 04.91.75.25.25  
Lille: 0800 59 59 59  
ORFILA: +33 (0) 1 45 42 59 59 (poison control center)  
Company: 04.37.23.65.70, accessible from 8:30 am to 6:00 pm, Monday to Friday

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :  
**Prevention:**  
P260 Do not breathe dust.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P314 Get medical advice/ attention if you feel unwell.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P391 Collect spillage.

##### Hazardous components which must be listed on the label:

tribenuron-methyl (ISO)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version 1.1      Revision Date: 19.04.2024      SDS Number: 50000060      Date of last issue: 18.03.2021  
Date of first issue: 18.03.2021

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tribenuron-methyl (ISO)	101200-48-0 401-190-1 607-177-00-9	Skin Sens. 1; H317 STOT RE 2; H373 (Thyroid, Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	42,9
metsulfuron-methyl (ISO)	74223-64-6 613-139-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 1.000	8,6
Phosphoric acid, trisodium salt, dodecahydrate	10101-89-0	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)	>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version 1.1      Revision Date: 19.04.2024      SDS Number: 50000060      Date of last issue: 18.03.2021  
Date of first issue: 18.03.2021

		Acute toxicity estimate	
		Acute inhalation toxicity (dust/mist): 0,830083 mg/l	
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 1 - < 10

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
Avoid inhalation, ingestion and contact with skin and eyes.  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Move to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash contaminated clothing before re-use.  
Wash off immediately with plenty of water for at least 15 minutes.  
Get medical attention if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

Causes serious eye irritation.  
May cause damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Carbon oxides  
Fire may produce irritating, corrosive and/or toxic gases.  
Oxides of phosphorus  
Hydrogen cyanide

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.  
For disposal considerations see section 13.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version 1.1      Revision Date: 19.04.2024      SDS Number: 50000060      Date of last issue: 18.03.2021  
Date of first issue: 18.03.2021

approved by country-specific regulatory authorities.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

##### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Phosphoric acid, trisodium salt, dodecahydrate	Workers	Inhalation	Long-term systemic effects	4,07 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	3,04 mg/m <sup>3</sup>
sodium carbonate	Workers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Consumers	Inhalation	Acute local effects	10 mg/m <sup>3</sup>

##### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Phosphoric acid, trisodium salt, dodecahydrate	Sewage treatment plant	50 mg/l

#### 8.2 Exposure controls

##### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally required.

Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.  
Ensure that eye flushing systems and safety showers are located close to the working place.  
Wear suitable protective equipment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	:	solid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version 1.1	Revision Date: 19.04.2024	SDS Number: 50000060	Date of last issue: 18.03.2021 Date of first issue: 18.03.2021
----------------	------------------------------	-------------------------	---

---

Solubility(ies)  
Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Bulk density : 0,60 - 0,75 g/cm<sup>3</sup>

Relative vapour density : No data available

Particle characteristics  
Particle size : No data available

Particle Size Distribution : No data available

Shape : No data available

### 9.2 Other information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

---

### 10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 3.818 mg/kg  
Method: Calculation method

#### Components:

##### **tribenuron-methyl (ISO):**

Acute oral toxicity : LD50: > 5.000 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5,14 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

##### **metsulfuron-methyl (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: US EPA Test Guideline OPP 81-1  
Assessment: The substance or mixture has no acute oral toxicity

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

LD50 (Rat, female): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,11 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Symptoms: Breathing difficulties  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
Symptoms: Irritation  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: no mortality

### Phosphoric acid, trisodium salt, dodecahydrate:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg  
Method: OECD Test Guideline 420  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 0,83 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials  
no mortality

Acute toxicity estimate: 0,830083 mg/l  
Test atmosphere: dust/mist  
Method: Calculation method  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials  
no mortality

### sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2.800 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

---

Acute inhalation toxicity : LC50 (Rat, male): 2,3 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Target Organs: Skin  
Symptoms: Erythema

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : May cause skin irritation and/or dermatitis.

#### Components:

##### **tribenuron-methyl (ISO):**

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 404  
Remarks : May cause mild irritation.  
Based on available data, the classification criteria are not met.

##### **metsulfuron-methyl (ISO):**

Species : Rabbit  
Assessment : Not classified as irritant  
Method : US EPA Test Guideline OPP 81-5  
Result : No skin irritation

##### **Phosphoric acid, trisodium salt, dodecahydrate:**

Species : Rabbit  
Result : Skin irritation

##### **sodium carbonate:**

Species : Rabbit  
Exposure time : 4 h  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Remarks : May cause irreversible eye damage.

#### Components:

##### **tribenuron-methyl (ISO):**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : May cause mild irritation.  
Based on available data, the classification criteria are not met.

### **metsulfuron-methyl (ISO):**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

### **Phosphoric acid, trisodium salt, dodecahydrate:**

Species : Rabbit  
Method : EPA OTS 798.4500  
Result : Irritation to eyes, reversing within 21 days

### **sodium carbonate:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

### **Product:**

Result : May cause sensitisation by skin contact.  
Remarks : No data is available on the product itself.

### **Components:**

#### **tribenuron-methyl (ISO):**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : May cause sensitisation by skin contact.  
Method : OECD Test Guideline 406  
Result : Causes skin sensitization.

#### **metsulfuron-methyl (ISO):**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : US EPA Test Guideline OPPTS 870.2600  
Result : Not a skin sensitizer.

### **Phosphoric acid, trisodium salt, dodecahydrate:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.
Remarks	: Based on data from similar materials

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Components:

##### **tribenuron-methyl (ISO):**

Germ cell mutagenicity- Assessment	: Did not show mutagenic effects in animal experiments.
------------------------------------	---

##### **metsulfuron-methyl (ISO):**

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
-----------------------	--

	: Test Type: Chromosome aberration test in vitro Metabolic activation: Metabolic activation Result: positive GLP: yes
--	--

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative
----------------------	--

##### **Phosphoric acid, trisodium salt, dodecahydrate:**

Genotoxicity in vitro	: Test Type: gene mutation test Method: OECD Test Guideline 490 Result: negative Remarks: Based on data from similar materials
-----------------------	---

	: Test Type: Micronucleus test Method: OECD Test Guideline 487 Result: negative
--	---

Germ cell mutagenicity- Assessment	: In vitro tests did not show mutagenic effects
------------------------------------	---

##### **sodium carbonate:**

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative Remarks: Based on data from similar materials
-----------------------	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Components:

##### tribenuron-methyl (ISO):

Remarks : No significant adverse effects were reported

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

##### metsulfuron-methyl (ISO):

Species : Rat, male and female  
Exposure time : 104 weeks  
NOAEL : 500 ppm  
Result : negative

Species : Mouse, male and female  
Exposure time : 18 month(s)  
NOAEL : 5.000 ppm  
Result : negative

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### tribenuron-methyl (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction  
Animal testing did not show any effects on foetal development., Did not show teratogenic effects in animal experiments.

##### metsulfuron-methyl (ISO):

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit, female  
Application Route: Ingestion  
Symptoms: Maternal effects  
Result: negative

Test Type: Embryo-foetal development  
Species: Rat, female  
Application Route: Ingestion

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version 1.1	Revision Date: 19.04.2024	SDS Number: 50000060	Date of last issue: 18.03.2021 Date of first issue: 18.03.2021
----------------	------------------------------	-------------------------	---

Symptoms: Maternal effects  
Result: negative

### Phosphoric acid, trisodium salt, dodecahydrate:

Effects on fertility : Species: Rat, male and female  
Application Route: Oral  
Dose: 1000 mg/kg bw/day  
General Toxicity - Parent: NOAEL: 1.000 mg/kg bw/day  
General Toxicity F1: NOAEL: 1.000 mg/kg bw/day  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Oral  
Dose: 4.1, 19, 88.3, 410 mg/kg bw/day  
Duration of Single Treatment: 20 d  
General Toxicity Maternal: NOAEL: > 410 mg/kg bw/day  
Embryo-foetal toxicity: NOAEL: > 410 mg/kg bw/day  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### sodium carbonate:

Effects on foetal development : Species: Rat  
Application Route: Oral  
Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram  
Duration of Single Treatment: 6 - 15 d  
General Toxicity Maternal: NOAEL: > 245 mg/kg body weight  
Teratogenicity: NOAEL: > 245 mg/kg body weight  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Based on available data, the classification criteria are not met.

### Components:

#### tribenuron-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### Phosphoric acid, trisodium salt, dodecahydrate:

Assessment : May cause respiratory irritation.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### tribenuron-methyl (ISO):

Target Organs	: Thyroid, Nervous system
Assessment	: May cause damage to organs through prolonged or repeated exposure.

##### sodium carbonate:

Assessment	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	--

### Repeated dose toxicity

#### Components:

##### tribenuron-methyl (ISO):

Species	: Rabbit
LOAEL	: 80 mg/kg
Target Organs	: Thyroid, Nervous system
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Remarks	: Increased mortality or reduced survival

##### metsulfuron-methyl (ISO):

Species	: Rat, male and female
NOEL	: 1000 ppm
Application Route	: Oral - feed
Exposure time	: 90 days
Symptoms	: Reduced body weight

##### Phosphoric acid, trisodium salt, dodecahydrate:

Species	: Dog, female
NOAEL	: 492.77 mg/kg bw/day
LOAEL	: 1433.56 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 90 d
Dose	: 129.31, 492.77, 1433.56 mg/kg bw/day
Target Organs	: Kidney
Remarks	: Based on data from similar materials

Species	: Dog, male
NOAEL	: 322.88 mg/kg bw/day
LOAEL	: 1107.12 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 90 d
Dose	: 94.23, 322.88, 1107.12 mg/kg bw/day
Target Organs	: Kidney
Remarks	: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

---

### sodium carbonate:

Species	: Rat, male and female
NOAEL	: > 0,01 mg/kg
Application Route	: inhalation (dust/mist/fume)
Test atmosphere	: dust/mist

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### Components:

#### tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

### Neurological effects

#### Components:

#### metsulfuron-methyl (ISO):

No neurotoxicity observed in animal studies

### Further information

#### Product:

Remarks	: No data available
---------	---------------------

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### tribenuron-methyl (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l Exposure time: 96 h
------------------	---

Toxicity to daphnia and other	: EC50 (Crustaceans): > 320 mg/l
-------------------------------	----------------------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

aquatic invertebrates	Exposure time: 48 h
	EC50 (Daphnia magna (Water flea)): > 894 mg/l
	Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,068 mg/l
	Exposure time: 72 h
	ErC50 (Lemna gibba (duckweed)): 0,0047 mg/l
	Exposure time: 7 d
	NOEC (Lemna gibba (duckweed)): 0,001 mg/l
	Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to fish (Chronic toxicity)	: NOEC: 114 mg/l
	Exposure time: 21 d
	Species: Cyprinodon variegatus (sheepshead minnow)
	Method: OECD Test Guideline 211
	NOEC: 560 mg/l
	Exposure time: 21 d
	Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 41 mg/l
	Exposure time: 21 d
	Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 100
Toxicity to soil dwelling organisms	: NOEC: 3,2 mg/kg
	Exposure time: 56 d
	Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 2.250 mg/kg
	Species: Colinus virginianus (Bobwhite quail)
	LD50: > 5.620 ppm
	Species: Colinus virginianus (Bobwhite quail)
	Remarks: Dietary
	LD50: > 5.620 ppm
	Species: Anas platyrhynchos (Mallard duck)
	Remarks: Dietary
	LD50: > 98.4 µg/bee
	Exposure time: 48 h
	End point: Acute contact toxicity
	Species: Apis mellifera (bees)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

---

LD50: > 9.1 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### metsulfuron-methyl (ISO):

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 43,1 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Anabaena flos-aquae (cyanobacterium)): 65,7 µg/l  
Exposure time: 96 h  
Method: OPPTS 850.5400  
GLP: yes

NOEC (Anabaena flos-aquae (cyanobacterium)): 45 µg/l  
Exposure time: 96 h  
Method: OPPTS 850.5400  
GLP: yes

ErC50 (Selenastrum capricornutum (green algae)): 157 µg/l  
Exposure time: 72 h  
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 50 µg/l  
Exposure time: 72 h  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1.000

Toxicity to fish (Chronic toxicity) : NOEC: 68 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

		NOEC: 10 mg/l End point: reproduction Exposure time: 21 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 229 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 3,13 mg/l End point: reproduction Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211
		NOEC: 0,5 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	1.000
Toxicity to soil dwelling organisms	:	NOEC: 6 mg/kg Exposure time: 56 d Species: Eisenia fetida (earthworms)
		NOEC: 5,6 mg/kg End point: reproduction Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222 GLP:yes
		Method: OECD Test Guideline 216 Remarks: No significant adverse effect on nitrogen mineralization.
Toxicity to terrestrial organisms	:	LD50: > 50 µg/bee Exposure time: 48 h End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OEPP/EPPO Test Guideline 170
		LD50: > 50 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OEPP/EPPO Test Guideline 170
		LD50: > 2.510 mg/kg Species: Anas platyrhynchos (Mallard duck)
		NOEC: 1.000 mg/kg End point: Reproduction Test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version 1.1	Revision Date: 19.04.2024	SDS Number: 50000060	Date of last issue: 18.03.2021 Date of first issue: 18.03.2021
----------------	------------------------------	-------------------------	---

Species: *Colinus virginianus*

NOEC: 1.000 ppm

End point: Reproduction Test

Species: *Anas platyrhynchos* (Mallard duck)

Method: OECD Test Guideline 206

### Phosphoric acid, trisodium salt, dodecahydrate:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (*Desmodesmus subspicatus* (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: EU Method C3  
Remarks: Based on data from similar materials

NOEC (*Desmodesmus subspicatus* (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: EU Method C3  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

NOEC (activated sludge): 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: > 3.500 mg/kg  
Exposure time: 14 d  
Species: *Eisenia fetida* (earthworms)  
Method: OECD Test Guideline 207  
Remarks: Based on data from similar materials

### sodium carbonate:

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 300 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Ceriodaphnia* (water flea)): 200 mg/l  
Exposure time: 48 h  
Test Type: semi-static test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

---

### 12.2 Persistence and degradability

#### Components:

##### **tribenuron-methyl (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Remarks: The product/substance is not persistent in the environment.  
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.  
Metabolites are considered as persistent.  
According to the results of tests of biodegradability this product is not readily biodegradable.

##### **metsulfuron-methyl (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

##### **sodium carbonate:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

#### Components:

##### **tribenuron-methyl (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): < 1  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0,38

##### **metsulfuron-methyl (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 28 d  
Bioconcentration factor (BCF): < 1  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : Pow: 0,018 (25 °C)  
log Pow: -1,7 (25 °C)  
pH: 7

##### **sodium carbonate:**

Bioaccumulation : Remarks: Does not bioaccumulate.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

---

### 12.4 Mobility in soil

#### Components:

##### **tribenuron-methyl (ISO):**

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADN	:	UN 3077
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
IATA	:	UN 3077

#### 14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl, Tribenuron-methyl)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl, Tribenuron-methyl)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl, Tribenuron-methyl)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl, Tribenuron-methyl)
IATA	:	Environmentally hazardous substance, solid, n.o.s. (Metsulfuron-methyl, Tribenuron-methyl)

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

#### 14.4 Packing group

ADN		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90
Labels	:	9
ADR		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

Labels : 9  
Tunnel restriction code : (-)

### RID

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75  
If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Occupational Illnesses (R-461-3, France) : 84

Reinforced medical supervision (R4624-23) : The product has no CMR properties category 1, 1A or 1B

ICPE section (Installations classified for environmental protection; Environmental code R511-9) : 4510

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

### The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  tribenuron-methyl (ISO) D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohydrate metsulfuron-methyl (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Skin Sens. 1	H317
Eye Irrit. 2	H319
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## EXPRESS PRO HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 18.03.2021
1.1	19.04.2024	50000060	Date of first issue: 18.03.2021

---

fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### **Prepared by**

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

FR / 6N