According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021 1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Other means of identification

Product code 50001847

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-Can be used as insecticide only.

stance/Mixture

Recommended restrictions

Use as recommended by the label.

on use

1.3 Manufacturer or supplier's details

Supplier Address FMC Corporation

Thyborønvej 78 Harboøre, DK-7673

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com (E-Mail General Infor-

mation)

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: 45-69918573 (CHEMTREC)

Medical emergency: Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

Short-term (acute) aquatic hazard, Cate-

H400: Very toxic to aquatic life.

gory 1

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021 1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

Hazard pictograms :

¥2>

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH401 To avoid risks to human health and the

environment, comply with the instructions for use.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label: imidacloprid (ISO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
imidacloprid (ISO)	138261-41-3 428-040-8 612-252-00-4	Acute Tox. 3; H301 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 70 - < 90
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	Eye Irrit. 2; H319	>= 1 - < 10

For explanation of abbreviations see section 16.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021 1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed or if inhaled.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- :

ucts

Thermal decomposition can lead to release of irritating gases

and vapours.

Halogenated compounds

Carbon oxides

Nitrogen oxides (NOx)

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021
1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021 1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

 Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply

with the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Agricultural compounds

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
imidacloprid (ISO)	Fresh water	0,036 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : granules

Colour : brown

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021
1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

Odour : characteristic

pH : 10,46 (25 °C)

Solubility(ies)

Water solubility : 0,61 g/l

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

9.2 Other information

Self-ignition : > 400 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Not applicable

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : LD50 Oral (Rat): 1.044 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male): > 4,36 mg/l

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021 1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

LC50 (Rat, female): > 5,10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Components:

imidacloprid (ISO):

Acute oral toxicity : LD50 (Rat, male): 379 - 648 mg/kg

Method: OECD Test Guideline 401

LD50 (Mouse): 131 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,323 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

LC50 (Rat): > 0,069 mg/l Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Lignosulfonic acid, sodium salt, sulfomethylated:

Acute oral toxicity : LD50 (Rat, female): > 10 g/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Method : OECD Test Guideline 404

Result : Mild skin irritation

Remarks : May cause skin irritation and/or dermatitis.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021
1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

Components:

imidacloprid (ISO):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Lignosulfonic acid, sodium salt, sulfomethylated:

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Method : OECD Test Guideline 405
Result : Slight or no eye irritation

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Components:

imidacloprid (ISO):

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Lignosulfonic acid, sodium salt, sulfomethylated:

Result : Moderate eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Components:

imidacloprid (ISO):

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021 1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

Lignosulfonic acid, sodium salt, sulfomethylated:

Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

imidacloprid (ISO):

Genotoxicity in vitro : Test system: Chinese hamster ovary cells

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: gene mutation test

Species: Mouse

Method: OECD Test Guideline 483

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Lignosulfonic acid, sodium salt, sulfomethylated:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Components:

imidacloprid (ISO):

Carcinogenicity - Assessment

Weight of evidence does not support classification as a car-

cinogen

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

Reproductive toxicity

Not classified based on available information.

Components:

imidacloprid (ISO):

Effects on fertility : Method: OECD Test Guideline 416

Result: Animal testing did not show any effects on fertility.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021
1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

Effects on foetal develop-

ment

: Method: OECD Test Guideline 414

Result: No teratogenic effects

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

Lignosulfonic acid, sodium salt, sulfomethylated:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

Not classified based on available information.

Components:

imidacloprid (ISO):

Remarks : No significant adverse effects were reported

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

Components:

imidacloprid (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

Repeated dose toxicity

Components:

imidacloprid (ISO):

Species : Rat, female NOAEL : 83,3 mg/kg

Method : OECD Test Guideline 408

Symptoms : Reduced body weight, Liver effects

Species : Rat, male NOAEL : 14 mg/kg

Method : OECD Test Guideline 408 Symptoms : Reduced body weight

10 / 18

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021 1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

Aspiration toxicity

Not classified based on available information.

Components:

imidacloprid (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

(Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to soil dwelling or-

ganisms

LC50: 15 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: 1.055 mg/kg

Species: Colinus virginianus (Bobwhite quail)

LD50: 0,0036 µg/bee Exposure time: 48 h

Species: Apis mellifera (bees)

Components:

imidacloprid (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 211 mg/l

Exposure time: 96 h
Test Type: semi-static test

LC50 (Leuciscus idus (Golden orfe)): 237 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 105 mg/l

Exposure time: 96 h

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021
1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 85 mg/l

Exposure time: 48 h

LC50 (Hyalella azteca (Amphipod)): 0,526 mg/l

Exposure time: 96 h

EC50 (Americamysis bahia (mysid shrimp)): 0,0341 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to microorganisms : IC50 (activated sludge): >10000 milligram per kilogram

Toxicity to fish (Chronic tox-

icity)

NOEC: 28,5 mg/l Exposure time: 21 d

Species: Salmo gairdneri

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 1,8 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

EC10: 0,00209 mg/l Exposure time: 28 d

Species: Chironomus riparius (harlequin fly)

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50:

10.7 mg/kg dry weight (d.w.)

Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: 31 mg/kg

Species: Coturnix japonica (Japanese quail)

LD50: 0,0081 µg/bee Exposure time: 48 h

Species: Apis mellifera (bees)

LD50: $0,0037 \mu g/bee$ Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: 2.225 ppm Exposure time: 5 d

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021 1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

Species: Coturnix japonica (Japanese quail)

Lignosulfonic acid, sodium salt, sulfomethylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 615 mg/l

Exposure time: 96 h

12.2 Persistence and degradability

Components:

imidacloprid (ISO):

Biodegradability : Result: Not readily biodegradable.

Lignosulfonic acid, sodium salt, sulfomethylated:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: < 5 % Exposure time: 28 d

Method: OECD Test Guideline 301E

12.3 Bioaccumulative potential

Components:

imidacloprid (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 0,57 (21 °C)

Lignosulfonic acid, sodium salt, sulfomethylated:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: -3,45

12.4 Mobility in soil

Components:

imidacloprid (ISO):

Distribution among environ-

mental compartments

: Remarks: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021
1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Imidacloprid)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Imidacloprid)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Imidacloprid)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Imidacloprid)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Imidacloprid)

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021
1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

14.3 Transport hazard class(es)

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021
1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL

HAZARDS

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021 1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

AICS : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

imidacloprid (ISO)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 : Toxic if swallowed.

H319 : Causes serious eye irritation. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of

According to Commission Regulation (EU) 2015/830 of amending Regulation (EC) No 1907/2006



WARRANT

Version Revision Date: SDS Number: Date of last issue: 12.07.2021 1.1 20.08.2021 50001847 Date of first issue: 12.07.2021

Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Aquatic Chronic 1 H410 Calculation method
Aquatic Acute 1 H400 Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC Logo - Trademark of FMC Corporation
© 2021 FMC Corporation. All Rights Reserved.

DK / 6N