

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name VENUS

Other means of identification

Product code 50002645

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : A fertilizer for use in agriculture
stance/Mixture

Recommended restrictions : Use as recommended by the label.
on use

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agro Limited
Rectors Lane, Pentre
Flintshire
CH5 2DH
United Kingdom

Telephone: + 44 1244 537370
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:
England and Wales: 111
Scotland: 84 54 24 2424

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)**

Serious eye damage, Category 1

H318: Causes serious eye damage.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Danger

Hazard statements :
H318 Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:
dicopper oxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
manganese carbonate	598-62-9 209-942-9		>= 30 - < 50
dicopper oxide	1317-39-1 215-270-7 029-002-00-X	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10	>= 3 - < 10
ethanediol	107-21-1 203-473-3 603-027-00-1	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney)	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|----------------------------|--|
| General advice | : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection
and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific
personal protective equipment. |
| If inhaled | : Move to fresh air.
If unconscious, place in recovery position and seek medical
advice. |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

If symptoms persist, call a physician.

In case of skin contact : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with plenty of water for at least 15 minutes.
Get medical attention if irritation develops and persists.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. To maintain product quality, DO NOT ALLOW TO FREEZE.

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Recommended storage temperature : > 5 °C

Further information on storage stability : No decomposition if stored and applied as directed. Do not freeze.

7.3 Specific end use(s)

Specific use(s) : Fertilizers

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
manganese carbonate	598-62-9	TWA (Inhalable)	0.2 mg/m3 (Manganese)	GB EH40
		TWA (Respirable fraction)	0.05 mg/m3 (Manganese)	GB EH40
		TWA (inhalable fraction)	0.2 mg/m3 (Manganese)	2017/164/EU
Further information: Indicative				
		TWA (Respirable fraction)	0.05 mg/m3 (Manganese)	2017/164/EU
Further information: Indicative				
dicopper oxide	1317-39-1	TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
ethanediol	107-21-1	TWA (particles)	10 mg/m3	GB EH40
Further information: Can be absorbed through the skin. The assigned sub-				

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version 1.3 Revision Date: 08.04.2025 SDS Number: 50002645 Date of last issue: 04.04.2025
Date of first issue: 13.01.2023

	stances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		TWA (Vapour)	20 ppm 52 mg/m3	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL (Vapour)	40 ppm 104 mg/m3	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		TWA	20 ppm 52 mg/m3	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	40 ppm 104 mg/m3	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
----------------	---------	-----------------	--------------------------	-------

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
dicopper oxide	Fresh water	0.0078 mg/l
	Marine water	0.0052 mg/l
	Sewage treatment plant	0.230 mg/l
	Fresh water sediment	87 mg/kg dry weight (d.w.)
	Marine sediment	676 mg/kg dry weight (d.w.)
	Soil	65 mg/kg dry weight (d.w.)
manganese carbonate	Fresh water	0.0084 mg/l
	Intermittent use/release	0.011 mg/l
	Marine water	840 ng/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	8.18 mg/kg dry weight (d.w.)
	Marine sediment	0.810 mg/kg dry weight (d.w.)
ethanediol	Soil	8.15 mg/kg dry weight (d.w.)
	Fresh water	10 mg/l
	Marine water	1 mg/l
	Sewage treatment plant	199.5 mg/l
	Fresh water sediment	37 mg/kg dry weight (d.w.)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

	Marine sediment	3.7 mg/kg dry weight (d.w.)
	Soil	1.53 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.
- In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : liquid
Form : suspension
Colour : red brown
Odour : Faint odour
Odour Threshold : No data available
pH : 8 - 11
Concentration: 100 %

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.68 - 1.72
Density	:	No data available
Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	1,800 - 4,500 mPa.s
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	Non-oxidizing

9.2 Other information

Particle size	:	No data available
Particle Size Distribution	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	None reasonably foreseeable.No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Avoid extreme temperatures Direct sources of heat. Protect from frost.
---------------------	---	--

10.5 Incompatible materials

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

manganese carbonate:

Acute oral toxicity : LD0 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 420
Remarks: no mortality

Acute inhalation toxicity : LC0 (Rat, male and female): > 5.35 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: no mortality
Based on data from similar materials

dicopper oxide:

Acute oral toxicity : LD50 (Rat, male and female): 1,340 mg/kg
Symptoms: Fatality, Gastrointestinal tract damage

Acute inhalation toxicity : LC50 (Rat, male and female): 3.34 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: respiratory depression, Bruising and haemorrhage formation, Fatality, ataxia, lethargy

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: no mortality

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

ethanediol:

Acute inhalation toxicity : LC0 (Rat, male and female): > 2.5 mg/l
Exposure time: 6 h
Test atmosphere: dust/mist
Remarks: no mortality

Acute dermal toxicity : LD50 (Mouse, male and female): > 3,500 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

manganese carbonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

dicopper oxide:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

ethanediol:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : No data available

Components:

manganese carbonate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

dicopper oxide:

Species : Rabbit

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

ethanediol:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

manganese carbonate:

Test Type : Local lymph node test
Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.
Remarks : Based on data from similar materials

dicopper oxide:

Test Type : Maximisation Test
Exposure routes : Intradermal
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

ethanediol:

Test Type : Maximisation Test
Species : Guinea pig
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

manganese carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

dicopper oxide:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Application Route: Oral
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

ethanediol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OPPTS 870.5100
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Rat
Application Route: Oral
Result: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

ethanediol:

Species	: Mouse
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

manganese carbonate:

Effects on fertility	: Test Type: Two-generation study Species: Rat, male and female Application Route: inhalation (dust/mist/fume) Dose: 0, .005, .01, .02 mg/L General Toxicity - Parent: NOEL: 0.02 mg/l Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Species: Rat Application Route: inhalation (dust/mist/fume) Duration of Single Treatment: 15 d General Toxicity Maternal: NOAEL: 0.025 mg/L Developmental Toxicity: LOAEL: 0.025 mg/L Embryo-foetal toxicity: NOAEL: 0.025 mg/L Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity

dicopper oxide:

Effects on fertility	: Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Dose: 1.53, 7.7, 15.2, 23.6mg/kg/bwd General Toxicity - Parent: LOAEL: 23.6 mg/kg bw/day General Toxicity F1: LOAEL: 23.6 mg/kg bw/day General Toxicity F2: LOAEL: 23.6 mg/kg bw/day Method: OECD Test Guideline 416 Result: negative
Effects on foetal development	: Species: Rabbit, female

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

ment

Application Route: Oral
Dose: 0, 6, 9, 18 mg Cu/mL
Duration of Single Treatment: 28 d
General Toxicity Maternal: LOAEL: 9 mg/kg bw/day
Developmental Toxicity: LOAEL: 9 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

manganese carbonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

dicopper oxide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

ethanediol:

Exposure routes : Oral
Target Organs : Kidney
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

manganese carbonate:

Species : Rabbit, male
LOAEC : 0.0039 mg/l
Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 4 - 6 weeks
Dose : 0, .001, .0039 mg/L
Remarks : Based on data from similar materials

dicopper oxide:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

Species	: Mouse, male and female
NOAEL	: 1000 ppm
LOAEL	: 2000 ppm
Application Route	: Oral
Exposure time	: 92d
Dose	: 0,1000,2000,4000,8000,16000 ppm
Method	: Regulation (EC) No. 440/2008, Annex, B.26

Species	: Rat, male and female
NOAEL	: 1000 ppm
LOAEL	: 2000 ppm
Application Route	: Oral
Exposure time	: 92d
Dose	: 0, 500, 1000, 2000, 4000,8000 ppm
Method	: Regulation (EC) No. 440/2008, Annex, B.26

Species	: Rat, male and female
NOAEL	: > 0.002 mg/l
Application Route	: inhalation (dust/mist/fume)
Test atmosphere	: dust/mist
Exposure time	: 28d
Dose	: 0.2, 0.4, 0.8, 2.0 mg/m3
Method	: OECD Test Guideline 412

ethanediol:

Species	: Rat
NOAEL	: 150 mg/kg
Application Route	: Oral
Exposure time	: 12 Months

Species	: Dog
NOAEL	: > 2,200 - < 4,400 mg/kg
Application Route	: Dermal
Exposure time	: 4 Weeks
Method	: OECD Test Guideline 410

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks	: No data available
---------	---------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

SECTION 12: Ecological information

12.1 Toxicity

Components:

manganese carbonate:

- | | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 3.17 mg/l
Exposure time: 96 h
Test Type: flow-through test
Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 3.6 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.69 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201 |
| Toxicity to microorganisms | : | NOEC (activated sludge): 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials |
| Toxicity to fish (Chronic toxicity) | : | NOEC: 0.55 mg/l
Exposure time: 65 d
Species: Salvelinus fontinalis (Brook trout)
Test Type: flow-through test
Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 1.3 mg/l
Exposure time: 8 d
Species: Ceriodaphnia dubia (water flea)
Test Type: static test
Remarks: Based on data from similar materials |

dicopper oxide:

- | | | |
|------------------|---|--|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 0.0384 mg/l |
|------------------|---|--|

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version 1.3	Revision Date: 08.04.2025	SDS Number: 50002645	Date of last issue: 04.04.2025 Date of first issue: 13.01.2023
----------------	------------------------------	-------------------------	---

Exposure time: 96 h
Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.0098 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 0.032 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Phaeodactylum tricornutum): 0.0029 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : NOEC (activated sludge): 0.23 - 0.45 mg/l
Exposure time: 30 d
Test Type: Respiration inhibition

Toxicity to fish (Chronic toxicity) : NOEC: 0.0022 mg/l
Exposure time: 60 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.004 mg/l
Exposure time: 7 d
Species: Ceriodaphnia dubia (water flea)
Test Type: semi-static test
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to terrestrial organisms : LD50: 1,400 mg/kg
Exposure time: 14 d
Species: Colinus virginianus (Bobwhite quail)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

ethanediol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 72,860 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (green algae)): 10,940 mg/l
Exposure time: 96 h

Toxicity to microorganisms : (activated sludge): > 1,995 mg/l
Exposure time: 30 min
Method: ISO 8192

Toxicity to fish (Chronic toxicity) : 1,500 mg/l
Exposure time: 28 d
Species: Menidia peninsulae (tidewater silverside)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 33,911 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

Components:

ethanediol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 90 - 100 %
Exposure time: 10 d
Method: OECD Test Guideline 301A

12.3 Bioaccumulative potential

Components:

dicopper oxide:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

ethanediol:

Partition coefficient: n-octanol/water : log Pow: -1.36

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dicopper oxide)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

(Dicopper oxide)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Dicopper oxide)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Dicopper oxide)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(Dicopper oxide)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

IATA (Passenger)

Packing instruction (passenger aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3 ethanediol (Number on list 3)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) E1 ENVIRONMENTAL HAZARDS
E1
E2

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H318	: Causes serious eye damage.
H332	: Harmful if inhaled.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
STOT RE	: Specific target organ toxicity - repeated exposure
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
2017/164/EU	: Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
2017/164/EU / TWA	: Limit Value - eight hours
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



VENUS

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2025
1.3	08.04.2025	50002645	Date of first issue: 13.01.2023

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information :

Classification of the mixture:

Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB / 6N