according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name VERIMARK® 20 SC

Other means of identification

Product code 50000081

Unique Formula Identifier

(UFI)

: 8Y4X-12CH-DN4A-TW3E

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Insecticide

stance/Mixture

Recommended restrictions :

on use

Use as recommended by the label.

For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Ireland: 353-19014670 (CHEMTREC)

Medical emergency:

Ireland (Republic): +352 1 809 2166

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version **Revision Date:** SDS Number: Date of last issue: -

18.12.2024 50000081 Date of first issue: 18.12.2024 1.0

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word Warning

Hazard statements H410 Very toxic to aquatic life with long lasting effects.

P102 Keep out of reach of children. Precautionary statements

P103 Read label before use.

Prevention:

Do not eat, drink or smoke when using this product. P270

Response:

P391 Collect spillage.

Disposal:

Dispose of contents/container as hazardous waste in

accordance with local regulations.

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Cyantraniliprole	736994-63-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ———— M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 10 - < 20
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 2; H330 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0.036 % Acute toxicity estimate Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0.21 mg/l	>= 0.0025 - < 0.025

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Remove to fresh air.

Consult a physician after significant exposure.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

High volume water jet

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx) Chlorine compounds Hydrogen cyanide Carbon oxides Bromine compounds

·

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak. Use personal protective equipment.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not

eat or drink. When using do not smoke. Wash hands before

breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be availa-

ble.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components CAS-No. Value type (Form Control parameters of exposure)	Basis	
---	-------	--

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

propane-1,2-diol	57-55-6	OELV - 8 hrs (TWA) (particles)	10 mg/m3	IE OEL
		OELV - 8 hrs (TWA) (total (va- pour and parti- cles))	150 ppm 470 mg/m3	IE OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/l
	Marine sediment	0.00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version **Revision Date:** SDS Number: Date of last issue: -

18.12.2024 50000081 Date of first issue: 18.12.2024 1.0

> In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

liquid Physical state Colour off-white Odour odourless Odour Threshold not determined : not determined Melting point/freezing point

Boiling point/boiling range Upper explosion limit / Upper : Not available for this mixture.

flammability limit

Lower explosion limit / Lower

flammability limit

Flash point > 98 °C

Decomposition temperature : Not available for this mixture.

6 - 8 Hq

Concentration: 10 g/l 1 %

(as a dispersion)

: Not available for this mixture.

: Not available for this mixture.

Viscosity

Viscosity, dynamic 474.3 mPa.s 50 rpm

444 mm2/s Viscosity, kinematic

Solubility(ies)

Water solubility No data available

Partition coefficient: n-Not available for this mixture.

octanol/water

Vapour pressure Not available for this mixture.

Relative density 1.072 (20 °C) Relative vapour density not determined

Particle characteristics

Particle size Not applicable Particle Size Distribution Not applicable

9.2 Other information

Explosives Not explosive

Oxidizing properties The product is not oxidizing. Flammability (liquids) Not expected to be ignitable

Self-ignition : > 800 °C

Evaporation rate : Not available for this mixture.

Miscibility with water dispersible

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Protect from frost, heat and sunlight.

Heating of the product will produce harmful and irritant va-

pours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat): > 3.7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Components:

Cyantraniliprole:

Acute oral toxicity : LD50 (Mouse, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: no mortality

LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: no mortality

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg

Method: OECD Test Guideline 401

Acute toxicity estimate: 450 mg/kg

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Remarks: Based on EU Harmonised classification - Annex VI

of Regulation (EC) No 1272/2008 (CLP Regulation)

Acute inhalation toxicity : Acute toxicity estimate: 0.21 mg/l

Test atmosphere: dust/mist

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Remarks: Based on EU Harmonised classification - Annex VI

of Regulation (EC) No 1272/2008 (CLP Regulation)

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

Cyantraniliprole:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

Cyantraniliprole:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Result : slight irritation

GLP : yes

1,2-benzisothiazol-3(2H)-one:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

Species : Rabbit

Method : EPA OPP 81-4

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Local lymph node test

Species : Mouse

Method : OECD Test Guideline 429

Result : Animal test did not cause sensitization by skin contact.

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

Cyantraniliprole:

Test Type : Local lymph node test

Exposure routes : Dermal Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

GLP : yes

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Test Type : Buehler Test Exposure routes : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Test Type : Magnussen-Kligman test

Exposure routes : Dermal Species : Guinea pig

Method : OECD Test Guideline 406
Result : Causes skin sensitization.

GLP : yes

Remarks : see user defined free text

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Species : Guinea pig Method : FIFRA 81.06

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Remarks: The product contains no ingredients known to be

mutagenic.

Components:

Cyantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: reverse mutation assay Test system: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

GLP: yes

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Rat (male) Cell type: Liver cells

Application Route: Ingestion

Exposure time: 4 h

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Product:

Remarks : The product contains no ingredients known to be carcinogen-

ic.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version **Revision Date:** SDS Number: Date of last issue: -

18.12.2024 50000081 Date of first issue: 18.12.2024 1.0

Components:

Cyantraniliprole:

Species Rat, male and female

Application Route Ingestion Exposure time 2 Years

NOAEL 200 - 2,000 ppm

OECD Test Guideline 453 Method

Result negative

Mouse, male and female **Species**

Application Route Ingestion Exposure time 18 month(s) NOAEL 7,000 ppm

OECD Test Guideline 451 Method

Result negative

Carcinogenicity - Assess-

ment cinogen

Weight of evidence does not support classification as a car-

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility Remarks: The product contains no ingredients found to have

adverse effects on reproduction.

Components:

Cyantraniliprole:

Effects on foetal develop-

ment

Test Type: Pre-natal Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 1,000 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Test Type: Pre-natal Species: Rabbit Application Route: Oral

General Toxicity Maternal: NOAEL: 25 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 100 mg/kg bw/day

Symptoms: Maternal effects Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

1,2-benzisothiazol-3(2H)-one:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Effects on fertility : Species: Rat, male

Application Route: Ingestion

General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight

General Toxicity F1: NOAEL: 48 mg/kg body weight

Fertility: NOAEL: 112 mg/kg bw/day

Symptoms: No effects on reproduction parameters

Method: OPPTS 870.3800

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Cyantraniliprole:

Species : Rat

NOAEL : > 1,000 mg/kg

Application Route : Oral

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Exposure time : 28 Days

Method : OECD Test Guideline 407 Symptoms : increased liver weight

Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female NOAEL : 6.9 - 168 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days

Method : OPPTS 870.3100

Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female NOAEL : 1091.8 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days

Method : OPPTS 870.3100

Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female NOAEL : 3.08 - 3.48 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days

Method : OPPTS 870.3150

Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female NOAEL : 8.3 - 106.6 mg/kg bw/day

Application Route : Ingestion Exposure time : 2 yr

Method : OPPTS 870.4300

Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female NOAEL : 768.8 - 903.8 mg/kg bw/day

Application Route : Ingestion
Exposure time : 18 Months
Method : OPPTS 870.4200

Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female NOAEL : 5.67 - 6 mg/kg bw/day

Application Route : Ingestion Exposure time : 1 yr

Method : OPPTS 870.4100

Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female

NOAEL : 1000 mg/kg Application Route : Dermal Exposure time : 28 Days

Method : OECD Test Guideline 410

GLP : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Symptoms : Irritation

Remarks : Effects are of limited toxicological significance.

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female

NOAEL : 15 mg/kg Application Route : Ingestion Exposure time : 28 d

Method : OECD Test Guideline 407

Symptoms : Irritation

Species : Rat, male and female

NOAEL : 69 mg/kg Application Route : Ingestion Exposure time : 90 d

Symptoms : Irritation, Reduced body weight

Aspiration toxicity

Not classified based on available information.

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Components:

Cyantraniliprole:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Neurological effects

Components:

Cyantraniliprole:

No neurotoxicity observed in animal studies

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version **Revision Date:** SDS Number: Date of last issue: -

18.12.2024 50000081 Date of first issue: 18.12.2024 1.0

Further information

Product:

No data available Remarks

SECTION 12: Ecological information

12.1 Toxicity

Product:

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 99 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: ves

Remarks: (Data on the product itself) Information source: Internal study report

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0421 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Remarks: (Data on the product itself) Information source: Internal study report

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 66.3

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: ves

Remarks: (Data on the product itself) Information source: Internal study report

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.00656 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Toxicity to soil dwelling or-

ganisms

LC50: > 1,000 mg/kgExposure time: 14 d

> Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

GLP:yes

Remarks: (Data on the product itself) Information source: Internal study report

Toxicity to terrestrial organ-

isms

LD50: 0.00218 mg/kg Exposure time: 96 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Method: OECD Test Guideline 213

GLP:yes

Remarks: (Data on the product itself)
Information source: Internal study report

LD50: 0.00355 mg/kg Exposure time: 96 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

GLP:yes

Remarks: (Data on the product itself)
Information source: Internal study report

Components:

Cyantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12.6 mg/l

Exposure time: 96 h

Method: US EPA Test Guideline OPP 72-1

GLP: yes

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0204 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13

ma/l

Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0.278 mg/l

Exposure time: 7 d

EyC50 (Lemna gibba (duckweed)): 0.060 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 2.9 mg/l

Exposure time: 28 d

Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0.11 mg/l Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 1.01 mg/l Exposure time: 90 d

Species: Oncorhynchus mykiss (rainbow trout)

Test Type: Early Life-Stage

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Method: US EPA Test Guideline OPP 72-4

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.00656 mg/l End point: Growth Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: Static-Renewal

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

LOEC: 0.00969 mg/l End point: Growth Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: Static-Renewal

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

NOEC: 0.00447 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

NOEC: 0.72 mg/l End point: reproduction Exposure time: 35 d

Species: Americamysis bahia (mysid shrimp)

Test Type: flow-through test

Method: US EPA Test Guideline OPP 72-4

GLP: yes

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

NOEC: 1,000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

GLP:yes

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on nitrogen mineraliza-

tion.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on carbon mineraliza-

tion.

Toxicity to terrestrial organ-

isms

LD50: > 0.0934 µg/bee Exposure time: 72 h

End point: Acute contact toxicity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Species: Apis mellifera (bees) Method: OECD Test Guideline 214

GLP:yes

LD50: > $0.1055 \mu g/bee$ Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

GLP:yes

LD50: > 2,250 mg/kg End point: Acute oral toxicity Species: Colinius virginianus

Method: US EPA Test Guideline OPPTS 850.2100

GLP:yes

NOEC: 1,000 ppm

End point: Reproduction Test

Species: Anas platyrhynchos (Mallard duck)

Method: OECD Test Guideline 206

GLP:yes

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7

mg/l

Exposure time: 96 h Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.9 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

: 1

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

Remarks: Estimation based on data obtained on active ingre-

dient.

Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water

treatment plants.

Components:

Cyantraniliprole:

Biodegradability : Remarks: Not readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Components:

Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): < 1 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 1.97 (22 °C)

pH: 4

log Pow: 2.07 (22 °C)

pH: 7

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

log Pow: 1.74 (22 °C)

pH: 9

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 56 d

Bioconcentration factor (BCF): 6.62 Method: OECD Test Guideline 305

Remarks: Substance is not persistent, bioaccumulative, and

toxic (PBT).

Partition coefficient: n-

octanol/water

log Pow: 0.7 (20 °C)

pH: 7

log Pow: 0.99 (20 °C)

pH: 5

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: The product is not expected to be mobile in soils. Estimation based on data obtained on active ingredient.

Components:

Cyantraniliprole:

Distribution among environ-

mental compartments

Koc: 241 ml/g, log Koc: 2.38

Kd: 3.73 ml/g

Remarks: Mobile in soils

1,2-benzisothiazol-3(2H)-one:

Distribution among environ-

mental compartments

Koc: 9.33 ml/g, log Koc: 0.97 Method: OECD Test Guideline 121

Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Components:

Cyantraniliprole:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

No other ecological effects to be specially mentioned.

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082 ADR : UN 3082 RID : UN 3082

IMDG : UN 3082

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Cyantraniliprole)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

Regulation (EC) on substances that deplete the ozone : Not applicable

laver

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia: Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the Euro- E1 ENVIRONMENTAL HAZARDS

pean Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

3-BROMO-1-(3-CHLORO-2-PYRIDYL)-4'-CYAN-2'-METHYL-

6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-

CARBOXANILIDE

ACTI-GEL 208 (ACTIVE MINERALS)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam.Skin Irrit.Skin irritationSkin sensitisation

IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occu-

pational Exposure Limit Values - Code of Practice, Schedule 1

and 2

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



VERIMARK® 20 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 18.12.2024 50000081 Date of first issue: 18.12.2024

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Aquatic Acute 1 H400 Based on product data or assessment Aquatic Chronic 1 H410 Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

IE / 6N