

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50002857	Date of first issue: 23.10.2024

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** MILAGRO

##### Other means of identification

**Product code** 50002857

Unique Formula Identifier (UFI) : 0EUY-9232-HN4Q-YG4U

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Herbicide

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

#### 1.3 Manufacturer or supplier's details

**Supplier Address** FMC Agricultural Solutions A/S  
Thyborønvej 78  
DK-7673 Harbøre  
Denmark

Telephone: +45 9690 9690  
Telefax: +45 9690 9691  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Emergency telephone number: 112  
Croatia: +385-17776920 (CHEMTREC)

Medical emergency:  
Medical Information Phone Number: 01-23-48-342  
All other countries: +1 651 / 632-6793 (Collect)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50002857	Date of first issue: 23.10.2024

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification REGULATION (EC) No 1272/2008

Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Sub-category 1B	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

##### **Response:**

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P391 Collect spillage.

##### **Disposal:**

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

##### Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0      Revision Date: 23.10.2024      SDS Number: 50002857      Date of last issue: -  
Date of first issue: 23.10.2024

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification REGULATION (EC) No 1272/2008	Concentration (% w/w)
Fatty acids, coco, Me esters	61788-59-8 262-988-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 30 - < 50
Nicosulfuron	111991-09-4	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 20 - < 25
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 4; H413  Acute toxicity estimate  Acute oral toxicity: 1.300 mg/kg	>= 3 - < 10
12-Hydroxystearic acid, oligomers, reaction products with stearic acid	58128-22-6 500-140-7	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 10
2-ethylhexan-1-ol	104-76-7	Acute Tox. 4; H332	>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

	203-234-3	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)	
		Acute toxicity estimate	
		Acute inhalation toxicity (dust/mist): 4,3 mg/l	

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                            |   |
|----------------------------|---|
| General advice             | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.  |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes.   |
| If inhaled                 | : Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact    | : If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.   |
| In case of eye contact     | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.   |
| If swallowed               | : Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Do not induce vomiting without medical advice.   |

### 4.2 Most important symptoms and effects, both acute and delayed

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Symptoms : Primarily irritation.  
Allergic reactions  
Generally, sulphonylurea herbicides cause lethargy, confusion, dizziness, seizures and coma on ingestion.

Risks : Causes skin irritation.  
May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Carbon oxides  
Chlorine compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local cir-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50002857	Date of first issue: 23.10.2024

cumstances and the surrounding environment.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.  
Use personal protective equipment.  
Keep people away from and upwind of spill/leak.  
Remove all sources of ignition.  
Immediately evacuate personnel to safe areas.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
Try to prevent the material from entering drains or water courses.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.  
  
Never return spills in original containers for re-use.  
Pick up and transfer to properly labelled containers.  
Collect as much of the spill as possible with a suitable absorbent material.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0      Revision Date: 23.10.2024      SDS Number: 50002857      Date of last issue: -  
Date of first issue: 23.10.2024

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2-ethylhexan-1-ol	104-76-7	TWA	1 ppm 5,4 mg/m <sup>3</sup>	2017/164/EU
	Further information: Indicative			
		GVI	1 ppm 5,4 mg/m <sup>3</sup>	HR OEL
	Further information: 2017/164/EU			

### 8.2 Exposure controls

#### Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.
- In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : liquid  
Colour : white  
Odour : odourless  
Odour Threshold : not determined  
Melting point/freezing point : not determined  
Boiling point/boiling range : not determined  
Upper explosion limit / Upper flammability limit : not determined  
Lower explosion limit / Lower : not determined



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50002857	Date of first issue: 23.10.2024

flammability limit	
Flash point	: 118 °C
	Method: Pensky-Martens closed cup
Auto-ignition temperature	: No data available
	No data available
Decomposition temperature	: not determined
pH	: 4,1
	Concentration: 1 %
	4,3
	(undiluted)
Viscosity	
Viscosity, dynamic	: 323 mPa.s (20 °C)
	137 mPa.s (40 °C)
	No data available
Viscosity, kinematic	: 316 mm2/s (20 °C)
	133 mm2/s (40 °C)
Solubility(ies)	
Water solubility	: dispersible
Partition coefficient: n-octanol/water	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Relative density	: No data available
Density	: 1,02 g/cm3 (20 °C)
Relative vapour density	: not determined
Particle characteristics	
Particle size	: Not applicable
Particle Size Distribution	: Not applicable
Shape	: Not applicable

### 9.2 Other information

Explosives	: Not explosive
Oxidizing properties	: Non-oxidizing
Flammability (liquids)	: ignitable
Self-ignition	: 308 °C
Evaporation rate	: No data available
Molecular weight	: Not applicable

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	: No decomposition if stored and applied as directed.
---------------------	---

### 10.4 Conditions to avoid

Conditions to avoid	: Avoid extreme temperatures
---------------------	------------------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Avoid formation of aerosol.  
Heat, flames and sparks.  
Protect from frost, heat and sunlight.  
Heating of the product will produce harmful and irritant vapours.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50 (Rat): > 2,15 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest attainable concentration.
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402

#### Components:

##### Fatty acids, coco, Me esters:

Acute oral toxicity	: LD50 (Rat): > 2.000 mg/kg
---------------------	-----------------------------

##### Nicosulfuron:

Acute oral toxicity	: LD50 (Rat, female): > 5.000 mg/kg Method: OECD Test Guideline 425 Remarks: Information source: Internal study report
Acute inhalation toxicity	: LC50 (Rat): > 5,47 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50002857	Date of first issue: 23.10.2024

Remarks: Information source: Internal study report

### **calcium dodecylbenzenesulphonate:**

Acute oral toxicity	:	LD50 (Rat, male and female): 1.300 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	Remarks: Not classified
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2000 milligram per kilogram Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

### **12-Hydroxystearic acid, oligomers, reaction products with stearic acid:**

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
---------------------	---	---------------------------

### **2-ethylhexan-1-ol:**

Acute oral toxicity	:	LD50 (Rat, male): 2.047 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 4,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat, male and female): > 3.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Product:**

Method	:	OECD Test Guideline 404
Result	:	Skin irritation

#### **Components:**

##### **Fatty acids, coco, Me esters:**

Result	:	No skin irritation
--------	---	--------------------

##### **Nicosulfuron:**

Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404

### **calcium dodecylbenzenesulphonate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50002857	Date of first issue: 23.10.2024

---

Result : Skin irritation

### 12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Species : Rabbit  
Result : Skin irritation

### 2-ethylhexan-1-ol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Product:

Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Minimal effects that do not meet the threshold for classification.

#### Components:

##### Fatty acids, coco, Me esters:

Result : No eye irritation

##### Nicosulfuron:

Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Minimal effects that do not meet the threshold for classification.

##### calcium dodecylbenzenesulphonate:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye  
Remarks : Based on data from similar materials

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

### 12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Species : Rabbit  
Method : Draize Test  
Result : Mild eye irritation

### 2-ethylhexan-1-ol:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50002857	Date of first issue: 23.10.2024

---

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Product:

Test Type	:	Local lymph node assay (LLNA)
Method	:	OECD Test Guideline 429
Result	:	The product is a skin sensitizer, sub-category 1B.

Test Type	:	Buehler Test
Method	:	OECD Test Guideline 406
Result	:	negative

#### Components:

##### Fatty acids, coco, Me esters:

Result	:	Does not cause skin sensitisation.
--------	---	------------------------------------

##### Nicosulfuron:

Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	OECD Test Guideline 406
Remarks	:	Minimal effects that do not meet the threshold for classification.

##### calcium dodecylbenzenesulphonate:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

##### 12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

---

### Components:

#### **Nicosulfuron:**

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **calcium dodecylbenzenesulphonate:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Species: Rat (male and female)  
Application Route: Oral  
Exposure time: 90 d  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **2-ethylhexan-1-ol:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

### Components:

#### **Nicosulfuron:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

#### **calcium dodecylbenzenesulphonate:**

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 720 d  
NOAEL : 250 mg/kg body weight  
Result : negative  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a car-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

ment

cinogen

### 2-ethylhexan-1-ol:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### Components:

#### calcium dodecylbenzenesulphonate:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat, male and female Application Route: Ingestion General Toxicity - Parent: NOAEL: 400 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Effects on foetal development	: Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Ingestion General Toxicity Maternal: NOAEL: 300 mg/kg body weight Developmental Toxicity: NOAEL: 600 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity

### 2-ethylhexan-1-ol:

Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Oral Method: OECD Test Guideline 414 Result: negative
-------------------------------	--

### STOT - single exposure

Based on available data, the classification criteria are not met.

### Components:

#### 2-ethylhexan-1-ol:

Assessment	: May cause respiratory irritation.
------------	-------------------------------------

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50002857	Date of first issue: 23.10.2024

---

### Repeated dose toxicity

#### Components:

##### calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
NOAEL	: 85 mg/kg
LOAEL	: 145 mg/kg
Application Route	: Oral
Exposure time	: 9 Months
Remarks	: Based on data from similar materials

Species	: Rat, male
LOAEL	: 286 mg/kg
Application Route	: Skin contact
Exposure time	: 15 Days
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 100 mg/kg bw/day
LOAEL	: 200 mg/kg bw/day
Application Route	: Oral - gavage
Exposure time	: 28 - 54 Days
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials

##### 2-ethylhexan-1-ol:

Species	: Rat
	: 250 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 408

### Aspiration toxicity

Based on available data, the classification criteria are not met.

#### Product:

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

### Further information

#### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 64,4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 1,83 mg/l Exposure time: 72 h  EC50 (Anabaena flos-aquae (cyanobacterium)): 2,22 mg/l Exposure time: 72 h  EC50 (Lemna gibba (duckweed)): 5.81 µg/l Exposure time: 7 d
Toxicity to soil dwelling organisms	: LC50: > 1.000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)  EC50: 935 mg/kg Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 2.000 mg/kg Species: Coturnix japonica (Japanese quail)  LD50: > 400 µg/bee Exposure time: 48 h End point: Acute contact toxicity Species: Apis mellifera (bees)  LC50: > 432 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees)

#### **Ecotoxicology Assessment**

Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

---

### Components:

#### **Fatty acids, coco, Me esters:**

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

#### **Nicosulfuron:**

Toxicity to fish : LC50 (Salmo gairdneri): 65,7 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 90 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : IC50 (Scenedesmus subspicatus): 182 mg/l  
Exposure time: 72 h

IC50 (Anabaena flos-aquae (cyanobacterium)): 7,8 mg/l  
Exposure time: 72 h

EC50 (Lemna minor (duckweed)): 0,0017 mg/l  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 28 d  
Species: Salmo gairdneri

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 25 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.250 mg/kg  
Species: Colinus virginianus (Bobwhite quail)

LD50: > 2.000 ppm  
Species: Anas platyrhynchos (Mallard duck)

LC50: > 5.000 ppm  
Exposure time: 8 d  
Species: Anas platyrhynchos (Mallard duck)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

LD50: > 76 µg/bee  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

LD50: > 20 µg/bee  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,65 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

NOEC: 1,18 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1.356 mg/kg  
Exposure time: 14 d  
Species: Colinus virginianus (Bobwhite quail)  
Method: OECD Test Guideline 223

### Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

### 12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 1.614 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10.000 mg/l  
Exposure time: 72 h

### 2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3,2 mg/l  
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11,5 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l  
Exposure time: 72 h

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

### Components:

#### Fatty acids, coco, Me esters:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 78 %

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

---

Exposure time: 28 d  
Method: OECD Test Guideline 301C

### **Nicosulfuron:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

### **calcium dodecylbenzenesulphonate:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301E

### **12-Hydroxystearic acid, oligomers, reaction products with stearic acid:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 57 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### **2-ethylhexan-1-ol:**

Biodegradability : Result: Readily biodegradable.

## **12.3 Bioaccumulative potential**

### **Product:**

Bioaccumulation : Remarks: No data is available on the product itself.

### **Components:**

#### **Fatty acids, coco, Me esters:**

Bioaccumulation : Bioconcentration factor (BCF): 290

Partition coefficient: n-octanol/water : log Pow: > 3

#### **Nicosulfuron:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0,36 (25 °C)  
pH: 4

log Pow: -1,77 (25 °C)  
pH: 7

log Pow: -2 (25 °C)  
pH: 9

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50002857	Date of first issue: 23.10.2024

### calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 70,79  
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

### 2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

## 12.4 Mobility in soil

### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

### Components:

#### Nicosulfuron:

Distribution among environmental compartments : Remarks: Mobile in soils

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- |                        |   |
|------------------------|---|
| Product                | : The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company.                                    |
| Contaminated packaging | : Empty remaining contents.<br>Do not re-use empty containers.<br>Packaging that is not properly emptied must be disposed of as the unused product.<br>Empty containers should be taken to an approved waste handling site for recycling or disposal. |

### SECTION 14: Transport information

#### 14.1 UN number or ID number

- |      |           |
|------|-----------|
| ADN  | : UN 3082 |
| ADR  | : UN 3082 |
| RID  | : UN 3082 |
| IMDG | : UN 3082 |
| IATA | : UN 3082 |

#### 14.2 UN proper shipping name

- |      |   |
|------|---|
| ADN  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Nicosulfuron) |
| ADR  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Nicosulfuron) |
| RID  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Nicosulfuron) |
| IMDG | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Nicosulfuron) |
| IATA | : Environmentally hazardous substance, liquid, n.o.s.<br>(Nicosulfuron) |

#### 14.3 Transport hazard class(es)

- |     | Class | Subsidiary risks |
|-----|-------|------------------|
| ADN | : 9   |                  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

---

<b>ADR</b>	: 9
<b>RID</b>	: 9
<b>IMDG</b>	: 9
<b>IATA</b>	: 9

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

**ADN**  
Environmentally hazardous : yes

**ADR**  
Environmentally hazardous : yes

**RID**  
Environmentally hazardous : yes



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50002857	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

---

### The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  2-[(4,6-DIMETHOXYPYRIMIDIN-2-YLCARBAMOYL)SULFAMOYL]-N,N-DIMETHYLNICOTINAMIDE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

---

## SECTION 16: Other information

### Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H413	: May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50002857	Date of first issue: 23.10.2024

Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
HR OEL	:	Croatia. Regulations on limit values for exposure to hazardous substances at work and on the biological limit values.
2017/164/EU / TWA	:	Limit Value - eight hours
HR OEL / GVI	:	time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Skin Irrit. 2	H315
Skin Sens. 1B	H317
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

### Disclaimer

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MILAGRO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50002857	Date of first issue: 23.10.2024

---

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### **Prepared by**

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

HR / 6N