STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

SECTION 1. IDENTIFICATION

Product identifier

Product name STONE® 200 EC

Other means of identification

Product code 50002570

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 (General Information)

SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2B

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :

 $\langle ! \rangle$

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

H320 Causes eye irritation.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-(1-methyl-2-(4-	95737-68-1	>= 20 - < 30
phenoxyphenoxy)ethoxy)pyridine		
1-butylpyrrolidin-2-one	3470-98-2	>= 20 - < 30
Poly(oxy-1,2-ethanediyl), .alpha	57171-56-9	>= 20 - < 30
hydroomega[[(9Z)-1-oxo-9-		
octadecenyl]oxy]-, ether with D-		
glucitol (6:1)		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Causes eye irritation.

Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Hazardous combustion products

Carbon oxides

Nitrogen oxides (NOx) Hydrogen cyanide

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

Personal precautions, protective equipment and emer-

gency procedures

Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.

Do not touch or walk through the spilled material.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

Filter type : Dust/mist/aerosol

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : General industrial hygiene practice.

Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : light yellow

Odor : sweet

Odor Threshold : No data available

pH : 5.96

Concentration: 10 g/l

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : $> 212 \,^{\circ}\text{F} / 100 \,^{\circ}\text{C}$

Evaporation rate : No data available

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.0036

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 46.2 mm2/s

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Avoid formation of aerosol.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The component/mixture is minimally toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.08 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The component/mixture is minimally toxic after

single contact with skin.

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : Causes mild skin irritation.

Result : Mild skin irritation

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Species : Rabbit

Result : Mild eye irritation
Assessment : Mild eye irritation

Remarks : Vapors may cause irritation to the eyes, respiratory system

and the skin.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Routes of exposure : Skin contact

Assessment : May cause sensitization by skin contact.

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

Remarks : Causes sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

1-butylpyrrolidin-2-one:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium Method: OECD Test Guideline 471

Result: negative

Test Type: reverse mutation assay Test system: Salmonella typhimurium

Method: Regulation (EC) No. 440/2008, Annex, B.13/14

(Ames test) Result: negative

Test Type: Micronucleus test Test system: lymphocytes

Result: negative

Test Type: gene mutation test Test system: mouse lymphoma cells Method: OECD Test Guideline 476

Result: negative

Test Type: gene mutation test Test system: mouse lymphoma cells

Method: Regulation (EC) No. 440/2008, Annex, B.17

Result: negative

Test Type: gene mutation test Test system: mouse lymphoma cells

Method: OPPTS 870.5300

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[[(9Z)-1-oxo-9-octadecenyl]oxy]-, ether with D-glucitol (6:1):

Carcinogenicity - Assess-

Weight of evidence does not support classification as a car-

ment cinogen

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

2-(1-methyl-2-(4-phenoxyphenoxy)ethoxy)pyridine:

Effects on fetal development : Application Route: Oral

General Toxicity Maternal: NOAEL: 300 mg/kg bw/day

STOT-single exposure

Not classified based on available information.

Components:

2-(1-methyl-2-(4-phenoxyphenoxy)ethoxy)pyridine:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2-(1-methyl-2-(4-phenoxyphenoxy)ethoxy)pyridine:

NOAEL : 32 mg/kg bw/day

Application Route : Oral

NOAEL : 0.482 mg/l Application Route : Inhalation Test atmosphere : dust/mist

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

2-(1-methyl-2-(4-phenoxyphenoxy)ethoxy)pyridine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.85 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Cyprinus carpio (Carp)): 0.45 mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crustaceans): 0.4 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.064

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.02

mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 0.0043 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia): 0.000015 mg/l

Exposure time: 21 d

Toxicity to microorganisms : NOEC (sewage treatment plant microorganisms): > 206.8

mg/l

Exposure time: 0.5 h

Toxicity to soil dwelling or-

ganisms

: LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

NOEC (Eisenia fetida (earthworms)): 125 mg/kg

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): 74 µg/bee

Remarks: Contact

1-butylpyrrolidin-2-one:

Toxicity to fish : NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l

Exposure time: 96 h

STONE® 200 EC



Version **Revision Date:** SDS Number: Date of last issue: -

11/07/2022 50002570 Date of first issue: 11/07/2022 1.0

Test Type: semi-static test

Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 24 h Test Type: static test

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 24 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 40

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 82 mg/l

Exposure time: 33 d

Test Type: flow-through test

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 211

Toxicity to microorganisms NOEC (activated sludge): 306.2 mg/l

Exposure time: 28 h

EC10 (activated sludge): > 315 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC (activated sludge): 315 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[[(9Z)-1-oxo-9-octadecenyl]oxy]-, ether with D-glucitol (6:1):

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Persistence and degradability

Components:

2-(1-methyl-2-(4-phenoxyphenoxy)ethoxy)pyridine:

Biodegradability : Biodegradation: 1 %

Exposure time: 28 d

Bioaccumulative potential

Components:

2-(1-methyl-2-(4-phenoxyphenoxy)ethoxy)pyridine:

Partition coefficient: n-

octanol/water

log Pow: 5.37 (77 °F / 25 °C)

1-butylpyrrolidin-2-one:

Bioaccumulation : Bioconcentration factor (BCF): 3.19

Method: QSAR

Partition coefficient: n-

octanol/water

log Pow: 1.265 (68 °F / 20 °C)

Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: No data is available on the product itself.

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

STONE® 200 EC



Version **Revision Date:** SDS Number: Date of last issue: -

50002570 Date of first issue: 11/07/2022 1.0 11/07/2022

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(Pyriproxyfene)

Class 9 Packing group Ш 9 Labels

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Pyriproxyfene)

9 Class Ш Packing group

Labels Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

964

Environmentally hazardous yes

IMDG-Code

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Pyriproxyfene)

Class 9 Ш Packing group Labels 9 **EmS Code** F-A, S-F Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

formaldehyde	50-00-0	>= 0 - < 0.1 %
acetaldehyde	75-07-0	>= 0 - < 0.1 %
methyloxirane	75-56-9	>= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

formaldehyde	50-00-0	>= 0 - < 0.1 %
acetaldehyde	75-07-0	>= 0 - < 0.1 %
methyloxirane	75-56-9	>= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

formaldehyde	50-00-0
1,4-dioxane	123-91-1
ethylene oxide	75-21-8
acetaldehyde	75-07-0





Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

methyloxirane 75-56-9

Pennsylvania Right To Know

Soybean oil 8001-22-7 2-(1-methyl-2-(4-phenoxyphenoxy)ethoxy)pyridine 95737-68-1 1-butylpyrrolidin-2-one 3470-98-2 Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[[(9Z)-1-oxo-57171-56-9

9-octadecenyl]oxy]-, ether with D-glucitol (6:1)

Castor oil, ethoxylated, oleate 220037-02-5
Oxirane, methyl-, polymer with oxirane, monobutyl ether Not Assigned

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

1,4-dioxane 123-91-1 acetaldehyde 75-07-0

Washington Chemicals of High Concern

formaldehyde 50-00-0 1,4-dioxane 123-91-1 acetaldehyde 75-07-0

California Prop. 65

WARNING: This product can expose you to chemicals including formaldehyde, 1,4-dioxane, ethylene oxide, acetaldehyde, methyloxirane, which is/are known to the State of California to cause cancer, and

ethylene oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

2-(1-methyl-2-(4-phenoxyphenoxy)ethoxy)pyridine

1-butylpyrrolidin-2-one

Oxirane, methyl-, polymer with oxirane, monobutyl ether

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

TSCA list

The following substance(s) is/are subject to a Significant New Use Rule: 1-butylpyrrolidin-2-one 3470-98-2


The following substance(s) is/are subject to TSCA 12(b) export notification requirements:

1-butylpyrrolidin-2-one 3470-98-2

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - In-

STONE® 200 EC



Version Revision Date: SDS Number: Date of last issue: -

1.0 11/07/2022 50002570 Date of first issue: 11/07/2022

ternational Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation
© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet