according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

SECTION 1. IDENTIFICATION

Product identifier

Product name Zeus™ Herbicide

Other means of identification

Product code 50001715

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only.

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity : Category 2 (hematopoietic system)

- repeated exposure

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (hematopoietic system)

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

through prolonged or repeated exposure.

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sulfentrazone	122836-35-5	40
propane-1,2-diol	57-55-6	>= 5 - < 10
toluene	108-88-3	>= 1 - <= 5

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

If symptoms persist, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Most important symptoms and effects, both acute and delayed

Exposure may result in convulsions, decreased locomotion, tearing, increased sensitivity to touch, bloody discharge from the nose and incoordination.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Chlorinated compounds Fluorinated compounds

Sulfur oxides

Nitrogen oxides (NOx) Carbon oxides Hydrogen cyanide

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.

Do not touch or walk through the spilled material.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 10/27/2023 50001715 Date of first issue: 04/17/2015 1.0

respective authorities.

Methods and materials for containment and cleaning up Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling For personal protection see section 8.

Avoid formation of respirable particles.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

Respiratory protection In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hand protection

Material Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

The suitability for a specific workplace should be discussed Remarks

with the producers of the protective gloves.

Eye protection Eye wash bottle with pure water

Tightly fitting safety goggles

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : liquid

Color : off-white

Odor : alcohol-like

Odor Threshold : No data available

pH : 5.3 - 6 (68 °F / 20 °C)

Boiling point/boiling range : No data available

Flash point : $> 201 \, ^{\circ}\text{F} / > 94 \, ^{\circ}\text{C}$

Method: closed cup

Evaporation rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Density : 10.07 lb/gal

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

Metal corrosion rate : Not corrosive to metals.

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity: No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Avoid formation of aerosol.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The component/mixture is minimally toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 2.72 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: US EPA Test Guideline OPP 81-3

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

Method: US EPA Test Guideline OPP 81-2

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

Sulfentrazone:

Acute oral toxicity : LD50 (Rat, female): 2,689 mg/kg

Symptoms: ataxia, clonic convulsions, Fatality

GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.13 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: EPA OPP 81 - 3

Symptoms: ataxia, Breathing difficulties

GLP: yes

Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

Method: EPA OPP 81-2

GLP: yes

Assessment: The component/mixture is minimally toxic after

single contact with skin.

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l

Exposure time: 2 h Test atmosphere: vapor Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

toluene:

Acute oral toxicity : LD50 (Rat): 5,580 mg/kg

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Acute inhalation toxicity : LC50 (Rat, male): 25.7 mg/l

Exposure time: 4 h
Test atmosphere: vapor

LC50 (Rat, female): 30 mg/l

Exposure time: 4 h Test atmosphere: vapor

Acute dermal toxicity : (Rabbit): 12,267 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : US EPA Test Guideline OPP 81-5

Result : No skin irritation

Components:

Sulfentrazone:

Species : Rabbit

Assessment : No skin irritation
Method : EPA OPP 81-5
Result : No skin irritation

GLP : yes

propane-1,2-diol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

toluene:

Species : Rabbit

Assessment : Repeated exposure may cause skin dryness or cracking.

Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No eye irritation

Method : US EPA Test Guideline OPP 81-4

Components:

Sulfentrazone:

Species : Rabbit

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Result : No eye irritation
Assessment : No eye irritation
Method : EPA OPP 81-4

GLP : yes

propane-1,2-diol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

toluene:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type : Skin sensitization
Routes of exposure : Skin contact
Species : Guinea pig

Method : US EPA Test Guideline OPP 81-6
Result : Does not cause skin sensitization.

Components:

Sulfentrazone:

Test Type : Maximization Test Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

propane-1,2-diol:

Test Type : Maximization Test
Species : Guinea pig
Result : negative

toluene:

Test Type : Maximization Test Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Components:

Sulfentrazone:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: Mouse lymphoma assay Test system: mouse lymphoma cells Metabolic activation: Metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

toluene:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro

Species: Rat Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Sulfentrazone:

Species : Rat, male and female

Application Route : Ingestion Exposure time : 2 Years Result : negative

Species : Mouse, male and female

Application Route : Ingestion

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Exposure time : 18 month(s)
Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Sulfentrazone:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

General Toxicity Parent: NOEL: 13.7 - 16.2 mg/kg bw/day General Toxicity F1: NOEL: 13.7 - 16.2 mg/kg bw/day

Symptoms: Maternal effects.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOEL: 25 mg/kg bw/day Developmental Toxicity: NOEL: 10 mg/kg bw/day

Method: EPA OPP 83-3

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 50 mg/kg bw/day Developmental Toxicity: LOAEL F1: 25 mg/kg bw/day

Symptoms: Skeletal malformations.

Target Organs: spleen Method: EPA OPP 83-3

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Species: Mouse

Application Route: Oral

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 414

Result: Animal testing did not show any effects on fertility.

Remarks: Based on data from similar materials

toluene:

Effects on fetal development : Species: Rat

Application Route: Inhalation Result: Teratogenic effects.

Remarks: Adverse developmental effects were observed

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, and/or on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Components:

Sulfentrazone:

Remarks : No significant adverse effects were reported

toluene:

Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs (hematopoietic system) through prolonged or repeated exposure.

Components:

Sulfentrazone:

Target Organs : hematopoietic system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

toluene:

Routes of exposure : Inhalation Target Organs : inner ear

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Repeated dose toxicity

Components:

Sulfentrazone:

Species : Rat, male
NOAEL : 19.9 mg/kg
LOAEL : 65.8 mg/kg
Application Route : Oral - feed
Exposure time : 90-days
GLP : yes

Target Organs : hematopoietic system

Species : Mouse, male
NOAEL : 60 mg/kg
LOAEL : 108.4 mg/kg
Application Route : Oral - feed
Exposure time : 90-days

Target Organs : hematopoietic system

Species : Dog, male
NOAEL : 10 mg/kg
LOAEL : 28 mg/kg
Application Route : Oral - feed
Exposure time : 90-days

Target Organs : hematopoietic system, Liver

propane-1,2-diol:

Species : Rat, male and female

NOAEL : 1,700 mg/kg

Application Route : Oral Exposure time : 2 Years

Species : Rat, male and female

NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

toluene:

Species : Rat NOAEL : 625 mg/kg Application Route : Oral

Symptoms : central nervous system effects

Species: RatNOAEL: 0.098 mg/lApplication Route: InhalationTest atmosphere: vapor

Species : Rat LOAEL : 2.261 mg/l Application Route : Inhalation

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Test atmosphere : vapor

Aspiration toxicity

Not classified based on available information.

Components:

Sulfentrazone:

The substance does not have properties associated with aspiration hazard potential.

toluene:

May be fatal if swallowed and enters airways.

Neurological effects

Components:

Sulfentrazone:

Neurotoxity observed in animals studies

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sulfentrazone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h
Test Type: flow-through test

Method: EPA OPP 72-1

LC50 (Lepomis macrochirus (Bluegill sunfish)): 93.8 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: EPA OPP 72-1

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 60.4 mg/l

Exposure time: 48 h

Test Type: flow-through test

NOEC (Daphnia magna (Water flea)): 14.1 mg/l

Exposure time: 48 h

Test Type: flow-through test

Toxicity to algae/aquatic : EC50 (algae): 32.8 mg/l

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

plants Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.031

mg/I

Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 0.0288 mg/l

Exposure time: 14 d

EC50 (Navicula pelliculosa (Diatom)): 0.042 mg/l

Exposure time: 120 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 5.9 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Crustaceans): 0.51 mg/l

Exposure time: 21 d

Toxicity to terrestrial organ-

isms

LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm

End point: Acute oral toxicity

NOEL (Anas platyrhynchos (Mallard duck)): 3,160 ppm

End point: Acute oral toxicity

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm

End point: Acute oral toxicity

NOEL (Colinus virginianus (Bobwhite quail)): 5,620 ppm

End point: Acute oral toxicity

NOEL (Colinus virginianus (Bobwhite quail)): > 100 ppm

End point: Reproduction Test

NOEL (Anas platyrhynchos (Mallard duck)): > 100 ppm

End point: Reproduction Test

LD50 (Apis mellifera (bees)): > 25 μg/bee

End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee

End point: Acute contact toxicity

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Mysidopsis bahia (opossum shrimp)): 18,800 mg/l

Exposure time: 96 h

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100

mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 13,020 mg/l Exposure time: 7 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

toluene:

Toxicity to fish : LC50 (Fish): 5.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50: 3.78 mg/l Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Skeletonema costatum (marine diatom)): 10 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus kisutch (coho salmon)): 1.4 mg/l

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia sp.): 0.74 mg/l

Exposure time: 7 d

Toxicity to microorganisms : EC50 (Bacteria): 134 mg/l

Exposure time: 3 h

Persistence and degradability

Components:

Sulfentrazone:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 2.22 - 9.56 h

Photodegradation : Remarks: Decomposes rapidly in contact with light.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 23.6 % Exposure time: 64 d

Method: OECD Test Guideline 306

toluene:

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Sulfentrazone:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

GLP: yes

Remarks: Low potential for bioaccumulation

Partition coefficient: n-

octanol/water

Pow: 9.8

pH: 7

propane-1,2-diol:

Partition coefficient: n-

octanol/water

log Pow: -1.07

toluene:

Bioaccumulation : Bioconcentration factor (BCF): 90

Partition coefficient: n-

octanol/water

log Pow: 2.73 (68 °F / 20 °C)

Mobility in soil

Components:

Sulfentrazone:

Mobility : Medium: Water

Remarks: Predicted distribution to environmental compart-

ments

Distribution among environ-

mental compartments

Koc: 43 ml/g, log Koc: 1.63

Remarks: Highly mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Sulfentrazone)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Sulfentrazone)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Sulfentrazone)

Class : 9

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 1.0 10/27/2023 50001715 Date of first issue: 04/17/2015

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Sulfentrazone)

Class : 9 Packing group : III

Labels : CLASS 9 ERG Code : 171

Marine pollutant : yes(Sulfentrazone)

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

Version Revision Date: SDS Number: Date of last issue: 10/27/2023 10/27/2023 50001715 Date of first issue: 04/17/2015 1.0

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

> propane-1,2-diol 57-55-6 >= 5 - < 10 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

water 7732-18-5 Sulfentrazone 122836-35-5 propane-1,2-diol 57-55-6 Monobutyl ether of polymer of 2-methyloxirane / oxirane 9038-95-3

Maine Chemicals of High Concern

octamethylcyclotetrasiloxane [D4] 556-67-2

Vermont Chemicals of High Concern

octamethylcyclotetrasiloxane [D4] 556-67-2

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TCSI Not in compliance with the inventory

TSCA Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL This product contains the following components that are not

on the Canadian DSL nor NDSL.

2',4'-DICHLORO-5'-(4-DIFLUOROMETHYL-4,5-DIHYDRO-3-

METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-

YL)METHANESULFONANILIDE

ENCS Not in compliance with the inventory

ISHL Not in compliance with the inventory

KECI Not in compliance with the inventory

PICCS Not in compliance with the inventory

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/27/2023

 1.0
 10/27/2023
 50001715
 Date of first issue: 04/17/2015

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification

according to the OSHA Hazard Communication Standard



Zeus™ Herbicide

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/27/2023

 1.0
 10/27/2023
 50001715
 Date of first issue: 04/17/2015

System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet