according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

12.01.2024 50000142 Date of first issue: 12.01.2024 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name HARMONY® 50 SX

Other means of identification

Product code 50000142

Product Registration Number : 12671 del 17/06/2008

Unique Formula Identifier

77AX-W2FR-2N4H-4QNC

(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

Herbicide

Recommended restrictions :

on use

Use as recommended by the label.

For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agro ITALIA S.r.I

Via Fratelli Bronzetti 32/28

24124 Bergamo

Italy

Telephone: (+39) 035 199 04 468 E-mail address: info.it@fmc.com

SDS-Info@fmc.com.

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Italy: +39 024527031 (CHEMTREC)

1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:

CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Ac-

cettazione DEA Roma - Tel. 06 68593726 CAV Az. Osp. Univ. Foggia - Tel. 800183459

CAV Az. Osp. "A. Cardarelli" Napoli - Tel. 081 5453333 CAV Policlinico "Umberto I" Roma - Tel. 06 49978000 CAV Policlinico "A. Gemelli" Roma - Tel. 06 3054343

CAV Az. Osp. "Careggi" U.O. Tossicologia Medica Firenze -

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

Tel. 055 7947819

CAV Centro Nazionale di Informazione Tossicologica Pavia -

Tel. 0382 24444

CAV Osp. Niguarda Ca' Granda Milano - Tel. 02 66101029 CAV Azienda Ospedaliera Papa Giovanni XXIII Bergamo - Tel.

800883300

CAV Azienda Ospedaliera Integrata Verona - Tel. 800011858

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

*

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container in accordance with ap-

plicable regulations.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
thifensulfuron-methyl (ISO)	79277-27-3	Aquatic Acute 1; H400	> 30 - <= 50
	016-096-00-2	Aquatic Chronic 1; H410	
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water. Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Possibly irritation

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Thermal decomposition can lead to release of irritating gases

and vapours.

Nitrogen oxides (NOx) Sulphur oxides

Carbon oxides

5.3 Advice for firefighters

Special protective equipment : Use personal protective equipment. Wear self-contained

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

for firefighters breathing apparatus for firefighting if necessary.

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid dust formation.

Avoid breathing dust.

Ensure adequate ventilation. Remove all sources of ignition.

Immediately evacuate personnel to safe areas. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up and collect the leakage in a dry sealed container.

Keep in suitable, closed containers for disposal.

Clean contaminated surface thoroughly.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the techno-

logical safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be availa-

ble

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
sodium carbonate	Workers	Inhalation	Long-term local ef-	10 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

			fects	
	Consumers	Inhalation	Acute local effects	10 mg/m3

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of dust exposure wear suitable personal respiratory

protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Form : granules

Colour : light brown

Odour : mild

Odour Threshold : not determined

Melting point/freezing point : 173 °C

Decomposition

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

Boiling point/boiling range : Decomposition

Flammability : Not highly flammable, may be ignitable

Upper explosion limit / Upper

flammability limit

Not available for this mixture.

Lower explosion limit / Lower :

flammability limit

0,1 - 0,25 g/l

Flash point : not determined

Decomposition temperature : Not available for this mixture.

pH : 8,6 (20 °C)

Concentration: 10 g/l 1 %

(as a dispersion)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : Not available for this mixture.

Relative density : Not available for this mixture.

Density : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

Bulk density : ca. 696 kg/m3packed

Relative vapour density : not determined

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The product is not oxidizing.

Self-ignition : not determined

Evaporation rate : Not applicable

Minimum ignition energy : > 1.000 mJ

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: Fixed Dose Method

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat): > 5,3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Components:

thifensulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,03 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2.800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2,3 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Target Organs: Skin Symptoms: Erythema

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Components:

thifensulfuron-methyl (ISO):

Assessment : No skin irritation

Method : OECD Test Guideline 404

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

sodium carbonate:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Components:

thifensulfuron-methyl (ISO):

Method : OECD Test Guideline 405

Result : No eye irritation

sodium carbonate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Maximisation Test Species : Guinea pig

Method : US EPA Test Guideline OPPTS 870.2600

Result : Animal test did not cause sensitization by skin contact.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

GLP : yes

Components:

thifensulfuron-methyl (ISO):

Species : Guinea pig

Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity- As-

sessment

Not mutagenic in Ames Test, Did not show mutagenic effects

in animal experiments.

Components:

thifensulfuron-methyl (ISO):

Genotoxicity in vitro : Test system: Chinese hamster ovary cells

Method: OECD Test Guideline 476

Result: negative

Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Product:

Remarks : The product contains no ingredients known to be carcinogen-

ic.

Carcinogenicity - Assess-

ment

Did not show carcinogenic effects in animal experiments.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

Components:

thifensulfuron-methyl (ISO):

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - As-

sessment

Animal testing showed no reproductive toxicity.

Animal testing showed effects on embryo-fetal development at

levels equal to or above those causing maternal toxicity.

Components:

thifensulfuron-methyl (ISO):

Reproductive toxicity - As-

sessment

Did not show teratogenic effects in animal experiments.

sodium carbonate:

Effects on foetal develop-

ment

Species: Rat

Application Route: Oral

Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram

Duration of Single Treatment: 6 - 15 d

General Toxicity Maternal: NOAEL: > 245 mg/kg body weight

Teratogenicity: NOAEL: > 245 mg/kg body weight

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

Components:

sodium carbonate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

thifensulfuron-methyl (ISO):
Species : Re

Species : Rat LOAEL : ca.200 mg/kg

Exposure time : 90 d

Target Organs : No specific target organs noted

Symptoms : Reduced body weight

sodium carbonate:

Species : Rat, male and female

NOAEL : > 0.01 mg/kg

Application Route : inhalation (dust/mist/fume)

Test atmosphere : dust/mist

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 120 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,6

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: (Data on the product itself)

ErC50 (Lemna gibba (duckweed)): 0,0026 mg/l

End point: Frond Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: ves

Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Remarks: Information source: Internal study report

Toxicity to terrestrial organ-

isms

LD50: >90.96 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213 Remarks: (Data on the product itself) Information source: Internal study report

LD50: > 100 µg/bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214 Remarks: (Data on the product itself)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version **Revision Date:** SDS Number: Date of last issue: -

12.01.2024 50000142 Date of first issue: 12.01.2024 1.0

Information source: Internal study report

Ecotoxicology Assessment

Acute aquatic toxicity Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. Chronic aquatic toxicity

Components:

thifensulfuron-methyl (ISO):

Toxicity to fish LC50 (Salmo gairdneri): 100 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 120 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (green algae): 0,0159 mg/l

Exposure time: 72 h

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1,4

mg/l

Exposure time: 72 h

EC50 (Lemna minor (duckweed)): 1,3 µg/l

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to fish (Chronic tox-

icity)

NOEC: 250 mg/l Exposure time: 28 d

Species: Salmo gairdneri

NOEC: 10,6 mg/l Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC: 100 mg/l

Exposure time: 21 d

ic toxicity) Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

100

Toxicity to soil dwelling or-

ganisms

LC50: > 2.000 mg/kg

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 2.510 mg/kg

Species: Anas platyrhynchos (Mallard duck)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

LD50: > 5.620 ppm

Species: Anas platyrhynchos (Mallard duck)

Remarks: Dietary

LD50: > 5.620 ppm

Species: Colinus virginianus (Bobwhite quail)

LD50: > $7.1 \mu g/bee$

End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: > 100 µg/bee

End point: Acute contact toxicity Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): 200 mg/l

Exposure time: 48 h Test Type: semi-static test

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

Remarks: Estimation based on data obtained on active ingre-

dient.

Components:

thifensulfuron-methyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.

Primary degradation half-lives vary with circumstances, from a

few days to a few weeks in aerobic water and soil.

sodium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Bioconcentration factor (BCF): 1

Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Components:

thifensulfuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 1

Remarks: Does not bioaccumulate.

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: Under normal conditions the substance/mixture is

mobile in soil.

Estimation based on data obtained on active ingredient.

Components:

thifensulfuron-methyl (ISO):

Distribution among environ-

mental compartments

Koc: 28,3, log Koc: 1,45

Remarks: Highly mobile in soils

Stability in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

No other ecological effects to be specially mentioned.

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Thifensulfuron-methyl)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Thifensulfuron-methyl)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Thifensulfuron-methyl)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Thifensulfuron-methyl)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Thifensulfuron-methyl)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

: Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ENVIRONMENTAL HAZARDS

Other regulations:

Legislative Decree April 9,2008, 81 (Implementation of Article 1 of the Law of 3 August 2007, n. 123, concerning the protection of health and safety in the workplace.) and subsequent amendments

E1

Legislative Decree April 3, 2006, n.152, (Environmental standards) and subsequent amendments

Legislative Decree February 6, 2009, 21 (Regulations for the execution of the provisions laid down in Regulation (EC) no. 648/2004 on detergents)

National authorization according to Reg. (EC) No. 1107/2009 of the European Parliament and of the Council of October 21, 2009 concerning the placing of plant protection products on the market: Ministry of Health Registration No. 12671 del 17/06/2008

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

METHYL 3-{[(4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-

YL)CARBAMOYL]SULFAMOYL}THIOPHENE-2-

CARBOXYLATE

D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohy-

drate

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H319 : Causes serious eye irritation. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Aquatic Acute 1 H400 Based on product data or assessment

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



HARMONY® 50 SX

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2024 50000142 Date of first issue: 12.01.2024

Aquatic Chronic 1 H410 Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

IT / 6N