SAFETY DATA SHEET

EZ20 Zinc Granules

This safety data sheet complies with the requirements of:
Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008

SDS # : 10254-A
Revision date: 2018-07-23
Format: EU
Version 1.02

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) 10254-A

Product Name EZ20 Zinc Granules

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A fertilizer with micronutrients for use in agriculture and horticulture

Restrictions on use Use as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Manufacturer

FMC Agro Limited
Rectors Lane
Pentre
Flintshire
CH5 2DH
United Kingdom
Tel: + 44 (0) 1244 537370
E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point

Tel: +44(0)1244 537370
Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Tel: +44(0)1244 537370 (Office hours only)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture *Regulation (EC) No 1272/2008*

Acute toxicity - Oral	Category 4 (H302)
Skin corrosion/irritation	Category 2 (H315)
Serious eye damage/eye irritation	Category 1 (H318)
Acute aquatic toxicity	Category 1 (H400)
Chronic aquatic toxicity	Category 1 (H410)

2.2. Label elements

Hazard pictograms

Signal Word
Danger

Hazard Statements
H302 - Harmful if swallowed
H315 - Causes skin irritation
H318 - Causes serious eye damage
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P501: Dispose of contents/container as hazardous waste.

2.3. Other hazards
This product is not identified as a PBT/vPvB substance.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

3.2 Mixture containing the following hazardous ingredients:

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Zinc sulfate	231-793-3	7733-02-0	30-50	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119474684-27-XXXX
Zinc oxide	215-222-5	1314-13-2	10-30	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119463881-32-XXXX
Iron sulfate	231-753-5	7720-78-7	5-10	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	01-2119513203-57-XXXX
Calcium oxide	215-138-9	1305-78-8	1-5	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT SE 3 (H335)	No data available

Additional Information
For the full text of the H-, R- and EUH- phrases mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Transfer to hospital for specialist examination.

Skin Contact Immediately remove all stained or splashed clothing that is not adhering to the skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Get

medical attention immediately if symptoms occur.

Inhalation Remove person from exposure ensuring one's own safety while doing so. If symptoms persist, call a doctor.

Ingestion Rinse mouth. Do NOT induce vomiting. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure. An itchy rash may occur at the site of contact. May cause permanent eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Eye bathing equipment should be available on the premises. Show this safety data sheet to the doctor in attendance.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media
Dry chemical, CO2, water spray or regular foam. Cool containers / tanks with water spray.

Unsuitable extinguishing media
No information available

5.2. Special hazards arising from the substance or mixture
Toxic fumes may be released in fire situations.

5.3. Advice for firefighters
As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions
For personal protection see section 8. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Keep people away from and upwind of spill/leak.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders
Use personal protection recommended in Section 8.

6.2. Environmental precautions
Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for Containment Surface drains within close vicinity of the spill should be covered. Dike to confine spill and absorb with non-combustible absorbent such as clay, sand or soil.

Methods for cleaning up Clean up with an electrically protected vacuum cleaner or by wet-brushing. Rinse the area with water and industrial detergent. Absorb any excess liquid. Transfer to a closable, labeled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for suitable method of disposal.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling
Use only in area provided with appropriate exhaust ventilation. Avoid dust formation in confined areas. Avoid contact with skin, eyes and clothing.

Hygiene measures
Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage
Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)
No data available.

Risk Management Methods (RMM)
The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
Zinc oxide 1314-13-2	-	TWA 52 mg/m³ (vapour) STEL 104 mg/m³ (vapour)	TWA 5 mg/m³ TWA 10 mg/m³	TWA 2 mg/m³ STEL 10 mg/m³	-
Calcium oxide 1305-78-8	-	STEL 6 mg/m³ TWA 2 mg/m³	TWA 2 mg/m³	TWA 2 mg/m³	-
Chemical name	**Italy**	**Portugal**	**The Netherlands**	**Finland**	**Denmark**
Zinc oxide 1314-13-2	-	TWA 2 mg/m³ STEL 10 mg/m³	-	TWA 2 mg/m³ STEL 10 mg/m³	TWA 4 mg/m³
Calcium oxide 1305-78-8	-	TWA 2 mg/m³	-	TWA 2 mg/m³	TWA 2 mg/m³
Chemical name	**Austria**	**Switzerland**	**Poland**	**Norway**	**Ireland**
Zinc oxide 1314-13-2	TWA 5 mg/m³	TWA 3 mg/m³ STEL 3 mg/m³	TWA 5 mg/m³ STEL 10 mg/m³	TWA 5 mg/m³ STEL 10 mg/m³	TWA 2 mg/m³ STEL 10 mg/m³
Calcium oxide 1305-78-8	STEL 4 mg/m³ TWA 2 mg/m³	SS-C** TWA 2 mg/m³ STEL 2 mg/m³	TWA 2 mg/m³ TWA 1 mg/m³ STEL 6 mg/m³ STEL 4 mg/m³	Ceiling 2 mg/m³	TWA 2 mg/m³ STEL 6 mg/m³

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/Face Protection Tightly fitting safety goggles. Provide emergency on-site eyewash.

Hand Protection Protective gloves. Impervious butyl rubber gloves. Wear chemical protective gloves made of materials such as nitrile or neoprene.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory Protection Respiratory protective device with particle filter.

Environmental exposure controls Refer to specific Member State legislation for requirements under Community environmental legislation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Granules
Appearance	No information available
Odour	Odourless
Colour	Brown, light grey
Odour threshold	No information available
pH	No information available
Melting point/freezing point	No information available
Boiling point/boiling range	No information available
Flash point	No information available
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit	No information available
Vapour pressure	No information available
Vapour density	No information available
Specific gravity	No information available
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidising properties	Non-oxidizing (by EC criteria)

9.2. Other information

Softening point	No information available
Molecular weight	No information available
VOC content (%)	No information available
Density	No information available
Bulk density	No information available
K_{st}	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions

10.2. Chemical stability

Stable under recommended storage conditions.

Explosion data
Sensitivity to Mechanical Impact No information available.
Sensitivity to Static Discharge No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation
Hazardous polymerization does not occur.

Hazardous reactions
None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Heat, Humid air.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information
. No acute toxicity information is available for this product.

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
Zinc sulfate	1710 mg/kg (Rat)	>2000mg/kg (Rat)	
Iron sulfate	= 1000 mg/kg (Rat)		
Calcium oxide	= 500 mg/kg (Rat)		

Skin corrosion/irritation No information available.
Serious eye damage/eye irritation No information available.
Sensitisation No information available
Mutagenicity No information available.
Carcinogenicity No information available.

Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.

Symptoms Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and

stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure. An itchy rash may occur at the site of contact. May cause permanent eye damage.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

There is no data available for this product.

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Zinc sulfate	72 h EC50: = 0.056 mg/L (Pseudokirchneriella subcapitata) static 72 h EC50: = 64.8 mg/L (Chlorella vulgaris) 96 h EC50: = 2.4 mg/L (Chlorella vulgaris)	96 h LC50: = 0.162 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 0.03 - 0.05 mg/L (Oncorhynchus mykiss) semi-static 96 h LC50: 0.34 - 0.93 mg/L (Oncorhynchus mykiss) static 96 h LC50: 0.23 - 0.48 mg/L (Pimephales promelas) 96 h LC50: 49.23 - 64.16 mg/L (Poecilia reticulata) semi-static 96 h LC50: 16.85 - 27.18 mg/L (Cyprinus carpio) static 96 h LC50: 3 - 4.6 mg/L (Lepomis macrochirus) flow-through 96 h LC50: = 0.63 mg/L (Poecilia reticulata) 96 h LC50: 0.48 - 1.72 mg/L (Poecilia reticulata) static 96 h LC50: = 0.06 mg/L (Pimephales promelas) static 96 h LC50: 3.55 - 6.32 mg/L (Lepomis macrochirus) static 96 h LC50: 0.218 - 0.42 mg/L (Pimephales promelas) flow-through 96 h LC50: 0.168 - 0.25 mg/L (Pimephales promelas) semi-static 96 h LC50: = 0.15 mg/L (Cyprinus carpio) semi-static	48 h EC50: = 0.75 mg/L (Daphnia magna) 48 h EC50: 0.538 - 0.908 mg/L (Daphnia magna) Static
Iron sulfate	-	96 h LC50: = 925 mg/L (Poecilia reticulata) static 96 h LC50: = 0.56 mg/L (Cyprinus carpio) semi-static	48 h EC50: 6.15 - 9.26 mg/L (Daphnia magna) Static 48 h EC50: = 152 mg/L (Daphnia magna)
Calcium oxide	-	96 h LC50: = 1070 mg/L (Cyprinus carpio) static	-

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil
No information available.

Mobility
Low water solubility. Expected to sink and migrate to sediment. Expected to partition to sediment and wastewater solids.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Very toxic to aquatic organisms

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products	Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not discharge to sewer systems.
Contaminated Packaging	Clean container with water. Dispose of rinse water in accordance with local and national guidelines. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	02 01 08
OTHER INFORMATION	NOTE : The user's attention is drawn to the possible existence of specific European, national or local regulations regarding disposal.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN/ID no	UN3077
14.2 Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE; ZINC (II) SULPHATE)
14.3 Hazard class	9
14.4 Packing Group	III
14.5 Marine Pollutant	Yes
Environmental Hazard	Yes
14.6 Special Provisions	No special precautions. Tunnel code: E Transport category: 3
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	The product is not transported in bulk tankers.

RID

14.1 UN/ID no	UN3077
14.2 Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE; ZINC (II) SULPHATE)
14.3 Hazard class	9
14.4 Packing Group	III
14.5 Environmental Hazard	Yes
14.6 Special Provisions	No special precautions. Tunnel code: E Transport category: 3

ADR/RID

14.1 UN/ID no	UN3077
14.2 Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE; ZINC (II) SULPHATE)
14.3 Hazard class	9

14.4 Packing Group III
14.5 Environmental Hazard Yes
14.6 Special Provisions No special precautions.
Tunnel code: E
Transport category: 3

ICAO/IATA
14.1 UN/ID no UN3077
14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE; ZINC (II) SULPHATE)
14.3 Hazard class 9
14.4 Packing Group III
14.5 Environmental Hazard Yes
14.6 Special Provisions No special precautions.
Tunnel code: E
Transport category: 3

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Not applicable

European Union

Authorisations and/or restrictions on use:
This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)
This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants
Not Applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009
Not Applicable

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Zinc sulfate 7733-02-0	X	X	X	X	X	X	X	X
Zinc oxide 1314-13-2	X	X	X	X	X	X	X	X
Iron sulfate 7720-78-7	X	X	X	X	X	X	X	X
Calcium oxide 1305-78-8	X	X	X	X	X	X	X	X

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3
Not applicable

Full text of H-Statements referred to under sections 2 and 3
H302 - Harmful if swallowed
H315 - Causes skin irritation
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Legend

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS:	CAS (Chemical Abstracts Service)
Ceiling:	Maximum limit value:
DNEL:	Derived No Effect Level (DNEL)
EINECS:	EINECS (European Inventory of Existing Chemical Substances)
GHS:	Globally Harmonised System (GHS)
IATA:	International Air Transport Association (IATA)
ICAO:	International Civil Aviation Organization
IMDG:	International Maritime Dangerous Goods (IMDG)
LC50:	LC50 (lethal concentration)
LD50:	LD50 (lethal dose)
PBT:	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
RID:	Regulations Concerning the International Transport of Dangerous Goods by Rail
STEL:	Short term exposure limit
SVHC	SVHC: Substances of Very High Concern for Authorisation:
TWA:	time weighted average
vPvB:	very Persistent and very Bioaccumulative
Revision date:	2018-07-23
Reason for revision:	Format Change.

Disclaimer
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Prepared By

FMC Corporation

FMC Logo - Trademark of FMC Corporation

End of Safety Data Sheet