

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

### SECTION 1. IDENTIFICATION

Product name : INSTINCT®

Other means of identification : FENPROPIDIN 750 g/l EC

#### Manufacturer or supplier's details

Company : FMC COLOMBIA S.A.S

Address : CALLE 108 # 45 30. TORRE 2,  
OF. 1004-1005  
BOGOTÁ D.C - COLOMBIA  
+571 635150

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)  
+55 11 4349 1359 (CHEMTREC); +57 601 7942539  
(CHEMTREC Bogota)  
Colombia: 911

Medical Emergency Number : Desde Bogotá: 288 60 12; Línea Nacional: 01 8000 916012  
Desde Ecuador: 1800 593005 (Quito, La Sierra, Centro y Norte).  
Desde Perú: SAMU: 106;  
CISPROQUIM®: 080-050-847;  
FMC LATINOAMERICA S.A. SUCURSAL: 421-4811;  
Desde Venezuela: 0800 1005012

#### Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : Use as recommended by the label.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Aspiration hazard : Category 1

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

### GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

disposal plant.

**Other hazards which do not result in classification**

Hazard Statements required by Andean Technical Manual for the Registration and Control of Chemical Pesticides for Agricultural Use (Resolution no. 2075):  
Harmful in contact with skin.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P	67306-00-7	>= 70 -< 90
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	>= 5 -< 10
Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl- .omega.-hydroxy-	9043-30-5	>= 2,5 -< 5
calcium dodecylbenzenesulphonate	26264-06-2	>= 1 -< 2,5
2-ethylhexan-1-ol	104-76-7	>= 1 -< 2,5

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this material safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.  
If symptoms persist, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

If symptoms persist, call a physician.  
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed, in contact with skin or if inhaled.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
Causes serious eye damage.  
Swallowing or inhaling may result in sudden shortness of breath, coughing, nausea and or abdominal pain.  
Skin contact may result in itching and redness. Eye contact may result in itching, watery eyes, light sensitivity, pain, and/or blurred vision.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Carbon oxides  
Sulfur oxides

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Ensure adequate ventilation.

# SAFETY DATA SHEET



## INSTINCT®

Version 1.0      Revision Date: 28.01.2025      SDS Number: 50000636      Date of last issue: -  
Date of first issue: 28.01.2025

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labeled containers.  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH

#### Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Hand protection  
Material : Protective gloves

# SAFETY DATA SHEET



## INSTINCT®

Version 1.0	Revision Date: 28.01.2025	SDS Number: 50000636	Date of last issue: - Date of first issue: 28.01.2025
----------------	------------------------------	-------------------------	--

Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product.
Hygiene measures	: Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: light brown, yellow
Odor	: mild, aromatic
Odor Threshold	: No data available
pH	: 8,5
Melting point/ range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 102 °C
Evaporation rate	: No data available
Self-ignition	: 282 °C
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available

# SAFETY DATA SHEET

## INSTINCT®



Version 1.0	Revision Date: 28.01.2025	SDS Number: 50000636	Date of last issue: - Date of first issue: 28.01.2025
----------------	------------------------------	-------------------------	--

---

Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: 0,92 g/cm <sup>3</sup> (20 °C)
Solubility(ies) Water solubility	: Miscible
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: 26,6 mPa.s ( 20 °C)
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Molecular weight	: Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: No hazardous decomposition products are known.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Harmful if swallowed, in contact with skin or if inhaled.

**Product:**

Acute oral toxicity : LD50 (Rat): 1.049 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): 2,15 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402

Assessment: The component/mixture is moderately toxic after single contact with skin.

Remarks: Resolution no. 2075

**Components:****PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Acute oral toxicity : LD50 (Rat): 1.452 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 1,22 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50: > 4.000 mg/kg  
Method: OECD Test Guideline 402

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4,688 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

**Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.-hydroxy-:**

Acute oral toxicity : LD50 (Rat): 500 - 2000 milligram per kilogram  
Method: OECD Test Guideline 401

**calcium dodecylbenzenesulphonate:**

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

**2-ethylhexan-1-ol:**

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Causes skin irritation.

**Product:**

Method : OECD Test Guideline 404  
Result : Skin irritation

**Components:****PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Method : OECD Test Guideline 404  
Result : Skin irritation

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rabbit  
Assessment : Repeated exposure may cause skin dryness or cracking.  
Result : No skin irritation  
Remarks : Minimal effects that do not meet the threshold for classification.  
Based on data from similar materials

**Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.-hydroxy-:**

Species : Rabbit

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

Result : No skin irritation

### **calcium dodecylbenzenesulphonate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### **2-ethylhexan-1-ol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Product:**

Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

### **Components:**

#### **PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Result : Eye irritation  
Method : OECD Test Guideline 405

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rabbit  
Assessment : No eye irritation  
Remarks : Minimal effects that do not meet the threshold for classification.  
Based on data from similar materials

#### **Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.-hydroxy-:**

Species : Rabbit  
Result : No eye irritation

### **calcium dodecylbenzenesulphonate:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

### **2-ethylhexan-1-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

Method : OECD Test Guideline 405

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitization**

Based on available data, the classification criteria are not met.

#### **Product:**

Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.

#### **Components:**

##### **PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Method	: OECD Test Guideline 406
Result	: Causes skin sensitization.

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Test Type	: Maximization Test
Species	: Guinea pig
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

##### **calcium dodecylbenzenesulphonate:**

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

#### **Components:**

##### **PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Method: OECD Test Guideline 473 Result: negative
-----------------------	---

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Bone marrow chromosome aberration.

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

### **calcium dodecylbenzenesulphonate:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Species: Rat (male and female)  
Application Route: Oral  
Exposure time: 90 d  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **2-ethylhexan-1-ol:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

### **Components:**

#### **PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Species : Rat  
Method : OECD Test Guideline 453  
Remarks : No significant adverse effects were reported

Species : Mouse  
Method : OECD Test Guideline 451  
Remarks : No significant adverse effects were reported

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rat, male and female  
Application Route : inhalation (vapor)  
Exposure time : 12 month(s)  
NOAEC : 1,8 mg/l  
Result : negative  
Remarks : Based on data from similar materials

## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**calcium dodecylbenzenesulphonate:**

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 720 d
NOAEL	: 250 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**2-ethylhexan-1-ol:**

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**Components:****PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Effects on fertility	: Method: OECD Test Guideline 416
	Remarks: No significant adverse effects were reported

**calcium dodecylbenzenesulphonate:**

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat, male and female Application Route: Ingestion General Toxicity Parent: NOAEL: 400 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Effects on fetal development	: Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Ingestion General Toxicity Maternal: NOAEL: 300 mg/kg body weight Developmental Toxicity: NOAEL: 600 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity

**2-ethylhexan-1-ol:**

Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Oral
------------------------------	--

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

Method: OECD Test Guideline 414  
Result: negative

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Components:

##### **PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Remarks : No significant adverse effects were reported

##### **2-ethylhexan-1-ol:**

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Components:

##### **PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Remarks : No significant adverse effects were reported

### Repeated dose toxicity

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rat, male and female  
NOAEC : 0,9 - 1,8 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 12 Months

##### **calcium dodecylbenzenesulphonate:**

Species : Rat, male and female  
NOAEL : 85 mg/kg  
LOAEL : 145 mg/kg  
Application Route : Oral  
Exposure time : 9 Months  
Remarks : Based on data from similar materials

Species : Rat, male  
LOAEL : 286 mg/kg  
Application Route : Skin contact  
Exposure time : 15 Days  
Remarks : Based on data from similar materials

Species : Rat, male and female  
NOAEL : 100 mg/kg bw/day  
LOAEL : 200 mg/kg bw/day  
Application Route : Oral - gavage  
Exposure time : 28 - 54 Days  
Method : OECD Test Guideline 422  
Remarks : Based on data from similar materials

## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

**2-ethylhexan-1-ol:**

Species	:	Rat
	:	250 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Method	:	OECD Test Guideline 408

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Product:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Components:****Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

May be fatal if swallowed and enters airways.

**Experience with human exposure****Product:**

Skin contact	:	Remarks: Prolonged skin contact may defat the skin and produce dermatitis.
--------------	---	--

**Components:****Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Skin contact	:	Symptoms: Repeated exposure may cause skin dryness or cracking.
--------------	---	---

**Further information****Product:**

Remarks	:	Solvents may degrease the skin.
---------	---	---------------------------------

**Components:****Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Remarks	:	Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.
---------	---	---

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:****Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Components:****PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,93 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,54 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : IC50 (Scenedesmus subspicatus): 0,0057 mg/l  
plants Exposure time: 96 h

M-Factor (Acute aquatic tox- : 1  
icity)

Toxicity to fish (Chronic tox- : NOEC (Oncorhynchus mykiss (rainbow trout)): 0,32 mg/l  
icity) Exposure time: 21 d

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0,32 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity)

Toxicity to soil dwelling or- : LC50 (Eisenia fetida (earthworms)): > 1.000 mg/kg  
ganisms

Toxicity to terrestrial organ- : LD50 (Anas platyrhynchos (Mallard duck)): 1.899 mg/kg  
isms

LD50 (Apis mellifera (bees)): >10  
Exposure time: 48 h  
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): 46  
Exposure time: 48 h  
End point: Acute contact toxicity

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): 1,4 mg/l



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

aquatic invertebrates		Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l Exposure time: 24 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EL50 (Daphnia magna (Water flea)): 0,89 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	LL50 (Tetrahymena pyriformis): 677,9 mg/l Exposure time: 72 h Test Type: Growth inhibition

**Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.-hydroxy-:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 1 mg/l Method: DIN 38 412 Part 8

**calcium dodecylbenzenesulphonate:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
		LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3,5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1,65 mg/l Exposure time: 21 d Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

NOEC (Daphnia magna (Water flea)): 1,18 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): 1.000 mg/kg  
Exposure time: 14 d  
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 1.356 mg/kg  
Exposure time: 14 d  
Method: OECD Test Guideline 223

### **2-ethylhexan-1-ol:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3,2 mg/l  
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11,5 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l  
Exposure time: 72 h

### **Persistence and degradability**

#### **Components:**

#### **PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Biodegradability : Result: Biodegradable

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 58,6 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

#### **Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.-hydroxy-:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 80 %  
Exposure time: 10 d  
Method: OECD Test Guideline 302B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

**calcium dodecylbenzenesulphonate:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301E

**2-ethylhexan-1-ol:**

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: No data available

**Components:****PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 163

Partition coefficient: n- : log Pow: 2,59 (22 °C)  
octanol/water pH: 7

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n- : log Pow: 3,72  
octanol/water Method: QSAR

**Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.-hydroxy-:**

Partition coefficient: n- : log Pow: 0,85  
octanol/water

**calcium dodecylbenzenesulphonate:**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 70,79  
Method: QSAR

Partition coefficient: n- : log Pow: 4,77 (25 °C)  
octanol/water

**2-ethylhexan-1-ol:**

Partition coefficient: n- : log Pow: 2,9 (25 °C)  
octanol/water

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

### Mobility in soil

#### Components:

##### **PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P:**

Distribution among environmental compartments : Medium: Soil  
Remarks: immobile

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

### N.O.S. (FENPROPIDIN)

Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

#### IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (FENPROPIDIN)

Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

#### IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FENPROPIDIN)

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances and chemicals controlled by the Ministry of Justice : Not applicable

List of substances included for special control and subject to supervision by the Ministry of Health and Social Protection : Not applicable

Resolution 2715/2014, which establishes the substances subject to registration of retail sales, based on defined classification criteria. : Not applicable

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

**The ingredients of this product are reported in the following inventories:**

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  PIPERIDINE, 1-(3-(4-(1,1-DIMETHYLETHYL)P
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

---

### SECTION 16. OTHER INFORMATION

Revision Date	: 28.01.2025
Date format	: dd.mm.yyyy

**Further information**


# SAFETY DATA SHEET



## INSTINCT®

Version 1.0      Revision Date: 28.01.2025      SDS Number: 50000636      Date of last issue: -  
Date of first issue: 28.01.2025

### NFPA:



### HMIS® IV:

HEALTH	/	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

# SAFETY DATA SHEET



## INSTINCT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.01.2025	50000636	Date of first issue: 28.01.2025

---

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CO / EN