

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

---

### SECTION 1. IDENTIFICATION

#### Product identifier

**Product name** Carbosulfan 480 g/L EC Insecticide

#### Other means of identification

**Product code** 50000358

#### Recommended use of the chemical and restrictions on use

**Recommended use** Can be used as insecticide only.

**Restrictions on use** Use as recommended by the label.

#### Details of the supplier of the safety data sheet

**Manufacturer** FMC Corporation  
2929 WALNUT ST  
PHILADELPHIA PA 19104  
USA  
(215) 299-6000  
SDS-Info@fmc.com

#### Emergency telephone

For leak, fire, spill or accident emergencies, call:  
1 800 / 424-9300 (CHEMTREC - U.S.A.)  
1 703 / 741-5970 (CHEMTREC - International)  
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:  
U.S.A. & Canada: +1 800 / 331-3148  
All other countries: +1 651 / 632-6793 (Collect)

---

### SECTION 2. HAZARDS IDENTIFICATION

#### **GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Flammable liquids	: Category 3
Acute toxicity (Oral)	: Category 3
Acute toxicity (Inhalation)	: Category 3
Eye irritation	: Category 2A
Skin sensitization	: Sub-category 1B
Carcinogenicity	: Category 2
Specific target organ toxicity - single exposure	: Category 1

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

Specific target organ toxicity : Category 3 (Respiratory system, Central nervous system)  
- single exposure

Specific target organ toxicity : Category 1  
- repeated exposure

Aspiration hazard : Category 1

### GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.  
H301 + H331 Toxic if swallowed or if inhaled.  
H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H351 Suspected of causing cancer.  
H370 Causes damage to organs.  
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version 1.0      Revision Date: 11/18/2022      SDS Number: 50000358      Date of last issue: -  
Date of first issue: 02/08/2018

all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
carbosulfan (ISO)	55285-14-8	48
Solvent naphtha (petroleum), light arom.	64742-95-6	>= 30 - < 50

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

---

- |   |  |
|---|--|
| In case of skin contact                                     | : If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.   |
| In case of eye contact                                      | : Immediately flush eye(s) with plenty of water.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.  |
| If swallowed  | : Clean mouth with water and drink afterwards plenty of water.<br>Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.   |
| Most important symptoms and effects, both acute and delayed | : Toxic if swallowed or if inhaled.<br>May be fatal if swallowed and enters airways.<br>May cause an allergic skin reaction.<br>Causes serious eye irritation.<br>May cause respiratory irritation.<br>May cause drowsiness or dizziness.<br>Suspected of causing cancer.<br>Causes damage to organs.<br>Causes damage to organs through prolonged or repeated exposure. |
| Notes to physician  | : Treat symptomatically.   |
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- |                                       |   |
|---------------------------------------|---|
| Suitable extinguishing media          | : Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical   |
| Unsuitable extinguishing media        | : Do not spread spilled material with high-pressure water streams.<br><br>High volume water jet                             |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses.   |
| Hazardous combustion products         | : Carbon oxides<br>Sulfur oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Hydrogen cyanide<br>Hazardous combustion products |
| Further information                   | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.                        |

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if necessary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.  
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).  
Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version 1.0      Revision Date: 11/18/2022      SDS Number: 50000358      Date of last issue: -  
Date of first issue: 02/08/2018

be employed in any process in which this mixture is being used.

Conditions for safe storage : No smoking.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), light arom.	64742-95-6	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0

#### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

No personal respiratory protective equipment normally required.

Hand protection  
Material

: Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection

: Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version 1.0	Revision Date: 11/18/2022	SDS Number: 50000358	Date of last issue: - Date of first issue: 02/08/2018
----------------	------------------------------	-------------------------	--

Protective measures	: Plan first aid action before beginning work with this product.
Hygiene measures	: Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: brown
Odor	: hydrocarbon-like
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 115 - 118 °F / 46 - 48 °C Method: closed cup
Flammability (liquids)	: Sustains combustion
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version 1.0	Revision Date: 11/18/2022	SDS Number: 50000358	Date of last issue: - Date of first issue: 02/08/2018
----------------	------------------------------	-------------------------	--

Relative vapor density	:	No data available
Density	:	8.28 lb/gal
Solubility(ies)		
Water solubility	:	emulsifiable
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Particle size	:	No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Toxic if swallowed or if inhaled.

#### Product:

Acute oral toxicity	:	LD50 (Rat): 69 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.5375 mg/l Exposure time: 4 h Test atmosphere: dust/mist



# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

---

Remarks: Estimated data

LC50 (Rat): 2.15 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,900 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Result : slight irritation

Remarks : May cause skin irritation and/or dermatitis.

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Product:

Result : Probability or evidence of low to moderate skin sensitization rate in humans

Remarks : Causes sensitization.

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### carbosulfan (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Result: negative

Test Type: reverse mutation assay  
Test system: Escherichia coli

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version 1.0	Revision Date: 11/18/2022	SDS Number: 50000358	Date of last issue: - Date of first issue: 02/08/2018
----------------	------------------------------	-------------------------	--

---

Result: negative

Test Type: gene mutation test  
Test system: Chinese hamster cells  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster cells  
Result: negative

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Species: mice  
Result: negative

### **Solvent naphtha (petroleum), light arom.:**

Genotoxicity in vitro : Test Type: in vitro DNA damage and/or repair study  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: reverse mutation assay  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.  
Species: Rat (male and female)  
Application Route: Inhalation  
Result: negative

### **Carcinogenicity**

Suspected of causing cancer.

#### **Product:**

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

##### **carbosulfan (ISO):**

Effects on fertility : Test Type: Three-generation study

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

---

Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 1.2 mg/kg bw/day  
Fertility: NOAEL: 1.2 mg/kg bw/day  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 2 mg/kg bw/day  
Developmental Toxicity: NOAEL: 2  
Result: negative

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 5 mg/kg bw/day  
Developmental Toxicity: NOAEL: 10  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **Solvent naphtha (petroleum), light arom.:**

Effects on fertility : Test Type: Three-generation study  
Species: Rat  
Application Route: inhalation (vapor)  
Fertility: NOAEC Mating/Fertility: 7.5 mg/l  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Species: Mouse  
Application Route: inhalation (vapor)  
General Toxicity Maternal: LOAEC: 500 part per million  
Symptoms: Maternal effects.

### **STOT-single exposure**

May cause respiratory irritation.  
May cause drowsiness or dizziness.  
Causes damage to organs.

#### **Product:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

### **STOT-repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

#### **Product:**

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

---

### Repeated dose toxicity

#### Components:

##### **carbosulfan (ISO):**

Species	: Rat
NOAEL	: 2 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 days

Species	: Dog
NOAEL	: 1.6 mg/kg bw/day
Application Route	: Oral
Exposure time	: 6 months

##### **Solvent naphtha (petroleum), light arom.:**

Species	: Rat, male and female
NOAEC	: 0.8 - 0.9 mg/l
Application Route	: Inhalation
Test atmosphere	: vapor
Remarks	: Based on data from similar materials

Species	: Rat, male
NOAEL	: 600 mg/kg
Application Route	: Oral
Remarks	: Based on data from similar materials

### Aspiration toxicity

May be fatal if swallowed and enters airways.

#### Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Further information

#### Product:

Remarks	: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin.
---------	---

**Carbosulfan 480 g/L EC Insecticide**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****carbosulfan (ISO):**

Toxicity to fish	:	LC50 ( <i>Lepomis macrochirus</i> (Bluegill sunfish)): 0.015 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 ( <i>Daphnia magna</i> (Water flea)): 0.0015 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 ( <i>Pseudokirchneriella subcapitata</i> (microalgae)): > 20 mg/l Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	:	NOEC ( <i>Pimephales promelas</i> (fathead minnow)): 0.00828 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC ( <i>Daphnia magna</i> (Water flea)): 0.0032 mg/l Exposure time: 21 d
Toxicity to terrestrial organisms	:	( <i>Apis mellifera</i> (bees)): 1.035 µg/bee Remarks: Oral  ( <i>Apis mellifera</i> (bees)): 0.18 µg/bee Remarks: Contact  LD50 ( <i>Anas platyrhynchos</i> (Mallard duck)): 10 mg/kg

**Solvent naphtha (petroleum), light arom.:**

Toxicity to fish	:	NOEC ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 4.5 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 Remarks: Based on data from similar materials  LL50 ( <i>Pimephales promelas</i> (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test Type: semi-static test Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 ( <i>Daphnia magna</i> (Water flea)): 4.5 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 ( <i>Pseudokirchneriella subcapitata</i> (microalgae)): 3.1 mg/l Exposure time: 72 h Test Type: static test

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOELR (Pimephales promelas (fathead minnow)): 2.6 mg/l  
Exposure time: 14 d  
Method: OECD Test Guideline 204  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2.6 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Tetrahymena pyriformis): 15.41 mg/l  
Exposure time: 40 h  
Test Type: Growth inhibition  
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

### Persistence and degradability

#### Components:

##### **carbosulfan (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 28 %  
Exposure time: 28 d

Stability in water : Remarks: Hydrolyzes readily.

##### **Solvent naphtha (petroleum), light arom.:**

Biodegradability : Concentration: 49.2 mg/l  
Result: Inherently biodegradable.  
Biodegradation: 77.05 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### Bioaccumulative potential

#### Components:

##### **carbosulfan (ISO):**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 990  
Remarks: Can accumulate in aquatic organisms.

Partition coefficient: n-octanol/water : log Pow: 7.42

### Mobility in soil

#### Components:

##### **carbosulfan (ISO):**

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

Distribution among environmental compartments : Remarks: Slightly mobile in soils

Stability in soil :

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number	: UN 2991
Proper shipping name	: CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE (Aromatic hydrocarbons, C10, Carbosulfan)
Class	: 6.1
Subsidiary risk	: 3
Packing group	: III
Labels	: 6.1 (3)

#### **IATA-DGR**

UN/ID No.	: UN 2991
Proper shipping name	: Carbamate pesticide, liquid, toxic, flammable (Aromatic hydrocarbons, C10, Carbosulfan)
Class	: 6.1
Subsidiary risk	: 3

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version 1.0      Revision Date: 11/18/2022      SDS Number: 50000358      Date of last issue: -  
Date of first issue: 02/08/2018

Packing group : III  
Labels : Toxic, Flammable Liquids  
Packing instruction (cargo aircraft) : 662  
Packing instruction (passenger aircraft) : 654  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 2991  
Proper shipping name : CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE (Aromatic hydrocarbons, C10, Carbosulfan)  
Class : 6.1  
Subsidiary risk : 3  
Packing group : III  
Labels : 6.1 (3)  
EmS Code : F-E, S-D  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 2991  
Proper shipping name : Carbamate pesticides, liquid, toxic, flammable (Aromatic hydrocarbons, C10, Carbosulfan)  
Class : 6.1  
Subsidiary risk : 3  
Packing group : III  
Labels : TOXIC, FLAMMABLE LIQUID  
ERG Code : 131  
Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
carbosulfan (ISO)	55285-14-8	1000	2068
xylene	1330-20-7	100	100 (F003)

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Acute toxicity (any route of exposure)



# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

Respiratory or skin sensitization  
Germ cell mutagenicity  
Carcinogenicity  
Specific target organ toxicity (single or repeated exposure)  
Aspiration hazard  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

xylene	1330-20-7	>= 0 - < 0.1 %
--------	-----------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

xylene	1330-20-7	>= 0 - < 0.1 %
--------	-----------	----------------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### US State Regulations

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

carbosulfan (ISO)	55285-14-8
Solvent naphtha (petroleum), light arom.	64742-95-6
Soybean oil, epoxidized	8013-07-8
1,2,4-trimethylbenzene	95-63-6
xylene	1330-20-7
cumene	98-82-8

#### Maine Chemicals of High Concern

Product does not contain any listed chemicals

#### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

#### Washington Chemicals of High Concern

Product does not contain any listed chemicals

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

---

### California Prop. 65

WARNING: This product can expose you to chemicals including cumene, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  2,3-DIHYDRO-2,2-DIMETHYLBENZOFURAN-7-YL (DIBUTYLAMINTHIO)METHYLCARBAMATE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16. OTHER INFORMATION

### Further information

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide


Version  
1.0

Revision Date:  
11/18/2022

SDS Number:  
50000358

Date of last issue: -  
Date of first issue: 02/08/2018

### NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

### HMIS® IV:

HEALTH	*	4
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

# SAFETY DATA SHEET



## Carbosulfan 480 g/L EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/18/2022	50000358	Date of first issue: 02/08/2018

---

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

### Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

**End of Material Safety Data Sheet**