SAFETY DATA SHEET

Harass

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: FO002288-A

Revision date: 2018-11-21

Format: EU Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) FO002288-A

Product Name Harass

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Manufacturer CHEMINOVA A/S, a subsidiary of FMC Corporation

Thyborønvej 78DK-7673 Harboøre

Denmark +45 9690 9690

SDS.Ronland@fmc.com

For further information, please contact:

Contact point (+45) 97 83 53 53 (24 h; for emergencies only)

1.4. Emergency telephone number

Emergency telephone Medical emergencies:

Austria: +43 1 406 43 43 Belgium: +32 70 245 245 Bulgaria: +359 2 9154 409

Cyprus: 1401

Czech Republic: +420 224 919 293, +420 224 915 402

Denmark: +45 82 12 12 12 France: +33 (0) 1 45 42 59 59 Finland: +358 9 471 977 Greece: 30 210 77 93 777 Hungary: +36 80 20 11 99

Ireland (Republic): +352 1 809 2166

Italy: +39 02 6610 1029

Lithuania: +370 523 62052, +370 687 53378

Luxembourg: +352 8002 5500 Netherlands: +31 30 274 88 88 Norway: +47 22 591300

Poland: +48 22 619 66 54, +48 22 619 08 97

Portugal: 808 250 143 (in Portugal only), +351 21 330 3284

Romania: +40 21318 3606 Slovakia: +421 2 54 77 4 166 Slovenia: +386 41 650 500 Spain: +34 91 562 04 20 Sweden: +46 08-331231112

Switzerland: 145

Page 1/10

Version 1

United Kingdom: 0870 600 6266 (in the UK only)

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

2.2. Label elements

Hazard pictograms



WARNING

Hazard Statements

H410 - Very toxic to aquatic life with long lasting effects

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

Precautionary Statements

P273 - Avoid release to the environment

P391 - Collect spillage

P501: Dispose of contents/container as hazardous waste.

2.3. Other hazards

Excessive dust formation may pose a dust explosion hazard. None of the ingredients in the product meets the criteria for being PBT or vPvB.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

Chemical name	EC-No	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	
Thifensulfuron-methyl	-	79277-27-3	75	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data available	
Morwet EFW	-	105864-15-1	2-8	Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	No data available	
Formaldehyde condensate	-	68425-94-5	1-5	Eye Irrit.2; H319	No data available	
Lignosulfonic acid, sodium salt, sulfomethylated	-	68512-34-5	1-5	Eye Irrit. 2 (H319)	No data available	

Additional Information

For the full text of the H- and EUH- phrases mentioned in this Section, see Section 16

Version 1

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye ContactRinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

present, after the first 5 minutes, then continue rinsing. Get medical attention if eye irritation

develops or persists.

Skin Contact Immediately flush with plenty of water while removing contaminated clothing and/or shoes,

and thoroughly wash with soap and water. Get medical attention immediately if symptoms

occur.

Inhalation Move to fresh air. If person is not breathing, contact emergency medical services, then give

artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or

doctor for further treatment advice.

Ingestion Drink plenty of water. Do not induce vomiting or give anything by mouth to an unconscious

person. If vomiting does occur, rinse mouth and drink fluids again. Call a physician or

poison control center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

To the best of our knowledge, adverse effects in humans have not been reported. Generally, sulphonylurea herbicides cause lethargy, confusion, dizziness, seizures and

coma on ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: A specific antidote for exposure to this material is not known. Gastric lavage and/or the administration of activated charcoal can be considered. After decontamination, treatment should be directed at the control of symptoms and the clinical condition.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media

Avoid heavy hose streams.

5.2. Special hazards arising from the substance or mixture

The essential breakdown products are volatile, toxic, irritant and inflammable compounds such as nitrogen oxides, hydrogen chloride, carbon monoxide, carbon dioxide and various chlorinated organic compounds.

5.3. Advice for firefighters

Use water spray to cool fire exposed surfaces and protect personnel. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Dike to prevent runoff. Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Isolate and post spill area. Remove all sources of ignition. Wear protective gloves/clothing and eye/face protection. For personal protection see section 8.

For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

Version 1

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains. Keep out of waterways.

6.3. Methods and material for containment and cleaning up

covered. Minor spills on the floor or other impervious surface should immediately be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with detergent and much water. Absorb wash liquid onto inert absorbent such as universal binder, Fuller's earth, bentonite or other absorbent clay and collect in suitable containers. The used containers should be properly closed and

labelled.

Methods for cleaning up Pick up and transfer to properly labeled containers.

6.4. Reference to other sections

See Section 8 "Exposure Controls/Personal Protection" for specific details. See section 13 for disposal information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Avoid dust formation. Wash thoroughly after handling.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Keep away from open flames, hot surfaces and sources of ignition. Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)

The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

To our knowledge, personal exposure limits have not been established for the active ingredient in this product.

Derived No Effect Level (DNEL) Thifensulfuron- methyl:

dermal 0.07 mg/kg bw/day

Predicted No Effect Concentration

(PNEC)

Thifensulfuron- methyl:

Freshwater 50 ng/l

Version 1

8.2. Exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles. Maintain eye

wash fountain and quick-drench facilities in work area.

Hand Protection Wear chemical protective gloves made of materials such as nitrile or neoprene.

Skin and Body Protection Wear appropriate chemical resistant clothing to prevent skin contact depending on the

extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of appreciable or prolonged exposure,

coveralls of barrier laminate may be required.

Respiratory Protection The product does not automatically present an airborne exposure concern during normal

handling. In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers should put on officially approved respiratory protection equipment

with a universal filter type including particle filter.

Environmental exposure controls Do not release to the environment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical StateSolidAppearanceSolidOdorOdorlessColorLight brown

Odor thresholdNo information availablepH5.15 (1% dispersion in water)Melting point/freezing pointThifensulfuron-methyl: 171° C

Boiling Point/Range Thifensulfuron- methyl: Decomposes Flash point No information available

Flash point No information available Evaporation Rate No information available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information available

Vapor pressure Thifensulfuron-methyl: 5.19 x 10⁻⁶ mPa @ 25° C

Vapor density No information available

Specific gravity 0.65 g/cm³

Water solubility Thifensulfuron- methyl: 2240 mg/l

Solubility in other solvents Thifensulfuron- methyl: Acetone: 1900 mg/l

Ethanol: 900 mg/l Ethyl acetate: 2600 mg/l Methanol: 2600 mg/l

Partition coefficient Thifensulfuron-methyl: Log P = -1.7 (pH 7, 25° C)

Autoignition temperature >400 °C

Decomposition temperatureNo information availableViscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive properties Not explosive Oxidizing properties Non-oxidizing

9.2. Other information

Softening point No information available
Molecular weight No information available

Version 1

No information available VOC content (%) Relative density No information available **Bulk density** No information available Kst No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

To our knowledge, the product has no special reactivities.

10.2. Chemical stability

The product is stable during normal handling and storage at ambient temperatures.

Explosion data

Sensitivity to Mechanical Impact None known. Sensitivity to Static Discharge None known.

10.3. Possibility of hazardous reactions

Hazardous polymerization

Hazardous polymerization does not occur.

Hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents, Strong acids, Strong bases.

10.6. Hazardous decomposition products

See Section 5 for more information.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

> 5000 mg/kg (rat) (Method OECD 425) LD50 Oral **LD50 Dermal** > 5000 mg/kg (rat) (Method: OECD 402) LC50 Inhalation > 2.04 mg/L 4 hr (rat) (Method: OECD 403)

Skin corrosion/irritation Mildly irritating (rabbit). (Method: OECD 404). Mildly irritating (rabbit). (Method: OECD 405). Serious eye damage/eye irritation

Sensitization Not a skin sensitizer (Method: OECD 406) (Method OECD 429) Mutagenicity The product contains no ingredients known to be mutagenic. Carcinogenicity The product contains no ingredients known to be carcinogenic.

Reproductive toxicity This product does not contain any known or suspected reproductive hazards.

No specific effects after single exposure have been observed. STOT - single exposure

FO002288-A Harass

SDS #: FO002288-A

Revision date: 2018-11-21

Version 1

STOT - repeated exposure

Thifensulfuron- methyl. LOEL: approx. 200 mg/kg bw/day, rat, 90-days (reduced body

weight).

Symptoms

Generally, sulphonylurea herbicides cause lethargy, confusion, dizziness, seizures and

coma on ingestion.

Aspiration hazard

The product does not present an aspiration pneumonia hazard.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

The ecotoxicity of the product is measured as:

- Algae Green algae (Pseudokirchneriella subcapitata)

apitata) 72-h ErC50: 3 mg/l

- Plants Duckweed (Lemna gibba)

7-day ErC50: 3.6 µg/l 7-day NOEC: 0.19 µg/l

Earthworms Eisenia fetidaInsects Bees (Apis mellifera L)

LC50: > 120 mg/kg dry soil 48-h LD50, oral: > 129 *g/bee

48-h LD50, contact: > 134 *g/bee

.

12.2. Persistence and degradability

Thifensulfuron- methyl: Biodegradable, but does not meet the criteria for being readily biodegradable. Not persistent in the environment. Primary degradation half-lives vary from a few days to a few weeks in aerobic soil and water. Degradation products are not readily biodegradable and remain in soil for a few months. The product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

12.3. Bioaccumulative potential

See section 9 for n-octanol/water partition coefficient.

Thifensulfuron- methyl. Does not bioaccumulate. BCF = 1.

12.4. Mobility in soil

Mobility in soil

Thifensulfuron- methyl: Mobile in soil. It has a potential for leaching to groundwater.

12.5. Results of PBT and vPvB assessment

None of the ingredients in the product meets the criteria for being PBT or vPvB.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products

Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste. Dispose of as hazardous waste in compliance with local and national regulations. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Version 1

Contaminated Packaging

It is recommended to consider possible ways of disposal in the following order:

- 1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.
- 2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
- 3. Delivery of the packaging to a licensed service for disposal of hazardous waste.
- 4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN/ID no 3077

14.2 Proper Shipping Name Environmentally hazardous substance, solid, n.o.s. (thifensulfuron-methyl)

14.3 Hazard class914.4 Packing GroupIII14.5 Marine PollutantYes

Environmental Hazard Marine Pollutant

14.6 Special ProvisionsDo not release to the environment

14.7 Transport in bulk according to The product is not transported in bulk by ship.

Annex II of MARPOL 73/78 and the

IBC Code

<u>RID</u>

14.1 UN/ID no 3077

14.2 Proper Shipping Name Environmentally hazardous substance, solid, n.o.s. (thifensulfuron-methyl)

14.3 Hazard class 9
14.4 Packing Group III

14.5 Environmental Hazard Marine Pollutant

14.6 Special ProvisionsDo not release to the environment

ADR/RID

14.1 UN/ID no 3077

14.2 Proper Shipping Name Environmentally hazardous substance, solid, n.o.s. (thifensulfuron-methyl)

14.3 Hazard class 9 **14.4 Packing Group** III

14.5 Environmental Hazard Marine Pollutant

14.6 Special ProvisionsDo not release to the environment

ICAO/IATA

14.1 UN/ID no 3077

14.2 Proper Shipping Name Environmentally hazardous substance, solid, n.o.s. (thifensulfuron-methyl)

14.3 Hazard class 9 **14.4 Packing Group** III

14.5 Environmental Hazard Marine Pollutant

14.6 Special ProvisionsDo not release to the environment

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Version 1

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not Applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

DANGEROUS FOR THE ENVIRONMENT

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Formaldehyde condensate 68425-94-5	Х	Х			Х		Х	Х
Lignosulfonic acid, sodium salt, sulfomethylated 68512-34-5	Х	Х		Х	Х	X	Х	X

15.2. Chemical safety assessment

A chemical safety assessment is not required to be included for this product.

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

DNEL: Derived No Effect Level (DNEL)

EINECS: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonized System (GHS)

IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

LC50: LC50 (lethal concentration)

LD50: LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

SVHC: Substances of Very High Concern for Authorization:

TWA: time weighted average

FO002288-A Harass

SDS #: FO002288-A

Revision date: 2018-11-21 Version 1

vPvB: very Persistent and very Bioaccumulative

Classification procedure

Test data

Revision date: 2018-11-21

Reason for revision: Format Change.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet