SAFETY DATA SHEET

ADVANTAGE-S

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/10/10	50000761	Date of first issue: 2023/10/10

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ADVANTAGE-S

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 WALNUT ST
PHILADELPHIA PA 19104
USA

Telephone : (215) 299-6000

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
001-803-017-9114 (CHEMTREC)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
0800 140 1447

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Carcinogenicity : Category 1A

Specific target organ toxicity - single exposure : Category 2 (Nervous system, Bladder, Gastro-intestinal system, Blood)

Specific target organ toxicity - repeated exposure : Category 2 (Nervous system, Bladder, Gastro-intestinal system, Blood)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic : Category 1

hazard

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.
H350 May cause cancer.
H371 May cause damage to organs (Nervous system, Bladder, Gastro-intestinal system, Blood).
H373 May cause damage to organs (Nervous system, Bladder, Gastro-intestinal system, Blood) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
carbosulfan (ISO)	55285-14-8	3,2
Silicic acid, calcium salt	1344-95-2	< 10

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.
May cause cancer.
May cause damage to organs.
May cause damage to organs through prolonged or repeated exposure.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products	:	Thermal decomposition can lead to release of toxic and irritating vapors. Carbon oxides Sulfur oxides Nitrogen oxides (NOx) Hydrogen cyanide
Specific extinguishing methods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Avoid formation of respirable particles. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Silicic acid, calcium salt	1344-95-2	NAB (Inhalable particulate matter)	1 mg/m3	ID OEL
	Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals			

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : granular

Color : red

Odor : phenol-like

pH	:	not determined
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Flammability (liquids)	:	Not applicable
Self-ignition	:	not determined
Density	:	No data available
Solubility(ies) Water solubility	: :	 insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Decomposition temperature	:	> 100 °C
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity	:	LD50 (Rat): 905 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4,78 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Remarks: Based on data from similar materials

Components:

carbosulfan (ISO):

Acute oral toxicity : LD50 (Rat, female): 185 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0,15 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Silicic acid, calcium salt:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: no mortality

Acute inhalation toxicity : LC0 (Rat, male and female): > 2,08 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: irritant effects
Remarks: no mortality
Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: irritant effects
Remarks: no mortality

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Result : slight irritation
Remarks : Based on data from similar materials

Components:

carbosulfan (ISO):

Species : Rabbit
Result : slight irritation

Silicic acid, calcium salt:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Species	:	Rabbit
Result	:	slight irritation
Remarks	:	Based on data from similar materials

Components:

carbosulfan (ISO):

Species	:	Rabbit
Result	:	slight irritation

Silicic acid, calcium salt:

Species	:	Rabbit
Result	:	slight irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

Components:

carbosulfan (ISO):

Test Type	:	Buehler Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

Silicic acid, calcium salt:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

carbosulfan (ISO):

Genotoxicity in vitro	:	Test Type: reverse mutation assay Test system: Salmonella typhimurium Result: negative Test Type: reverse mutation assay Test system: Escherichia coli Result: negative Test Type: gene mutation test Test system: Chinese hamster cells Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster cells Result: negative
Genotoxicity in vivo	:	Test Type: chromosome aberration assay Species: mice Result: negative

Silicic acid, calcium salt:

Genotoxicity in vitro	:	Method: OECD Test Guideline 471 Result: negative Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	:	Test Type: gene mutation test Species: Rat (male) Application Route: Inhalation Exposure time: 91 d Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

May cause cancer.

Product:

Carcinogenicity - Assessment	:	This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product. However, if granules are pulverized or crushed into a fine, respirable powder, silica exposure via inhalation is probable. Human carcinogen.

Components:

carbosulfan (ISO):

Species	:	Mouse
Exposure time	:	2 Years
NOAEL	:	2,5 mg/kg bw/day
Result	:	negative
Species	:	Rat
Exposure time	:	2 Years
NOAEL	:	1 mg/kg bw/day
Result	:	negative
Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen

Silicic acid, calcium salt:

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	721 d
Method	:	OECD Test Guideline 453
Result	:	negative
Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Not classified due to lack of data.

Components:

carbosulfan (ISO):

Effects on fertility	:	Test Type: Three-generation study Species: Rat Application Route: Oral General Toxicity Parent: NOAEL: 1,2 mg/kg bw/day Fertility: NOAEL: 1,2 mg/kg bw/day Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 2 mg/kg bw/day Developmental Toxicity: NOAEL: 2 Result: negative Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 5 mg/kg bw/day Developmental Toxicity: NOAEL: 10 Result: negative
Reproductive toxicity - As-	:	Weight of evidence does not support classification for repro-

sessment | ductive toxicity

Silicic acid, calcium salt:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 415
Result: negative

Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

May cause damage to organs (Nervous system, Bladder, Gastro-intestinal system, Blood).

Components:

carbosulfan (ISO):

Target Organs : Nervous system, Bladder, Gastro-intestinal system, Blood
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

Silicic acid, calcium salt:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

May cause damage to organs (Nervous system, Bladder, Gastro-intestinal system, Blood) through prolonged or repeated exposure.

Components:

carbosulfan (ISO):

Target Organs : Nervous system, Bladder, Gastro-intestinal system, Blood
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

carbosulfan (ISO):

Species : Rat
NOAEL : 2 mg/kg bw/day
Application Route : Oral
Exposure time : 90 days

Species : Dog

NOAEL : 1.6 mg/kg bw/day
Application Route : Oral
Exposure time : 6 months

Silicic acid, calcium salt:

Species : Rat, male and female
NOAEL : 2.500 mg/kg
Application Route : Oral - feed
Exposure time : 730 d
Method : OECD Test Guideline 452

Aspiration toxicity

Not classified due to lack of data.

Components:

carbosulfan (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

carbosulfan (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,015 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0015 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 20 mg/l
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0,00828 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,0032 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to terrestrial organisms	:	(Apis mellifera (bees)): 1,035 µg/bee Remarks: Oral (Apis mellifera (bees)): 0,18 µg/bee Remarks: Contact LD50 (Anas platyrhynchos (Mallard duck)): 10 mg/kg

Silicic acid, calcium salt:

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): >= 10.000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Desmodesmus subspicatus (green algae)): > 1.000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Persistence and degradability

Components:

carbosulfan (ISO):

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 28 % Exposure time: 28 d
Stability in water	:	Remarks: Hydrolyzes readily.

Bioaccumulative potential

Components:

carbosulfan (ISO):

Bioaccumulation	:	Species: Fish Bioconcentration factor (BCF): 990 Remarks: Can accumulate in aquatic organisms.
Partition coefficient: n-	:	log Pow: 7,42

octanol/water

Mobility in soil

Components:

carbosulfan (ISO):

Distribution among environmental compartments	:	Remarks: Slightly mobile in soils

Other adverse effects

Product:

Additional ecological information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Carbosulfan)
Class	:	9
Subsidiary risk	:	ENVIRONM.
Packing group	:	III
Labels	:	9 (ENVIRONM.)

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Carbosulfan)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo	:	956

aircraft)

Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Carbosulfan)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered	:	Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	:	Not applicable
Prohibited substances	:	Not applicable
Restricted substances	:	Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I	:	Not applicable
Type of hazardous materials subject to distribution and control, Annex II	:	Not applicable

The ingredients of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. 2,3-DIHYDRO-2,2-DIMETHYLBENZOFURAN-7-YL (DIBUTYLAMINTHIO)METHYLCARBAMATE
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	:	2023/10/10
Date format	:	yyyy/mm/dd

Full text of other abbreviations

ID OEL	:	Indonesia. Occupational Exposure Limits
ID OEL / NAB	:	Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

ID / EN