According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name MARSHAL® 250 g/L ULV INSECTICIDE

Other means of identification

Product code 50000367

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- Insecticide

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: +45-69918573 (CHEMTREC)

Medical emergency:

Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Acute toxicity, Category 3 H331: Toxic if inhaled.

Skin sensitisation, Sub-category 1B H317: May cause an allergic skin reaction.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

Specific target organ toxicity - single ex-

posure, Category 1

H370: Causes damage to organs.

Specific target organ toxicity - repeated

exposure, Category 1

H372: Causes damage to organs through pro-

longed or repeated exposure.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H351 Suspected of causing cancer.H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P260 Do not breathe mist or vapours.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

P331 Do NOT induce vomiting.

P391 Collect spillage.

Storage:

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

Disposal:

P501 Dispose of contents/container in accordance with local

regulation.

Hazardous components which must be listed on the label:

Solvent naphtha (petroleum), heavy arom. carbosulfan (ISO)

Additional Labelling

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.	64742-94-5 265-198-5 649-424-00-3	Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 70 - < 90
carbosulfan (ISO)	55285-14-8 259-565-9 006-084-00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Skin Sens. 1; H317 STOT SE 1; H370 (Nervous system, Bladder, Gastro-	>= 25 - < 30

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version 1.0	Revision Date: 26.01.2023	SDS Number: 50000367	Date of last issue: - Date of first issue: 26.01.2023
	20.01.2020		intestinal system, Blood) STOT RE 1; H372 (Nervous system, Bladder, Gastro- intestinal system, Blood) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10 Acute toxicity estimate Acute oral toxicity: 100,0 mg/kg 185 mg/kg
	volanation of abbrevia	tion and action 10	Acute inhalation toxicity (dust/mist): 0,15 mg/l

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled : Call a physician or poison control centre immediately.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : This substance is a reversible cholinesterase-inhibiting pesti-

cide, which elicits symptoms in humans typical of cholinesterase inhibition including headache, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive cholinesterase inhibition may result.

Harmful if swallowed.

May be fatal if swallowed and enters airways.

May cause an allergic skin reaction.

Toxic if inhaled.

Suspected of causing cancer. Causes damage to organs.

Causes damage to organs through prolonged or repeated

exposure.

Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Carbon oxides
Sulphur oxides

Nitrogen oxides (NOx) Hydrogen cyanide

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Thermal decomposition can lead to release of toxic and irritat-

ing vapors.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of

ignition.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not

eat or drink. When using do not smoke. Wash hands before

breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technolog-

ical safety standards.

Advice on common storage : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Soybean oil, epox- idized	Workers	Inhalation	Long-term systemic effects	11,9 mg/m3
	Workers	Inhalation	Acute systemic effects	70 mg/m3
	Workers	Dermal	Long-term systemic effects	1,7 mg/kg bw/day
	Workers	Dermal	Acute systemic effects	10 mg/kg bw/day

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Consumers	Inhalation	Long-term systemic effects	2,8 mg/m3
Consumers	Inhalation	Acute systemic effects	17,5 mg/m3
Consumers	Dermal	Long-term systemic effects	0,800 mg/kg bw/day
Consumers	Dermal	Acute systemic effects	5 mg/kg bw/day
Consumers	Oral	Long-term systemic effects	0,800 mg/kg bw/day
Consumers	Oral	Acute systemic effects	5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Soybean oil, epoxidized	Soil	6,25 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : amber

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Odour : hydrocarbon-like

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : > 79 °C

Method: closed cup

Decomposition temperature : not determined

pH : 4,3

Viscosity

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Not available for this mixture.

Vapour pressure : not determined

Density : 8,32 lb/gal

Relative vapour density : not determined

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

Shape : Not applicable

9.2 Other information

Flammability (liquids) : Sustains combustion

Self-ignition : not determined

Evaporation rate : not determined

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): 740 mg/kg

Remarks: The value is calculated

Acute inhalation toxicity : Acute toxicity estimate: 0,6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Components:

Solvent naphtha (petroleum), heavy arom.:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4,688 mg/l

10/26

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Exposure time: 4 h
Test atmosphere: vapour

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

carbosulfan (ISO):

Acute oral toxicity : Acute toxicity estimate: 100,0 mg/kg

Method: Converted acute toxicity point estimate

LD50 (Rat, female): 185 mg/kg

Acute toxicity estimate: 185 mg/kg

Method: Calculation method

Acute inhalation toxicity : LC50 (Rat, female): 0,15 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute toxicity estimate: 0,15 mg/l Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Product:

Result : slight irritation

Remarks : May cause skin irritation and/or dermatitis.

Components:

Solvent naphtha (petroleum), heavy arom.:

Species : Rabbit

Assessment : Repeated exposure may cause skin dryness or cracking.

Result : No skin irritation

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Based on data from similar materials

carbosulfan (ISO):

Species : Rabbit

Result : slight irritation

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : slight irritation

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

Components:

Solvent naphtha (petroleum), heavy arom.:

Species : Rabbit

Assessment : No eye irritation

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Based on data from similar materials

carbosulfan (ISO):

Species : Rabbit

Result : slight irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Result : Probability or evidence of low to moderate skin sensitisation

rate in humans

Remarks : Causes sensitisation.

Components:

Solvent naphtha (petroleum), heavy arom.:

Test Type : Maximisation Test Species : Guinea pig

Result : Not a skin sensitizer.

Remarks : Based on data from similar materials

carbosulfan (ISO):

Test Type : Buehler Test Species : Guinea pig

Method : OECD Test Guideline 406 Result : Not a skin sensitizer.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Test Type : Patch test Species : Guinea pig

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum), heavy arom.:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration

Species: Rat

Application Route: inhalation (vapour)

Result: negative

carbosulfan (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Result: negative

Test Type: reverse mutation assay Test system: Escherichia coli

Result: negative

Test Type: gene mutation test Test system: Chinese hamster cells

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster cells

Result: negative

Genotoxicity in vivo : Test Type: chromosome aberration assay

Species: mice Result: negative

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

26.01.2023 50000367 Date of first issue: 26.01.2023 1.0

Components:

Solvent naphtha (petroleum), heavy arom.:

Species Rat, male and female Application Route inhalation (vapour) Exposure time 12 month(s) NOAEC 1,8 mg/l

negative Result

Remarks Based on data from similar materials

Carcinogenicity - Assess-

ment

Not classifiable as a human carcinogen.

carbosulfan (ISO):

Species Mouse Exposure time 2 Years

NOAEL 2,5 mg/kg bw/day

Result negative

Species Rat Exposure time 2 Years

NOAEL 1 mg/kg bw/day

Result negative

Carcinogenicity - Assess-

Weight of evidence does not support classification as a car-

ment cinogen

Reproductive toxicity

Not classified based on available information.

Components:

carbosulfan (ISO):

Effects on fertility Test Type: Three-generation study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 1,2 mg/kg bw/day

Fertility: NOAEL: 1,2 mg/kg bw/day

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 2 mg/kg bw/day

Developmental Toxicity: NOAEL: 2

Result: negative

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

General Toxicity Maternal: NOAEL: 5 mg/kg bw/day

Developmental Toxicity: NOAEL: 10

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Causes damage to organs.

Product:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 1.

Components:

carbosulfan (ISO):

Target Organs : Nervous system, Bladder, Gastro-intestinal system, Blood
Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 1.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Components:

carbosulfan (ISO):

Target Organs : Nervous system, Bladder, Gastro-intestinal system, Blood Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), heavy arom.:

Species : Rat, male and female

NOAEC : 0,9 - 1,8 mg/l Application Route : inhalation (vapour)

Exposure time : 12 months

carbosulfan (ISO):

Species : Rat

NOAEL : 2 mg/kg bw/day

Application Route : Oral Exposure time : 90 days

Species : Dog

15 / 26

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

NOAEL : 1.6 mg/kg bw/day

Application Route : Oral Exposure time : 6 months

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:

Solvent naphtha (petroleum), heavy arom.:

May be fatal if swallowed and enters airways.

carbosulfan (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or

cracking.

Neurological effects

Components:

carbosulfan (ISO):

Remarks : Neurotoxity observed in animals studies

Further information

Product:

Remarks : This substance is a reversible cholinesterase-inhibiting pesti-

cide, which elicits symptoms in humans typical of cholinester-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

ase inhibition including headache, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive cholinesterase inhibition may result.

Remarks : Solvents may degrease the skin.

Components:

Solvent naphtha (petroleum), heavy arom.:

Remarks : Vapour concentrations above recommended exposure levels

are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Solvent naphtha (petroleum), heavy arom.:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 1,4 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3

mg/l

Exposure time: 24 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677,9 mg/l

Exposure time: 72 h
Test Type: Growth inhibition

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EL50: 0,89 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

carbosulfan (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,015 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0015 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): > 20

mg/

Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,00828 mg/l Exposure time: 21 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0032 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to terrestrial organ-

isms

1,035 µg/bee

Species: Apis mellifera (bees)

Remarks: Oral

0.18 µg/bee

Species: Apis mellifera (bees)

Remarks: Contact

LD50: 10 mg/kg

Species: Anas platyrhynchos (Mallard duck)

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.

Components:

Solvent naphtha (petroleum), heavy arom.:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 58,6 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

carbosulfan (ISO):

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 28 % Exposure time: 28 d

Stability in water : Remarks: Hydrolyses readily.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

Solvent naphtha (petroleum), heavy arom.:

Bioaccumulation : Remarks: The product/substance has a potential to bioaccu-

mulate.

Partition coefficient: n-

octanol/water

log Pow: 3,72

Method: QSAR

carbosulfan (ISO):

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 990

Remarks: Can accumulate in aquatic organisms.

Partition coefficient: n-

octanol/water

log Pow: 7,42

12.4 Mobility in soil

Product:

District of

mental compartments

Distribution among environ- : Remarks: No data is available on the product itself.

Components:

Solvent naphtha (petroleum), heavy arom.:

Distribution among environ-

mental compartments

: Remarks: Expected to partition to sediment and wastewater

solids. Moderately volatile.

carbosulfan (ISO):

Distribution among environ-

mental compartments

: Remarks: Slightly mobile in soils

Stability in soil

12.5 Results of PBT and vPvB assessment

Product:

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Waste, residues, etc. must be collected, stored and disposed of in tightly closed container labeled: "Contains a substance that is covered by the Danish health and safety regulation in

terms of cancer risk."

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 2810 **ADR** : UN 2810

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

 RID
 : UN 2810

 IMDG
 : UN 2810

 IATA
 : UN 2810

14.2 UN proper shipping name

ADN : TOXIC LIQUID, ORGANIC, N.O.S.

(Carbosulfan)

ADR : TOXIC LIQUID, ORGANIC, N.O.S.

(Carbosulfan)

RID : TOXIC LIQUID, ORGANIC, N.O.S.

(Carbosulfan)

IMDG : TOXIC LIQUID, ORGANIC, N.O.S.

(Carbosulfan)

IATA : Toxic liquid, organic, n.o.s.

(Carbosulfan)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 6.1
ADR : 6.1
RID : 6.1
IMDG : 6.1
IATA : 6.1

14.4 Packing group

ADN

Packing group : III
Classification Code : T1
Hazard Identification Number : 60
Labels : 6.1

ADR

Packing group : III
Classification Code : T1
Hazard Identification Number : 60
Labels : 6.1
Tunnel restriction code : (E)

RID

Packing group : III
Classification Code : T1
Hazard Identification Number : 60
Labels : 6.1

IMDG

Packing group : III Labels : 6.1

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

EmS Code : F-A, S-A

IATA (Cargo)

Packing instruction (cargo : 663

aircraft)

Packing instruction (LQ) : Y642
Packing group : III
Labels : Toxic

IATA (Passenger)

Packing instruction (passen: 655

ger aircraft)

Packing instruction (LQ) : Y642
Packing group : III
Labels : Toxic

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Not applicable

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

: carbosulfan (ISO)

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

H2 ACUTE TOXIC

E1 ENVIRONMENTAL HAZARDS

34 Petroleum products: (a) gasolines

and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a)

to (d)

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The substance/mixture is subject to the provisions of BEK nr. 1795 of 18/12/2015 (as amended) "Executive order on Measures to Protect Workers from the Risks related to Exposure to Carcinogenic Substances and Materials at Work". The work with this substance/mixture may pose a cancer risk.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

2,3-DIHYDRO-2,2-DIMETHYLBENZOFURAN-7-YL (DIBUTYLAMINTHIO)METHYLCARBAMATE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 : Toxic if swallowed.

H304 : May be fatal if swallowed and enters airways.

H317 : May cause an allergic skin reaction.

H330 : Fatal if inhaled.

H370 : Causes damage to organs.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

EUH066 : Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: SVHC - Substance of Very High Concern: TCSI - Taiwan Chemical Substance Inventory: TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Acute Tox. 4	H302	Based on product data or assessment
Acute Tox. 3	H331	Calculation method
Skin Sens. 1B	H317	Based on product data or assessment
Carc. 2	H351	Based on product data or assessment
STOT SE 1	H370	Based on product data or assessment
STOT RE 1	H372	Based on product data or assessment
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Disclaimer

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



MARSHAL® 250 g/L ULV INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.0 26.01.2023 50000367 Date of first issue: 26.01.2023

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

DK / 6N