according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name TRECATOL WP

Other means of identification

Product code 50002173

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

on use

: Fungicide

Recommended restrictions : Us

Use as recommended by the label. For professional users only.

1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: +45-69918573 (CHEMTREC)

Medical emergency:

Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 2 H330: Fatal if inhaled.

Serious eye damage, Category 1 H318: Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

Specific target organ toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal word : Danger

Hazard statements : H330 Fatal if inhaled.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P261 Avoid breathing dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor. P391 Collect spillage.

Hazardous components which must be listed on the label:

chlorothalonil (ISO) benalaxyl (ISO)

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

EUH212 tions for use.

Warning! Hazardous respirable dust may be formed when used. Do not breathe

dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
chlorothalonil (ISO)	1897-45-6 217-588-1 608-014-00-4	Acute Tox. 2; H330 Eye Dam. 1; H318 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ————————————————————————————————————	40
		icity (dust/mist): 0,1 mg/l	
benalaxyl (ISO)	71626-11-4 275-728-7	Aquatic Acute 1; H400	8

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version 1.1	Revision Date: 30.10.2023	SDS Number: 50002173	Date of last issue: 30.10.2023 Date of first issue: 30.10.2023	
		616-104-00-X	Aquatic Chronic 1; H410 M-Factor (Acute	

aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1

Substances with a workplace exposure limit :

1332-58-7 >= 30 - < 50 kaolin 310-194-1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders Avoid inhalation, ingestion and contact with skin and eyes.

If inhaled Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact If on skin, rinse well with water.

In case of eye contact Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Exposure to skin may result in mild symptoms include itching,

hives or rash, and skin redness. More severe symptoms in-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

clude sneezing, itchy watery eyes, and difficulty breathing.

Risks : Fatal if inhaled.

May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. Suspected of causing cancer.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx) Hydrogen cyanide Chlorinated compounds Hydrogen chloride Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Specific extinguishing meth-

ods

Use a water spray to cool fully closed containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Do not touch or walk through the spilled material.

If it can be safely done, stop the leak. Use personal protective equipment. Evacuate personnel to safe areas.

Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use. Pick up

and transfer the spilled material to a properly labeled container without creating dust. For spills on concrete or other non-porous surfaces, the area can be cleaned using a small quantity of soap and water. Do not allow the cleaning solution to enter drains. Use an inert absorbent material to soak up the cleaning solution and transfer it to the properly labeled container. When the spill occurs on soil, the only effective way to decontaminate the area is to remove the top 5 to 7 centime-

ters of soil.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

used.

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : Avoid contact with skin, eyes and clothing. Do not breathe

dust. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully respect to prevent leakage. Observe laborations and kept unright to prevent leakage. Observe laborations are contained and kept unright to prevent leakage.

sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
kaolin	1332-58-7	GV (Respirable dust)	2 mg/m3	DK OEL
		TWA (Respirable dust)	0,1 mg/m3	2004/37/EC
	Further information: Carcinogens or mutagens			
		S (Respirable dust)	4 mg/m3	DK OEL
titanium dioxide	13463-67-7	GV	6 mg/m3 (Titanium)	DK OEL
	Further information: Means that the substance is included in the list of sub-			
	stances considered carcinogenic.			
		S	12 mg/m3 (Titanium)	DK OEL
	Further information: Means that the substance is included in the list of substances considered carcinogenic.			
silica gel	112926-00- 8	GV (total)	0,3 mg/m3 (Silica)	DK OEL
		GV (respirable)	0,1 mg/m3 (Silica)	DK OEL

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

Further information: Means that the substance is included in the list of substances considered carcinogenic.			
	S (total powder and dust)	0,6 mg/m3 (Silica)	DK OEL
	S (inhalable fraction)	0,2 mg/m3 (Silica)	DK OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
silica gel	Workers	Inhalation	Long-term systemic effects	4 mg/m3

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Face-shield

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Equipment should conform to EN 143

Filter type : Particulates type (P)

Protective measures : Plan first aid action before beginning work with this product.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Form : powder

Colour : No data available

Odour : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 6,75

Concentration: 10 g/l

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : Not applicable

Relative density : No data available

Density : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

Bulk density : 0,507 g/cm3Tap density

Relative vapour density : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : Non-oxidizing

Self-ignition : No data available

Evaporation rate : Not applicable

Surface tension : 40,37 mN/m, 10 g/l

Molecular weight : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air.No decomposition if

stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Fatal if inhaled.

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Symptoms: Diarrhoea, <** Phrase language not available: [

6N] CUST - 10000000008834 **>

GLP: yes

Assessment: The component/mixture is minimally toxic after

single ingestion. Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: US EPA Test Guideline OPPTS 870.1300

Symptoms: <** Phrase language not available: [6N] CUST - 10000000008834 **>, <** Phrase language not available: [

6N] CUST - 10000000008863 **>, Fatality

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

GLP: yes

Assessment: The component/mixture is minimally toxic after

single contact with skin. Remarks: no mortality

Components:

chlorothalonil (ISO):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

benalaxyl (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 4.200 mg/kg

GLP: no

Assessment: The component/mixture is minimally toxic after

single ingestion. Remarks: mortality

LD50 (Rat, female): > 2.000 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

Method: OECD Test Guideline 425

Symptoms: hypoactivity, Breathing difficulties, nasal discharge

GLP: yes

Assessment: The component/mixture is minimally toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 4,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

kaolin:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LD50: 5,07 mg/l

Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Components:

benalaxyl (ISO):

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

Species : Rabbit

Assessment : Not classified as irritant Result : slight or no skin irritation.

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Rabbit

Assessment : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

Result : Irreversible effects on the eye

GLP : yes

Components:

chlorothalonil (ISO):

Result : Irreversible effects on the eye

benalaxyl (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : Slight or no eye irritation

GLP : yes

kaolin:

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Exposure routes : Skin contact Species : Guinea pig

Assessment : May cause sensitisation by skin contact.

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 30.10.2023 50002173 Date of first issue: 30.10.2023 1.1

Components:

chlorothalonil (ISO):

Result May cause sensitisation by skin contact.

benalaxyl (ISO):

Exposure routes Skin contact Species Guinea pig

Method **OECD Test Guideline 429** Result : Not a skin sensitizer.

GLP yes

kaolin:

Method **OECD Test Guideline 429**

Result Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

chlorothalonil (ISO):

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

benalaxyl (ISO):

Genotoxicity in vitro Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

kaolin:

Genotoxicity in vitro Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo Remarks: No data available

Carcinogenicity

Suspected of causing cancer.

Components:

chlorothalonil (ISO):

ment

Carcinogenicity - Assess- : Limited evidence of carcinogenicity in animal studies

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

Reproductive toxicity

Not classified based on available information.

Components:

chlorothalonil (ISO):

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

benalaxyl (ISO):

Effects on fertility : Remarks: No data available

Reproductive toxicity - As-

sessment

Animal testing showed no reproductive toxicity.

Animal testing showed no developmental toxicity.

kaolin:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

May cause respiratory irritation.

Components:

chlorothalonil (ISO):

Assessment : May cause respiratory irritation.

kaolin:

Remarks : No significant adverse effects were reported

STOT - repeated exposure

Not classified based on available information.

Components:

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

chlorothalonil (ISO):

Species : Rat

NOAEL : 2,7 mg/kg
Application Route : Oral
Exposure time : 2 years

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

Target Organs : Kidney, Stomach

Species : Rat
NOAEL : 1,5 mg/kg
Application Route : Oral
Exposure time : 90 d

Species : Rat
NOAEL : 60 mg/kg
Application Route : Dermal
Exposure time : 28 d

benalaxyl (ISO):

Remarks : No data available

kaolin:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Neurological effects

Components:

benalaxyl (ISO):

Remarks : Neurotoxity observed in animals studies

Further information

Product:

Remarks : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

SECTION 12: Ecological information

12.1 Toxicity

Components:

chlorothalonil (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,052 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,038 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0085 mg/l

Exposure time: 24 h

Toxicity to algae/aquatic

plants

NOEC (Lemna gibba (gibbous duckweed)): 0,29 mg/l

M-Factor (Acute aquatic tox- :

icity)

10

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50: 268,5 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 40 µg/bee

Species: Apis mellifera (bees)

LD50: > 2.000 mg/kg Species: Birds

benalaxyl (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,94 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 6 mg/l

Exposure time: 96 h

LC50 (Salmo trutta (brown trout)): 3,75 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,59 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Selenastrum capricornutum (green algae)): 2,4 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox- : 1

17 / 26

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,49 mg/l

Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,03 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to soil dwelling or-

ganisms

Remarks: No significant adverse effect on nitrogen mineraliza-

tion.

No significant adverse effect on carbon mineralization.

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms

Remarks: No data available

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

12.2 Persistence and degradability

Components:

chlorothalonil (ISO):

Stability in water : Degradation half life (DT50): 1 d

benalaxyl (ISO):

Biodegradability : Remarks: Primary degradation half-lives are usually several

months in aerobic soil and water.

Not readily biodegradable.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version **Revision Date:** SDS Number: Date of last issue: 30.10.2023 30.10.2023 50002173 Date of first issue: 30.10.2023 1.1

kaolin:

Biodegradability Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

Components:

chlorothalonil (ISO):

Partition coefficient: n-

octanol/water

: log Pow: 2,94

benalaxyl (ISO):

Bioaccumulation Remarks: The product may be accumulated in organisms.

Partition coefficient: n-

octanol/water

log Pow: 3,54 (20 °C)

kaolin:

Bioaccumulation Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

12.4 Mobility in soil

Components:

chlorothalonil (ISO):

Distribution among environ-

mental compartments

: Koc: 2631 ml/g, log Koc: 3,42 Remarks: Low mobility in soil

Stability in soil

benalaxyl (ISO):

Distribution among environ-

mental compartments

Medium: Soil

Remarks: immobile

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Waste, residues, etc. must be collected, stored and disposed of in tightly closed container labeled: "Contains a substance that is covered by the Danish health and safety regulation in

terms of cancer risk."

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(chlorothalonil, Benalaxyl)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(chlorothalonil, Benalaxyl)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(chlorothalonil, Benalaxyl)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(chlorothalonil, Benalaxyl)

IATA : Environmentally hazardous substance, solid, n.o.s.

(chlorothalonil, Benalaxyl)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo

aircraft)

ction (cargo : 956

Packing instruction (LQ) : Y956
Packing group : III

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75

If you intend to use this product as tattoo ink, please contact your ven-

dor.

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia- : chlorothalonil (ISO) ment and the Council concerning the export and import benalaxyl (ISO)

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the Euro- E1 ENVIRONMENTAL HAZARDS

pean Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

Use only by persons who have received special training on health and safety problems and measures related to work performed by specially qualified persons.

The substance/mixture is subject to the provisions of BEK nr. 1795 of 18/12/2015 (as amended) "Executive order on Measures to Protect Workers from the Risks related to Exposure to Carcinogenic Substances and Materials at Work". The work with this substance/mixture may pose a cancer risk.

chlorothalonil (ISO) titanium dioxide

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

METHYL N-(2,6-DIMETHYLPHENYL)-N-(PHENYLACETYL)-

DL-ALANINATE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023
1.1 30.10.2023 Date of first issue: 30.10.2023

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

Chemical Safety Assessments (CSA) under REACH are carried out at the substance level when the substance is registered thru ECHA. It includes exposure scenarios for all the identified uses of the substance. Chemical Safety Assessments are not performed on mixtures.

SECTION 16: Other information

Full text of H-Statements

H317 : May cause an allergic skin reaction. H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H335 : May cause respiratory irritation.
H351 : Suspected of causing cancer.
H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Carc. : Carcinogenicity
Eye Dam. : Serious eye damage
Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

DK OEL : Denmark. Occupational Exposure Limits

2004/37/EC / TWA : Long term exposure limit

DK OEL / S : Exposure period of 15 minutes

DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023 1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:	Classification procedure:
--------------------------------	---------------------------

Acute Tox. 2	H330	Based on product data or assessment
Eye Dam. 1	H318	Based on product data or assessment
Skin Sens. 1	H317	Based on product data or assessment
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRECATOL WP

Version Revision Date: SDS Number: Date of last issue: 30.10.2023
1.1 30.10.2023 50002173 Date of first issue: 30.10.2023

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

DK / 6N