# SAFETY DATA SHEET

Hero® EW Insecticide

SDS #: 6352-A

Revision date: 2016-05-26

Format: NA Version 1.03



# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name Hero® EW Insecticide

Other means of identification

Product Code(s) 6352-A

Synonyms BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl

3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name);

2-methylbiphenyl-3-ylmethyl

(Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate

(IUPAC name);

ZETA-CYPERMETHRIN:  $(+/-)-\alpha$  -cyano(3-phenoxyphenyl)methyl (+/-) cis,

trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name); (RS)-  $\alpha$ 

-cyano-3-phenoxybenzyl

(1RS)-cis-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC name)

Active Ingredient(s) Bifenthrin, Zeta-cypermethrin

Chemical Family Pyrethroid Pesticide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

**Restrictions on Use:** Use as recommended by the label

Manufacturer Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (PROSAR - U.S.A. & Canada)

1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

# 2. HAZARDS IDENTIFICATION

Classification

**OSHA Regulatory Status** 

SDS #: 6352-A

Revision date: 2016-05-26

Version 1.03

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1

## GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

### Danger

## **Hazard Statements**

- H301 Toxic if swallowed
- H304 May be fatal if swallowed and enters airways
- H332 Harmful if inhaled
- H351 Suspected of causing cancer
- H370 Causes damage to organs
- H372 Causes damage to organs through prolonged or repeated exposure



### **Precautionary Statements - Prevention**

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P281 Use personal protective equipment as required
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P260 Do not breathe dust/fume/gas/mist/vapors/spray

# **Precautionary Statements - Response**

- P308 + P311 If exposed or concerned: Call a POISON CENTER or doctor
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P312 Call a POISON CENTER or doctor if you feel unwell
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P331 Do NOT induce vomiting
- P330 Rinse mouth

# **Precautionary Statements - Storage**

P405 - Store locked up

## **Precautionary Statements - Disposal**

P501 - Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

### Other Information

Very toxic to aquatic life with long lasting effects.

**Revision date: 2016-05-26** Version 1.03

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Family** 

Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Bifenthrin	82657-04-3	9.72
Zeta-cypermethrin (F2700)	52315-07-8	3.24
Naphtha (petroleum), heavy aromatic	64742-94-5	10-15
Glycerin	56-81-5	5-10
2-Methylnaphthalene	91-57-6	<6
1-Methylnaphthalene	90-12-0	<4

Synonyms are provided in Section 1.

4	FIR	ST	MEA	SII	RFS

**Eye Contact** Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

**Skin Contact** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an Inhalation

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a

poison control center or doctor for further treatment advice.

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do Ingestion

so by a poison control center or doctor. Do not give any liquid to the person. Do not induce

vomiting or give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed Central nervous system effects.

Indication of immediate medical attention and special treatment needed, if necessary

Treatment is symptomatic and supportive. Contains petroleum distillate. Vomiting may cause aspiration pneumonia. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.

### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam. Carbon dioxide (CO2). Dry chemical. Water spray or fog.

Specific Hazards Arising from the

Chemical

**Hazardous Combustion Products** Carbon oxides (COx), Hydrogen chloride, Hydrogen cyanide, Chlorine.

**Explosion data** 

**Sensitivity to Mechanical Impact** Sensitivity to Static Discharge

Not sensitive. Not sensitive.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate downwind.

# 6. ACCIDENTAL RELEASE MEASURES

Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, **Personal Precautions** 

gloves and eye/face protection. For personal protection see section 8.

**SDS #**: 6352-A

**Revision date: 2016-05-26** 

Version 1.03

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

**Environmental Precautions** See Section 12 for additional Ecological Information.

Methods for Containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with bleach water and

soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled

prior to recycling or disposal. Dispose of waste as indicated in Section 13.

# 7. HANDLING AND STORAGE

**Handling** Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products None known

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Glycerin (56-81-5)	-	TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	-	Mexico: TWA 10 mg/m <sup>3</sup>
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm	-	-	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm	-	-	-
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Glycerin (56-81-5)	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm	-
			Skin	

## **Appropriate engineering controls**

Engineering measures Apply technical measures to comply with the occupational exposure limits. Ensure

adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the

recommended equipment.

# Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

**Skin and Body Protection** Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

**Respiratory Protection** For dust, splash, mist or spray exposures wear elastomeric full-face or half mask respirator

**Revision date: 2016-05-26** 

Version 1.03

with appropriate cartridges and/or filters, which is approved for pesticides (U.S.

NIOSH/MSHA, EU CEN or comparable certification organization).

Clean water should be available for washing in case of eye or skin contamination. Wash Hygiene measures

> skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Off-white Liquid **Appearance** 

**Physical State** Liquid Color Off-white

Odor Hvdrocarbon-like Odor threshold No information available

pН 4.2 @ 24.9 °C Melting point/freezing point Not applicable

**Boiling Point/Range** No information available Flash point > 98.89 °C / > 210 °F **Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available No information available Vapor pressure No information available Vapor density **Density** 8.83 lbs/gal (1.058 g/mL) No information available Specific gravity Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available No information available **Explosive properties** No information available **Oxidizing properties** Molecular weight No information available **Bulk density** No information available

# 10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions

**Chemical Stability** Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Heat, flames and sparks Conditions to avoid

Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx). Hydrogen chloride. Hydrogen cyanide. Chlorine.

# 11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral 175 mg/kg (rat)

Revision date: 2016-05-26

Version 1.03

**LD50 Dermal** > 5000 mg/kg (rat) **LC50 Inhalation** > 2.12 mg/L (rat) (4-hr)

Serious eye damage/eye irritation

on Mild Irritant.

Skin corrosion/irritation

Moderately irritating (rabbit).

Sensitization

Non-sensitizing

### Information on toxicological effects

Symptoms Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including

convulsions, tremors and bloody nasal discharge. Large doses of zeta-cypermethrin, ingested by laboratory animals, may produce signs of toxicity including tremors,

incoordination, convulsions, staggered gait, and oral discharge.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Bifenthrin: Long-term exposure caused neurotoxicity (tremors and impaired gait) in the early

exposure in animal studies, but tremors disappeared with continued exposure.

Zeta-cypermethrin: Long-term exposure caused neurotoxicity (body tremors, decreased

motor activity), decreased body weight and increased liver weight.

**Mutagenicity** Bifenthrin, Zeta-cypermethrin: Not genotoxic in laboratory studies.

Carcinogenicity Bifenthrin: Weak treatment-related response for liver adenocarcinomas and benign bladder

tumors (lesion) in male mice. Cypermethrin caused an increase in benign lung tumors in mice, but not in rats. EPA has classified cypermethrin as a possible human carcinogen

based on this information, but does not regulate based on its low cancer risk.

**Neurological effects**Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive

salivation) following acute or subchronic exposure. Tremors disappeared with continued exposure. Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity)

following acute, subchronic or chronic exposure.

**Reproductive toxicity** Bifenthrin, Zeta-cypermethrin: No toxicity to reproduction in animal studies.

**Developmental toxicity**STOT - single exposure
Bifenthrin, Zeta-cypermethrin: Not teratogenic in animal studies.
Causes damage to organs. See listed target organs below.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects Bifenthrin, Zeta-cypermethrin: Central Nervous System (CNS), blood

**Neurological effects**Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive

salivation) following acute or subchronic exposure. Tremors disappeared with continued exposure. Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity)

following acute, subchronic or chronic exposure.

**Aspiration hazard** No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Zeta-cypermethrin (F2700)		Group 2A		
52315-07-8				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Bifenthrin (82657-04-3)					
Active Ingredient(s) Duration Species Value Ur					
Bifenthrin	96 h LC50	Fish	0.1	μg/L	
72 h EC50 Algae 0.822 mg/L					

**Revision date: 2016-05-26** 

Version 1.03

				10101011 1100
	48 h EC50	Crustacea	0.11	μg/L
	21 d NOEC	Fish	0.012	μg/L
	21 d NOEC	Crustacea	0.0013	μg/L

Zeta-cypermethrin (F2700) (52315-07-8)					
Active Ingredient(s)	Duration	Species	Value	Units	
Zeta-cypermethrin	48 h EC50	Crustacea	0.14	μg/L	
	96 h LC50	Fish	0.69	μg/L	
	72 h EC50	Algae	>1	mg/L	
	21 d NOEC	Crustacea	0.01	μg/L	
	21 d NOEC	Fish	0.015	μg/L	

Persistence and degradability Bifenthrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

Zeta-cypermethrin: Non-persistent. Readily hydrolyzed. Not readily biodegradable.

**Bioaccumulation** Bifenthrin: The substance has a potential for bioconcentration.

Zeta-cypermethrin: The substance does not have a potential for bioconcentration.

**Mobility** Bifenthrin, Zeta-cypermethrin: Immobile, Not expected to reach groundwater.

# 13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate

disposal authorities for guidance.

**Contaminated Packaging** Dispose of in accordance with local regulations.

## 14. TRANSPORT INFORMATION

# DOT

UN/ID no UN3352

Proper Shipping Name Pyrethroid pesticide, liquid, toxic

Hazard class 6.1
Packing Group

Marine Pollutant Zeta-cypermethrin F2700 (Bulk Only).

**Description** UN3352, Pyrethroid pesticide, liquid, toxic, 6.1, PGIII, Marine Pollutant (Zeta-cypermethrin

(F2700))

The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not

applicable when shipped only by road or rail in Canada.

UN/ID no UN3352 Hazard class 6.1 Packing Group III

Marine Pollutant Bifenthrin. Zeta-cypermethrin.

**Description** UN3352, Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, PGIII, Marine Pollutant

(Bifenthrin, Zeta-cypermethrin (F2700))

ICAO/IATA

UN/ID no UN3352 Hazard class 6.1 Packing Group III

**Description** UN3352, Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, PGIII, Marine Pollutant

(Bifenthrin, Zeta-cypermethrin (F2700))

IMDG/IMO

UN/ID no UN3352
Hazard class 6.1
Packing Group III

**SDS #:** 6352-A

**Revision date:** 2016-05-26

Version 1.03

EmS No. F-A, S-A

Marine Pollutant Bifenthrin Zeta-cypermethrin

**Description** UN3352, Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, PGIII, Marine Pollutant

(Bifenthrin, Zeta-cypermethrin (F2700))

# 15. REGULATORY INFORMATION

# **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Bifenthrin - 82657-04-3	82657-04-3	9.72	1.0

### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

# **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3	100 lb	Х	Х	X

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Naphthalene	100 lb	
91-20-3	45.4 kg	

# FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

## WARNING

May be fatal if swallowed. Causes moderate eye irritation.

This pesticide is extremely toxic to fish, aquatic invertebrates, oysters and shrimp

# **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

**SDS #**: 6352-A **Revision date**: 2016-05-26

Version 1.03

Chemical name	New Jersey	Massachusetts	Pennsylvania
Bifenthrin 82657-04-3	Х		
Zeta-cypermethrin (F2700) 52315-07-8		X	
Glycerin 56-81-5	Х	Х	Х
2-Methylnaphthalene 91-57-6	Х		
1-Methylnaphthalene 90-12-0	Х	Х	Х

# **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Bifenthrin 82657-04-3				Χ	Х	X		
Zeta-cypermethrin (F2700) 52315-07-8			X		X	X	Х	X
Naphtha (petroleum), heavy aromatic 64742-94-5	X	X	X	Х	Х	X	Х	X
Glycerin 56-81-5	Х	Х	X	Χ	Х	X	Х	Х
2-Methylnaphthalene 91-57-6	Х	Х	X	Х	Х		Х	Х
1-Methylnaphthalene 90-12-0	Х	Х	Х	Х	Х		Х	Х

## **Mexico - Grade**

Moderate risk, Grade 2

	Chemical name	Carcinogen Status	Mexico
	Glycerin		Mexico: TWA 10 mg/m <sup>3</sup>
1			

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Bifenthrin	100 2500 kg/yr	100 kg/yr

**WHMIS Hazard Class** 

D1B - Toxic materials D2A - Very toxic materials





NFPA	Health Hazards 2	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

NFPA/HMIS Ratings Legend

\* - Chronic hazard

**Revision date:** 2016-05-26

**SDS #:** 6352-A

Revision date: 2016-05-26

Version 1.03

Reason for revision: (M)SDS sections updated

### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet