According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name NovoJett Rg

Other means of identification

Product code 50001103

Unique Formula Identifier

(UFI)

: HQY0-93S7-EN43-USNC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-A fertilizer with micronutrients for use in agriculture and horti-

stance/Mixture culture

Recommended restrictions

on use

Use as recommended by the label.

For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Ireland: 353-19014670 (CHEMTREC)

Medical emergency:

Ireland (Republic): +352 1 809 2166

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019 12.09.2023 50001103 Date of first issue: 13.02.2019 1.2

H302: Harmful if swallowed. Acute toxicity, Category 4

Skin corrosion, Category 1 H314: Causes severe skin burns and eye damage.

Specific target organ toxicity - repeated

exposure, Category 2

H373: May cause damage to organs through prolonged or repeated exposure.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal word Danger

Harmful if swallowed. Hazard statements H302

> H314 Causes severe skin burns and eye damage.

May cause damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Prevention: Precautionary statements

> P260 Do not breathe mist or vapours. Avoid release to the environment. P273

Wear protective gloves/ protective clothing/ eye protec-P280

tion/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor. P391 Collect spillage.

Hazardous components which must be listed on the label:

manganese dinitrate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration
	Index-No.		(% w/w)
	Registration number		
manganese dinitrate	10377-66-9 233-828-8 01-2119487993-17- 0002	Ox. Sol. 3; H272 Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Chronic 1; H410	>= 30 - < 50
		M-Factor (Chronic aquatic toxicity): 1	
		Acute toxicity esti- mate	
		Acute oral toxicity: 300.03 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019 12.09.2023 50001103 Date of first issue: 13.02.2019 1.2

In case of skin contact Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with difficul-

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks Harmful if swallowed.

May cause damage to organs through prolonged or repeated

exposure.

Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

ucts

Hazardous combustion prod- : No hazardous combustion products are known

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

To avoid spills during handling keep bottle on a metal tray.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Keep away from combustible material.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Advice on common storage : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
manganese dini-	10377-66-9	TWA (inhalable	0.2 mg/m3	2017/164/EU
trate		fraction)	(Manganese)	
Further information	Indicative			
		TWA (Respirable	0.05 mg/m3	2017/164/EU
		fraction)	(Manganese)	
		OELV - 8 hrs	0.05 mg/m3	IE OEL
		(TWA) (respira-	(Manganese)	
		ble)		
		OELV - 8 hrs	0.2 mg/m3	IE OEL
		(TWA) (inhalable	(Manganese)	
		fraction)		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
manganese dinitrate	Workers	Inhalation	Long-term systemic effects	1 mg/m3
	Workers	Dermal	Long-term systemic effects	0.140 mg/kg bw/day

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

Consumers	Inhalation	Long-term systemic effects	0.140 mg/m3
Consumers	Dermal	Long-term systemic effects	0.140 mg/kg bw/day
Consumers	Oral	Long-term systemic effects	0.140 mg/kg bw/day
Consumers	Oral	Acute systemic ef- fects	3 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
manganese dinitrate	Fresh water	0.029 - 0.0358
		mg/l
	Intermittent use (freshwater)	0.029 - 0.1041
		mg/l
	Marine water	400 - 2900 ng/l
	Sewage treatment plant	0.0114 mg/kg dry
		weight (d.w.)
	Fresh water sediment	0.00114 mg/kg
		dry weight (d.w.)
	Soil	25.1 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Protective measures : Plan first aid action before beginning work with this product.

Wear suitable protective equipment.

Ensure that eye flushing systems and safety showers are

located close to the working place.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Form : liquid

Colour : red brown

Odour : Faint odour

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : Heating can release hazardous gases.

pH : 1.6 - 2.0

Concentration: 10 % (10% solution in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : 1.53 - 1.57

Relative vapour density : No data available

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

Particle characteristics

Particle size : No data available

Particle Size Distribution : No data available

Shape : No data available

9.2 Other information

Explosives : No data available

Oxidizing properties : The product is not oxidizing.

Method: The test is conducted according to the method described in the UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, Test O.2.

GLP: yes

The substance or mixture is not classified as oxidizing.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat

10.5 Incompatible materials

Materials to avoid : Strong bases

Strong oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

Acute oral toxicity : Remarks: Harmful if swallowed.

Acute toxicity estimate: 1,158 mg/kg

Method: Calculation method

Acute inhalation toxicity : Remarks: Harmful by inhalation.

Acute dermal toxicity : Remarks: Harmful in contact with skin.

Components:

manganese dinitrate:

Acute oral toxicity : LD50 Oral (Rat, female): > 300 mg/kg

Method: OECD Test Guideline 420

Acute toxicity estimate: 300.03 mg/kg

Method: ATE value derived from LD50/LC50 value

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : Extremely corrosive and destructive to tissue.

Components:

manganese dinitrate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : May cause irreversible eye damage.

Components:

manganese dinitrate:

Species : Bovine cornea

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.02.2019

 1.2
 12.09.2023
 50001103
 Date of first issue: 13.02.2019

Product:

Remarks : No data is available on the product itself.

Components:

manganese dinitrate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

manganese dinitrate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: reverse mutation assay Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (female) Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

manganese dinitrate:

Species : Rat, male
Application Route : Oral
Exposure time : 103 weeks

Dose : 60, 200, 615 mg/kg body weight

615 mg/kg body weight

Result : negative

Carcinogenicity - Assess- : Weight of evidence does not support classification as a car-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

ment cinogen

Reproductive toxicity

Not classified based on available information.

Components:

manganese dinitrate:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: inhalation (dust/mist/fume)

Dose: 0, 5, 10, 20 µg/L

General Toxicity - Parent: NOEC: 0.020 mg/l General Toxicity F1: NOAEC: 0.020 mg/l Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Species: Rat

Application Route: inhalation (dust/mist/fume) General Toxicity Maternal: NOAEL: 0.005 mg/L Embryo-foetal toxicity: NOAEL: 0.015 mg/L

Method: OECD Test Guideline 414

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

manganese dinitrate:

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

manganese dinitrate:

Species : Rat, male

NOAEL : 1700 mg/kg bw/day

Application Route : Oral Exposure time : 13weeks

Dose : 110 to 1700 mg/kg

Species : Rat, male and female

NOAEL : 20 µg/L air

Application Route : inhalation (dust/mist/fume)

 $\begin{array}{cccc} \text{Dose} & : & 5,\,10,\,20~\mu\text{g/L air} \\ \text{Method} & : & \text{OPPTS }870.3800 \end{array}$

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

manganese dinitrate:

Toxicity to fish : LC50 (Fish): 55.26 - 67.71 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

LOEC (Lemna minor (duckweed)): 64.94 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

Remarks: Based on data from similar materials

EC10 (Lemna minor (duckweed)): 23.37 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC (activated sludge): 560 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

see user defined free text: 2.9 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.02.2019

 1.2
 12.09.2023
 50001103
 Date of first issue: 13.02.2019

Test Type: semi-static test

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.02 mg/l Exposure time: 20 d

Species: Daphnia magna (Water flea)

Test Type: static test

M-Factor (Chronic aquatic

toxicity)

: 1

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3264
ADR : UN 3264
RID : UN 3264
IMDG : UN 3264
IATA : UN 3264

14.2 UN proper shipping name

ADN : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(manganese dinitrate)

ADR : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(manganese dinitrate)

RID : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(manganese dinitrate)

IMDG : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(manganese dinitrate)

IATA : Corrosive liquid, acidic, inorganic, n.o.s.

(manganese dinitrate)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 8
ADR : 8
RID : 8
IMDG : 8
IATA : 8

14.4 Packing group

ADN

Packing group : III
Classification Code : C1
Hazard Identification Number : 80
Labels : 8

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

ADR

Packing group : III
Classification Code : C1
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

RID

Packing group : III
Classification Code : C1
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : III
Labels : 8
EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo : 856

aircraft)

Packing instruction (LQ) : Y841
Packing group : III

Labels : Corrosive

IATA (Passenger)

Packing instruction (passen- : 852

ger aircraft)

Packing instruction (LQ) : Y841
Packing group : III

Labels : Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Conditions of restriction for the following entries should be considered:

Number on list 3

Not applicable

: Not applicable

Not applicable

Not applicable

: Not applicable

OXIDIZING LIQUIDS AND

SOLIDS

E1 ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

P8

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

Sodium metabisulfite

emulsion of silicone

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H272 : May intensify fire; oxidizer. H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Ox. Sol. : Oxidizing solids Skin Corr. : Skin corrosion

STOT RE : Specific target organ toxicity - repeated exposure

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

IE OEL : Ireland. List of Chemical Agents and Occupational Exposure

Limit Values - Schedule 1

2017/164/EU / TWA : Limit Value - eight hours

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Acute Tox. 4	H302	Calculation method
Skin Corr. 1	H314	Based on product data or assessment
STOT RE 2	H373	Calculation method
Aquatic Chronic 1	H410	Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



NovoJett Rg

Version Revision Date: SDS Number: Date of last issue: 13.02.2019
1.2 12.09.2023 50001103 Date of first issue: 13.02.2019

IE / 6N