Octave® 50WP Fungicide



Version **Revision Date:** SDS Number: Date of last issue: -

25.01.2024 50001316 Date of first issue: 25.01.2024 1.0

SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier

Product name Octave® 50WP Fungicide

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as fungicide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Principal Supplier FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

FMC Chemicals (Malaysia) Sdn Bhd Local registrant

Level 16, 1 Sentral, Jalan Stesen Sentral 5, Kuala Lumpur Sen-

50470, Kuala Lumpur, Malaysia Phone No: +60320929423 Fax No: +603-2092 9201

Emergency telephone For leak, fire, spill or accident emergencies, call:

CHEMTREC (Asia-Pacific Regional Number): +65 3163 8374

Medical emergency:

All other countries: +1 651 / 632-6793 (Collect) 1 703 / 741-5970 (CHEMTREC - International)

SECTION 2: Hazards identification

Classification of the hazardous chemical

Acute toxicity (Oral) Category 4

Hazardous to the aquatic

environment - acute hazard

Category 1

Hazardous to the aquatic

environment - chronic hazard

Category 1

Label elements

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

Hazard pictograms :





Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Prochloraz manganese chloride	75747-77-2	>= 30 -< 60
kaolin	1332-58-7	>= 30 -< 60
Sodium alkyl naphthalene sulfonate	68425-94-5	>= 5 -< 10

SECTION 4: First aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses.

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

Notes to physician

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray

Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Physicochemical hazards arising from the chemical

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Thermal decomposition can lead to release of irritating gases

and vapors.

Nitrogen oxides (NOx)

Metal oxides Carbon oxides Chlorine compounds

Special protective equipment and precautions for fire-fighters

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Hazchem Code : 2Z

SECTION 6: Accidental release measures

Personal precautions, protec- : Avoid dust formation.

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

tive equipment and emer-

gency procedures

Avoid breathing dust.

Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Pick up and transfer to properly labeled containers without

creating dust.

Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Handling

Precautions for safe handling

Advice on protection against :

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Storage

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

Keep in a dry place.

age stability

No decomposition if stored and applied as directed.

SECTION 8: Exposure controls and personal protection

Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA (Respirable particulates)	2 mg/m3	MY PEL
		PEL (Respir-	5 mg/m3	MY PEL

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

able dust)		
PEL (Total dust)	10 mg/m3	MY PEL
TWA (Respirable particulate matter)	2 mg/m3	ACGIH

Individual protection measures, such as personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Physical state : solid

Form : fine powder

Color : off-white

Odor : Faint, aromatic

pH : 7.5 (20 °C)

Concentration: 10 g/l

Melting point/freezing point : No data available

Boiling point/boiling range : Not applicable

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

Flash point : Not applicable

Flammability (solid, gas) : The product is not flammable.

Self-ignition : not determined

Density : 0.51 g/cm3

Bulk density : ca. 0.27 g/cm3 loose

ca. 0.35 g/cm3 Tap density

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Refractive index : Not applicable

Particle size : 3.7 - 3.8 µm

SECTION 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Avoid extreme temperatures.

Incompatible materials : Strong oxidizing agents

Strong bases Strong acids

Hazardous decomposition

products

Carbon oxides

Nitrogen oxides (NOx)

Hydrogen chloride gas

Octave® 50WP Fungicide



Version **Revision Date:** SDS Number: Date of last issue: -

25.01.2024 50001316 Date of first issue: 25.01.2024 1.0

SECTION 11: Toxicological information

Information on likely routes of : None known.

exposure

Acute toxicity

Harmful if swallowed.

Product:

: LD50 (Rat, female): 1,500 mg/kg Acute oral toxicity

Method: OECD Test Guideline 401

LD50 (Rat, male): 4,600 mg/kg Method: OECD Test Guideline 401

Acute inhalation toxicity LC50 (Rat, male and female): > 2.66 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is minimally toxic after

short term inhalation.

LD50 (Rat, male and female): > 2,000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

Components:

Prochloraz manganese chloride:

Acute oral toxicity : LD50 (Rat): 1,532 - 2,039 mg/kg

Acute inhalation toxicity LC50 (Rat): > 1.96 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration.

LD50 (Rat): > 2,000 mg/kgAcute dermal toxicity

Assessment: The substance or mixture has no acute dermal

toxicity

kaolin:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

LC50 (Rat): 36 mg/l Acute inhalation toxicity

Exposure time: 1 h

Test atmosphere: dust/mist





Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Sodium alkyl naphthalene sulfonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Components:

Prochloraz manganese chloride:

Species : Rabbit

Result : No skin irritation

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

Sodium alkyl naphthalene sulfonate:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Components:

Prochloraz manganese chloride:

Species : Rabbit

Result : No eye irritation

kaolin:

Result : No eye irritation

Method : OECD Test Guideline 405

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

Sodium alkyl naphthalene sulfonate:

Result : Eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Result : Not a skin sensitizer.

Components:

Prochloraz manganese chloride:

Result : Not a skin sensitizer.

kaolin:

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

Prochloraz manganese chloride:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Components:

Prochloraz manganese chloride:

Carcinogenicity - Assess- : Animal testing did not show any carcinogenic effects.

ment

Reproductive toxicity

Not classified based on available information.

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

Components:

Prochloraz manganese chloride:

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

kaolin:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

STOT-single exposure

Not classified based on available information.

Components:

kaolin:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Not classified based on available information.

Components:

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

kaolin:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

Ecotoxicity

Product:

Ecotoxicology Assessment

Other organisms relevant to : Harmful to terrestrial vertebrates.

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

the environment

Components:

Prochloraz manganese chloride:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 4.3 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): 0.1 mg/l Exposure time: 72 h

NOEC (algae): 0.05 mg/l Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 0.049 mg/l Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Crustaceans): 0.022 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

: 1

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Sodium alkyl naphthalene sulfonate:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l

Exposure time: 96 h

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Prochloraz manganese chloride:

Biodegradability : Result: Not readily biodegradable.

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Sodium alkyl naphthalene sulfonate:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Prochloraz manganese chloride:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)

Bioconcentration factor (BCF): 200

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n- : Remarks: Not applicable

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

octanol/water

Mobility in soil

Components:

Prochloraz manganese chloride:

Distribution among environ-

mental compartments

: Remarks: Low mobility in soil.

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal information

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Prochloraz manganese chloride)

Class : 9

Subsidiary risk : ENVIRONM.

Packing group : III

Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.





Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

(Prochloraz manganese chloride)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen: 956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Prochloraz manganese chloride)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Hazchem Code : 2Z

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

N-PROPYL-N-[2-(2,4,6-

TRICHLOROPHENOXY)ETHYLJIMIDAZOLE-1-CARBOXAMIDE COMPLEX WITH MANGANESE(II)

CHLORIDE (2:1)





Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

Ethylene oxide/propylene oxide block copolymer

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

SECTION 16: Other information

Revision Date : 25.01.2024

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

MY PEL : Malaysia. Occupational Safety and Health (Use and Stand-

ards of Exposure of Chemicals Hazardous to Health) Regula-

tions 2000.

MY PEL : Malaysia. Factories and Machinery (Mineral Dust) Regulations

- Permissible Exposure Limit

ACGIH / TWA : 8-hour, time-weighted average

MY PEL / TWA : Eight-hour time-weighted average airborne concentration

MY PEL / PEL : Permissible exposure limit (PEL)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

Octave® 50WP Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2024 50001316 Date of first issue: 25.01.2024

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

MY / EN