according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **FOSETYL-ALUMINIUM 80 wt% WG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name FOSETYL-ALUMINIUM 80 wt% WG

Other means of identification

Product code 50000718

Unique Formula Identifier

(UFI)

: 7PWY-F21D-GN4K-5C9H

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fungicide

stance/Mixture

Recommended restrictions :

on use

Use as recommended by the label.

For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: +45-69918573 (CHEMTREC)

Medical emergency:

Denmark: +45 82 12 12 12

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **FOSETYL-ALUMINIUM 80 wt% WG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

## **Additional Labelling**

EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reac-

tion.

EUH210 Safety data sheet available on request.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
fosetyl-aluminium (ISO)	39148-24-8	Eye Dam. 1; H318	>= 70 - < 90
	254-320-2		
	006-095-00-5		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# FOSETYL-ALUMINIUM 80 wt% WG

Version	Revision Date:	SDS Number:	Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

sodium diisopropylnaphtha- lenesulphonate	1322-93-6 215-343-3	Acute Tox. 4; H302 Skin Corr. 1; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412  Acute toxicity estimate  Acute oral toxicity: 300,03 mg/kg	>= 2,5 - < 3
2,4,7,9-tetramethyldec-5-yne-4,7-diol	126-86-3 204-809-1	Eye Dam. 1; H318 Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 0,1 - < 0,25
Substances with a workplace expo	sure limit :	<u> </u>	•
kaolin	1332-58-7 310-194-1		>= 1 - < 10

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

If inhaled : Remove to fresh air.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

27.10.2023 50000718 Date of first issue: 27.10.2023 1.0

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** : Primarily irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically.

Immediate medical attention is required in case of ingestion.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Water spray, fog, or regular foam.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Sulphur oxides Carbon oxides

Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.

> Use personal protective equipment. If it can be safely done, stop the leak.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



#### FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

Further information on stor-

age conditions

: The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be

used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be availa-

ble.

Advice on common storage : Do not store near acids.

Further information on stor- : No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

age stability

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
kaolin	1332-58-7	GV (Respirable	2 mg/m3	DK OEL
		dust)		
		TWA (Respirable	0,1 mg/m3	2004/37/EC
		dust)		
	Further information: Carcinogens or mutagens			
		S (Respirable	4 mg/m3	DK OEL
		dust)		
silica gel	112926-00-	GV (total)	0,3 mg/m3	DK OEL
	8		(Silica)	
		GV (respirable)	0,1 mg/m3	DK OEL
			(Silica)	
	Further information: Means that the substance is included in the list of sub-			
	stances considered carcinogenic.			
		S (total powder	0,6 mg/m3	DK OEL
		and dust)	(Silica)	
		S (inhalable frac-	0,2 mg/m3	DK OEL
		tion)	(Silica)	

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
fosetyl-aluminium (ISO)			Systemic effects	14 mg/kg bw/day
silica gel	Workers	Inhalation	Long-term systemic effects	4 mg/m3
sodium sulphate	Workers	Inhalation	Long-term systemic effects	20 mg/m3
	Workers	Inhalation	Long-term local ef- fects	20 mg/m3
	Consumers	Inhalation	Long-term systemic effects	12 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	12 mg/m3
2,4,7,9- tetramethyldec-5-yne- 4,7-diol	Workers	Inhalation	Long-term systemic effects	1,76 mg/m3
	Workers	Dermal	Long-term systemic	0,5 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **FOSETYL-ALUMINIUM 80 wt% WG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

		effects	
Consumers	Inhalation	Long-term systemic effects	0,43 mg/m3
Consumers	Dermal	Long-term systemic effects	0,25 mg/kg
Consumers	Oral	Long-term systemic effects	0,25 mg/kg

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
fosetyl-aluminium (ISO)	Water	0,17 mg/l
sodium sulphate	Fresh water	11,09 mg/l
	Intermittent use/release	17,66 mg/l
	Marine water	1,109 mg/l
	Sewage treatment plant	800 mg/l
	Fresh water sediment	40,2 mg/kg dry weight (d.w.)
	Marine sediment	4,02 mg/kg dry weight (d.w.)
2,4,7,9-tetramethyldec-5-yne-4,7-diol	Fresh water	0,04 mg/l
	Marine water	0,004 mg/l
	Fresh water sediment	0,32 mg/kg dry weight (d.w.)
	Marine sediment	0,032 mg/kg dry weight (d.w.)
	Soil	0,028 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of dust exposure wear suitable personal respiratory

protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **FOSETYL-ALUMINIUM 80 wt% WG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : solid

Form : granules

Colour : white

Odour : slight

Melting point/freezing point : Decomposes without melting.

Boiling point/boiling range : Not applicable

Flammability : Not highly flammable

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : > 61 °C

Decomposition temperature : > 200 °C

pH : > 3,5

Concentration: 1 %

Viscosity

Viscosity, kinematic : Not applicable

Solubility(ies)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **FOSETYL-ALUMINIUM 80 wt% WG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

Water solubility : Miscible

Partition coefficient: n-

octanol/water

Not available for this mixture.

Vapour pressure : Not available for this mixture.

Relative density : not determined

Bulk density : 0,62 g/cm3Tap density

Relative vapour density : not determined

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : Non-oxidizing

Self-ignition : not auto-flammable

**SECTION 10: Stability and reactivity** 

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **FOSETYL-ALUMINIUM 80 wt% WG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

Heating of the product will produce harmful and irritant va-

pours.

The product decomposes in humid conditions.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

#### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Not classified due to lack of data.

**Product:** 

Acute oral toxicity : LD50 (Rat): 6.250 mg/kg

Acute dermal toxicity : LD50 (Rat): 3.750 mg/kg

**Components:** 

fosetyl-aluminium (ISO):

Acute oral toxicity : LD50 (Rat): > 7.080 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

sodium diisopropylnaphthalenesulphonate:

Acute oral toxicity : LD50 (Rat, female): > 300 - 2.000 mg/kg

Method: OECD Test Guideline 423

2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Acute oral toxicity : LD50 (Rat, male): 12.900 mg/kg

Acute inhalation toxicity : LC0 (Rat, male and female): 1.000 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Symptoms: Irritation Remarks: no mortality

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

kaolin:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LD50: 5,07 mg/l

Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Result : No skin irritation

#### **Components:**

fosetyl-aluminium (ISO):

Method : OECD Test Guideline 404

Result : No skin irritation

sodium diisopropylnaphthalenesulphonate:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431

Result : Corrosive after 4 hours or less of exposure

2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : slight irritation

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : (Data on the product itself)

**Components:** 

fosetyl-aluminium (ISO):

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

sodium diisopropylnaphthalenesulphonate:

Species : Bovine cornea

Method : OECD Test Guideline 437
Result : Irreversible effects on the eye

2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Species : Rabbit

Result : Irreversible effects on the eye

kaolin:

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

**Product:** 

Result : Does not cause skin sensitisation.

**Components:** 

fosetyl-aluminium (ISO):

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

sodium diisopropylnaphthalenesulphonate:

Test Type : Direct Peptide Reactivity Assay (DPRA)

Method : OECD Test Guideline 442C
Result : Does not cause skin sensitisation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : Probability or evidence of low to moderate skin sensitisation

rate in humans

kaolin:

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

**Product:** 

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

**Components:** 

fosetyl-aluminium (ISO):

Germ cell mutagenicity- As-

sessment

: In vitro tests did not show mutagenic effects

sodium diisopropylnaphthalenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Genotoxicity in vitro : Test Type: gene mutation test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

#### Carcinogenicity

Based on available data, the classification criteria are not met.

**Product:** 

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

**Components:** 

fosetyl-aluminium (ISO):

Carcinogenicity - Assess-

ment

: Based on available data, the classification criteria are not met.

Reproductive toxicity

Not classified due to lack of data.

**Product:** 

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

**Components:** 

fosetyl-aluminium (ISO):

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat, male and female

Result: negative

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

kaolin:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

Based on available data, the classification criteria are not met.

**Product:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **FOSETYL-ALUMINIUM 80 wt% WG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

**Components:** 

fosetyl-aluminium (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

kaolin:

Remarks : No significant adverse effects were reported

STOT - repeated exposure

Not classified due to lack of data.

**Components:** 

fosetyl-aluminium (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Components:** 

fosetyl-aluminium (ISO):

Species : Rat

NOAEL : 1.420 mg/kg

Exposure time : 90 d

Method : OECD Test Guideline 408

sodium diisopropylnaphthalenesulphonate:

Remarks : No data available

2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Species : Rat, male and female

NOAEL : 150 mg/kg Application Route : Ingestion Exposure time : 30 d

Method : OECD Test Guideline 408

kaolin:

Remarks : No data available

**Aspiration toxicity** 

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **FOSETYL-ALUMINIUM 80 wt% WG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

#### **Product:**

No aspiration toxicity classification

#### **Components:**

#### fosetyl-aluminium (ISO):

No aspiration toxicity classification

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : May cause irritation.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

fosetyl-aluminium (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 122 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 60 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus subspicatus): 5,9 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC: 100 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 17 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: 4.997 mg/kg

Species: Coturnix japonica (Japanese quail)

LD50: > 100 μg/bee Exposure time: 48 d

End point: Acute contact toxicity Species: Apis mellifera (bees)

LD50: > 140  $\mu$ g/bee Exposure time: 48 d

End point: Acute oral toxicity Species: Apis mellifera (bees)

#### sodium diisopropylnaphthalenesulphonate:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 72 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): 10 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

## 2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 42 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 91 mg/l

Exposure time: 48 h
Test Type: Immobilization

Toxicity to microorganisms : EC50 (activated sludge): 680 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### **FOSETYL-ALUMINIUM 80 wt% WG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

Components:

fosetyl-aluminium (ISO):

Biodegradability : Result: Biodegradable

sodium diisopropylnaphthalenesulphonate:

Biodegradability : Inoculum: activated sludge, non-adapted

Result: Not readily biodegradable.

Biodegradation: 2 % Exposure time: 21 d

Method: OECD Test Guideline 301D

2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 5 % Exposure time: 28 d

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data is available on the product itself.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## **FOSETYL-ALUMINIUM 80 wt% WG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

**Components:** 

fosetyl-aluminium (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: -2,1 (21 - 23 °C)

sodium diisopropylnaphthalenesulphonate:

Partition coefficient: n-

octanol/water

:  $\log Pow: > 2,6 (20 °C)$ 

2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Bioaccumulation : Bioconcentration factor (BCF): 24

Remarks: This substance is not considered to be very persis-

tent and very bioaccumulating (vPvB).

Partition coefficient: n-

octanol/water

log Pow: 2,8 (22 °C)

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

: Remarks: No data is available on the product itself.

**Components:** 

fosetyl-aluminium (ISO):

Distribution among environ-

mental compartments

: Remarks: Mobile in soils

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

0.1% or higher.

### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

**ADR** Not regulated as a dangerous good RID Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good IATA Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN Not regulated as a dangerous good **ADR** Not regulated as a dangerous good RID Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good IATA Not regulated as a dangerous good

14.4 Packing group

**ADN** Not regulated as a dangerous good **ADR** Not regulated as a dangerous good RID Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good IATA (Cargo) Not regulated as a dangerous good IATA (Passenger) Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks Not classified as dangerous in the meaning of transport regu-

lations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75

If you intend to use this product as tattoo ink, please contact your ven-

dor.

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

fosetyl-aluminium (ISO)

RHODORSIL EP 6703 (SOLVAY)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

TECI: Not in compliance with the inventory

#### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



### FOSETYL-ALUMINIUM 80 wt% WG

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.

H412 : Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Skin Corr. : Skin corrosion Skin Sens. : Skin sensitisation

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

DK OEL : Denmark. Occupational Exposure Limits

2004/37/EC / TWA : Long term exposure limit

DK OEL / S : Exposure period of 15 minutes

DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **FOSETYL-ALUMINIUM 80 wt% WG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 27.10.2023 50000718 Date of first issue: 27.10.2023

Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

#### **Prepared by**

**FMC** Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

**DK / 6N**