

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

**Other means of identification**

**Product code** 50000669

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Fungicide

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

#### 1.3 Manufacturer or supplier's details

**Supplier Address**

FMC Agricultural Solutions A/S  
Thyborønvej 78  
DK-7673 Harbøre  
Denmark

Telephone: +45 9690 9690  
Telefax: +45 9690 9691  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:  
Denmark: +45 82 12 12 12

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

Eye irritation, Category 2

H319: Causes serious eye irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version 1.0	Revision Date: 26.09.2024	SDS Number: 50000669	Date of last issue: - Date of first issue: 26.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :  
H319 Causes serious eye irritation.  
H361d Suspected of damaging the unborn child.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.

**Disposal:**  
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

#### Hazardous components which must be listed on the label:

tebuconazole (ISO)

#### Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tebuconazole (ISO)	107534-96-3 403-640-2 603-197-00-7	Acute Tox. 4; H302 Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 20 - < 25
Flutriafol	76674-21-0	Acute Tox. 4; H302 Aquatic Chronic 2; H411	>= 2,5 - < 10
Alcohols, C13-15, branched and linear, ethoxylated	157627-86-6	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412  Acute toxicity estimate  Acute oral toxicity: 500 mg/kg	>= 2,5 - < 3
Residues (petroleum), catalytic reformer fractionator, sulfonated,	68425-94-5	Eye Irrit. 2; H319 Aquatic Chronic 3;	>= 1 - < 2,5

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version 1.0      Revision Date: 26.09.2024      SDS Number: 50000669      Date of last issue: -  
Date of first issue: 26.09.2024

polymers with formaldehyde, sodium salts		H412	
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 2; H330 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1  specific concentration limit Skin Sens. 1A; H317 >= 0,036 %  Acute toxicity estimate  Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0,21 mg/l	>= 0,0025 - < 0,025

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

- |                         |                                                                                                                                                                                                                                 |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of skin contact | : If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.                                     |
| In case of eye contact  | : Immediately flush eye(s) with plenty of water.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.                                   |
| If swallowed            | : Do not induce vomiting without medical advice.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>Take victim immediately to hospital. |

### 4.2 Most important symptoms and effects, both acute and delayed

- |          |                                                                                                                |
|----------|----------------------------------------------------------------------------------------------------------------|
| Symptoms | : Passivity, impaired mobility, shortness of breath, salivation, muscle spasms and increased body temperature. |
| Risks    | : Causes serious eye irritation.<br>Suspected of damaging the unborn child.                                    |

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |                                                                                           |
|-----------|-------------------------------------------------------------------------------------------|
| Treatment | : Treat symptomatically.<br>Immediate medical attention is required in case of ingestion. |
|-----------|-------------------------------------------------------------------------------------------|

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                                |                                                                    |
|--------------------------------|--------------------------------------------------------------------|
| Suitable extinguishing media   | : Dry chemical, CO <sub>2</sub> , water spray or regular foam.     |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |

### 5.2 Special hazards arising from the substance or mixture

- |                                       |                                                                                                                                                                                                     |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specific hazards during fire-fighting | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                         |
| Hazardous combustion products         | : Fire may produce irritating, corrosive and/or toxic gases.<br>Nitrogen oxides (NO <sub>x</sub> )<br>Carbon oxides<br>Hydrogen chloride<br>Hydrogen cyanide<br>Sulphur oxides<br>Hydrogen fluoride |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version 1.0	Revision Date: 26.09.2024	SDS Number: 50000669	Date of last issue: - Date of first issue: 26.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Fluorinated compounds  
Chlorinated compounds

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.
- Further information : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Ensure adequate ventilation.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Advice on safe handling : Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol.
- When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Further information on storage stability : No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

- Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

##### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

##### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l

#### 8.2 Exposure controls

##### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: off-white, cloudy
Odour	: Faint, glue-like
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: > 95 °C Method: Pensky-Martens closed cup
Auto-ignition temperature	: > 400 °C
Decomposition temperature	: No data available
pH	: 7,1 (25 °C) Concentration: 1 % (1% solution in water)
Viscosity	
Viscosity, dynamic	: 1.100 - 1.500 mPa.s
Viscosity, kinematic	: No data available
Solubility(ies)	
Water solubility	: dispersible
Partition coefficient: n-octanol/water	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Density	: 1,080 g/l
Relative vapour density	: No data available
Particle characteristics	
Particle size	: Not applicable

#### 9.2 Other information

Explosives	: Not explosive
Oxidizing properties	: Non-oxidizing
Flammability (liquids)	: No data available

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures  
Avoid formation of aerosol.  
Protect from frost, heat and sunlight.  
Heating of the mixture may evolve harmful and irritant vapours.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : LD50 Oral (Rat): ca. 5.000 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 2,03 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest attainable concentration.  
An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Acute dermal toxicity : LD50 Dermal (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

#### Components:

tebuconazole (ISO):

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg  
Method: OECD Test Guideline 425  
Symptoms: ataxia, Lethargy, Breathing difficulties  
Assessment: The component/mixture is minimally toxic after single ingestion.  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,18 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The component/mixture is minimally toxic after single contact with skin.  
Remarks: no mortality

### Flutriafol:

Acute oral toxicity : LD50 (Rat, female): 300 - 2.000 mg/kg  
Method: OECD Test Guideline 423  
Target Organs: Liver, Gastrointestinal tract  
Symptoms: Fatality  
GLP: yes  
Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 1.030 mg/kg  
Method: OECD Test Guideline 425  
Target Organs: Liver, Gastrointestinal tract  
Symptoms: Breathing difficulties

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Symptoms: Fatality, ataxia, Breathing difficulties  
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Remarks: no mortality

LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
Symptoms: Irritation  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: no mortality

### Alcohols, C13-15, branched and linear, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2.000 mg/kg

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg  
Method: OECD Test Guideline 401

Acute toxicity estimate: 450 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008  
Remarks: Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l  
Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008  
Remarks: Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Remarks : Minimal effects that do not meet the threshold for classification.

### Components:

#### tebuconazole (ISO):

Species : Rabbit  
Assessment : Not classified as irritant

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

Method	:	OECD Test Guideline 404
Result	:	slight irritation
GLP	:	yes

### Flutriafol:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

Species	:	Rabbit
Result	:	No skin irritation

### Alcohols, C13-15, branched and linear, ethoxylated:

Result	:	No skin irritation
--------	---	--------------------

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Remarks	:	No data available
---------	---	-------------------

### 1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 7 days

### Components:

#### tebuconazole (ISO):

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	FIFRA 81.04
Remarks	:	Minimal effects that do not meet the threshold for classification.

#### Flutriafol:

Species	:	Rabbit
Assessment	:	Not classified as irritant

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

Method	: OECD Test Guideline 405
Result	: slight irritation
GLP	: yes

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
Result	: Slight or no eye irritation
GLP	: yes

Species	: Rabbit
Result	: slight irritation

### Alcohols, C13-15, branched and linear, ethoxylated:

Result	: Irreversible effects on the eye
--------	-----------------------------------

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result	: Eye irritation
--------	------------------

### 1,2-benzisothiazol-3(2H)-one:

Species	: Bovine cornea
Method	: OECD Test Guideline 437
Result	: No eye irritation

Species	: Rabbit
Method	: EPA OPP 81-4
Result	: Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Product:

Species	: mice
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.

#### Components:

##### tebuconazole (ISO):

Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

Test Type	: Local lymph node assay (LLNA)
-----------	---------------------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Not a skin sensitizer.

### Flutriafol:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Assessment	: Did not cause sensitisation on laboratory animals.
Method	: OECD Test Guideline 406
GLP	: yes

Species	: Guinea pig
Result	: Not a skin sensitizer.

### 1,2-benzisothiazol-3(2H)-one:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitisation by skin contact.

Species	: Guinea pig
Method	: FIFRA 81.06
Result	: May cause sensitisation by skin contact.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Components:

#### tebuconazole (ISO):

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative
-----------------------	-----------------------------------------------------------------------------------------------------------

Germ cell mutagenicity- Assessment	: Remarks: Adverse effects on fertility such as reduced litter size and effects on development were found for tebuconazole at maternally toxic doses in an animal test (method OECD 416). Malformations of offspring were found at maternally toxic doses (based on 13 studies).
------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Flutriafol:

Genotoxicity in vivo	: Test Type: dominant lethal test Method: OECD Test Guideline 478 Result: negative
----------------------	------------------------------------------------------------------------------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

### 1,2-benzisothiazol-3(2H)-one:

- Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative
- Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative
- Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive
- Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative
- Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative
- Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Components:

#### Flutriafol:

- Species : Mouse  
Exposure time : 2 Years  
NOAEL : 1,2 mg/kg bw/day  
Result : negative

- Species : Rat  
Exposure time : 2 Years  
NOAEL : 1 mg/kg bw/day  
Result : negative

- Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version 1.0	Revision Date: 26.09.2024	SDS Number: 50000669	Date of last issue: - Date of first issue: 26.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

### Reproductive toxicity

Suspected of damaging the unborn child.

#### Product:

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

#### Components:

##### **tebuconazole (ISO):**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments., Suspected of damaging the unborn child.  
Remarks: Adverse effects on fertility such as reduced litter size and effects on development were found for tebuconazole at maternally toxic doses in an animal test (method OECD 416). Malformations of offspring were found at maternally toxic doses (based on 13 studies).

##### **Flutriafol:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Method: OECD Test Guideline 416  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Method: OECD Test Guideline 414  
Result: negative

##### **1,2-benzisothiazol-3(2H)-one:**

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters  
Method: OPPTS 870.3800  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### Components:

##### **Flutriafol:**

Remarks : No significant adverse effects were reported

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Components:

##### 1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### Flutriafol:

Species : Rat  
NOAEL : 13.3 mg/kg bw/day  
Application Route : Oral - feed  
Exposure time : 90 d  
Symptoms : anemia, Liver effects

Species : Dog  
NOAEL : 5 mg/kg bw/day  
Application Route : Oral  
Exposure time : 90 d  
Symptoms : blood effects, Liver effects

##### 1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female  
NOAEL : 15 mg/kg  
Application Route : Ingestion  
Exposure time : 28 d  
Method : OECD Test Guideline 407  
Symptoms : Irritation

Species : Rat, male and female  
NOAEL : 69 mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Symptoms : Irritation, Reduced body weight

### Aspiration toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### Flutriafol:

The substance does not have properties associated with aspiration hazard potential.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version 1.0	Revision Date: 26.09.2024	SDS Number: 50000669	Date of last issue: - Date of first issue: 26.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Neurological effects

##### Components:

##### **Flutriafol:**

No neurotoxicity observed in animal studies

#### Further information

##### Product:

Remarks : When a similar product was fed to laboratory animals at high doses, the main symptoms were passivity, impaired mobility, shortness of breath, salivation, muscle spasms and increased body temperature.

##### Components:

##### **tebuconazole (ISO):**

Remarks : The main symptoms were passivity, impaired mobility and shortness of breath at high doses in animal tests.

## SECTION 12: Ecological information

### 12.1 Toxicity

##### Components:

##### **tebuconazole (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,4 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
  
LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,7 mg/l  
Exposure time: 96 h  
  
LC50 (Leuciscus idus (Golden orfe)): 8,7 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version 1.0	Revision Date: 26.09.2024	SDS Number: 50000669	Date of last issue: - Date of first issue: 26.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 2,79 mg/l  
Exposure time: 48 h  
Test Type: flow-through test
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (algae)): 3,8 mg/l  
Exposure time: 72 h  
Test Type: static test
- ErC50 (Scenedesmus quadricauda (Green algae)): 5,3 mg/l  
Exposure time: 72 h
- EC50 (Lemna gibba (duckweed)): 0,144 mg/l  
Exposure time: 14 d
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC: 0,012 mg/l  
Exposure time: 60 d  
Species: Salmo gairdneri
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,12 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 10
- Toxicity to soil dwelling organisms : LC50: 1.381 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)
- Toxicity to terrestrial organisms : LD50: 1.988 mg/kg  
Species: Colinus virginianus (Bobwhite quail)
- LD50: > 200 µg/bee  
Species: Apis mellifera (bees)  
Remarks: Contact
- LD50: > 83 µg/bee  
Exposure time: 48 h  
Species: Apis mellifera (bees)
- LD50: 2.912 mg/kg  
Species: Coturnix japonica (Japanese quail)
- Flutriafol:**
- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 33 mg/l  
Exposure time: 96 h
- LC50 (Danio rerio (zebra fish)): 22,97 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

	Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 67 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes  EC50 (Daphnia magna (Water flea)): 42,21 mg/l End point: Immobilization Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: IC50 (Selenastrum capricornutum (green algae)): 12 mg/l Exposure time: 96 h  IC50 (Scenedesmus subspicatus): 1,9 mg/l Exposure time: 72 h  EbC50 (Lemna gibba (duckweed)): 0,65 mg/l Exposure time: 7 d  EyC50 (Pseudokirchneriella subcapitata (algae)): 3,69 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes
Toxicity to fish (Chronic toxicity)	: NOEC: 4,8 mg/l Exposure time: 28 d Species: Lepomis macrochirus (Bluegill sunfish)  NOEC: 20 mg/l Exposure time: 14 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 204  NOEC: 0,1 mg/l End point: Growth Species: Pimephales promelas (fathead minnow) Test Type: Early Life-Stage Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,31 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)  NOEC: 0,45 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

Toxicity to soil dwelling organisms : NOEC:  
0.01 mg/cm<sup>2</sup>  
Exposure time: 180 d  
Species: *Eisenia fetida* (earthworms)

LC50: > 1.000 mg/kg  
Exposure time: 14 d  
Species: *Eisenia fetida* (earthworms)  
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: > 144 µg/bee  
End point: Acute oral toxicity  
Species: *Apis mellifera* (bees)  
Method: OECD Test Guideline 213  
GLP:yes

LD50: > 150 µg/bee  
End point: Acute contact toxicity  
Species: *Apis mellifera* (bees)  
Method: OECD Test Guideline 214  
GLP:yes

LD50: > 100 µg/bee  
End point: Acute contact toxicity  
Species: *Apis mellifera* (bees)  
Method: OECD Test Guideline 214

LD50: 872,53 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: *Apis mellifera* (bees)  
Method: OECD Test Guideline 213

LD50: > 5.000 mg/kg  
Species: *Anas platyrhynchos* (Mallard duck)

LD50: ca. 385 mg/kg  
Species: *Coturnix japonica* (Japanese quail)  
Method: US EPA Test Guideline OPPTS 850.2100

LD50: 4260 ppm  
Species: *Coturnix japonica* (Japanese quail)  
Method: OPPTS 850.2200

### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### Alcohols, C13-15, branched and linear, ethoxylated:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 1 - 10 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version 1.0	Revision Date: 26.09.2024	SDS Number: 50000669	Date of last issue: - Date of first issue: 26.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): > 1 - 10 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 10 - 100 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

#### Components:

##### **tebuconazole (ISO):**

Biodegradability : Result: Not readily biodegradable.

##### **Flutriafol:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Does not readily hydrolyze



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

### Alcohols, C13-15, branched and linear, ethoxylated:

Biodegradability : Result: Readily biodegradable.

### Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

### 1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: No data is available on the product itself.

### Components:

#### tebuconazole (ISO):

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 65  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,7 (20 °C)

#### Flutriafol:

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 7  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,29

### Alcohols, C13-15, branched and linear, ethoxylated:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### 1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305  
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version 1.0	Revision Date: 26.09.2024	SDS Number: 50000669	Date of last issue: - Date of first issue: 26.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)  
pH: 7

log Pow: 0,99 (20 °C)  
pH: 5

### 12.4 Mobility in soil

#### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

#### Components:

##### **tebuconazole (ISO):**

Distribution among environmental compartments : Remarks: Low mobility in soil

##### **Flutriafol:**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Remarks: Very persistent in soil.

##### **1,2-benzisothiazol-3(2H)-one:**

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97  
Method: OECD Test Guideline 121  
Remarks: Highly mobile in soils

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

#### Components:

##### **Flutriafol:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

### 14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tebuconazole, Flutriafol)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

	N.O.S. (Tebuconazole, Flutriafol)
<b>RID</b>	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tebuconazole, Flutriafol)
<b>IMDG</b>	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tebuconazole, Flutriafol)
<b>IATA</b>	: Environmentally hazardous substance, liquid, n.o.s. (Tebuconazole, Flutriafol)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>ADR</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
<b>RID</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>IMDG</b>	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
<b>IATA (Cargo)</b>	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

Regulation (EC) on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

### Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

### The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  tebuconazole (ISO) Flutriafol Alcohols, C13-15, branched and linear, ethoxylated
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H330	:	Fatal if inhaled.
H361d	:	Suspected of damaging the unborn child.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Repr.	:	Reproductive toxicity
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TEBUCONAZOLE 225 g/l + FLUTRIAFOL 75 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.09.2024	50000669	Date of first issue: 26.09.2024

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Eye Irrit. 2	H319
Repr. 2	H361d
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

DK / 6N