According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ALTACOR®

insecticide

Other means of identification

Product code 50000012

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-Can be used as insecticide only.

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com (E-Mail General Infor-

mation)

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: 45-69918573 (CHEMTREC)

Medical emergency: Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

gory 1

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

¥_2>

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container in accordance with local

regulation.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

	Registration number		
Chlorantraniliprole	500008-45-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ——— M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 30 - < 50
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5		>= 1 - < 10
Substances with a workplace exposure limit :			
kaolin	1332-58-7 310-194-1		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Thermal decomposition can lead to release of irritating gases

and vapours.

Nitrogen oxides (NOx) Carbon oxides Hydrogen chloride Sulphur oxides

Bromine compounds Chlorine compounds

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Use personal protective equipment. If it can be safely done, stop the leak.

Do not touch or walk through the spilled material.

Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labelled containers. Never return spills in original containers for re-use.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Avoid formation of respirable particles.

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin,

eyes and clothing. Provide adequate ventilation. Do not

breathe dust or spray mist.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
kaolin	1332-58-7	GV (Respirable dust)	2 mg/m3	DK OEL
		TWA (Respirable dust)	0,1 mg/m3	2004/37/EC
Further information	Carcinogens	or mutagens		

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Chlorantraniliprole	Water	0.00045 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Equipment should conform to EN 143

Filter type : Particulates type (P)

Protective measures : Plan first aid action before beginning work with this product.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : granular

Colour : light brown

Odour : slight, sweet

Odour Threshold : No data available

Melting point/range : Not available for this mixture.

Boiling point/boiling range : Not applicable

Flammability : Not expected to be ignitable

Upper explosion limit / Upper

flammability limit

Not available for this mixture.

Lower explosion limit / Lower

flammability limit

No data available

Flash point : not determined

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 7 - 10 (25 °C)

Concentration: 10 g/l

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

: Not applicable

Vapour pressure : No data available

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Relative density : No data available

Density : No data available

Bulk density : 0,7 - 0,86 g/cm3packed

Relative vapour density : Not applicable

Particle characteristics

Particle size : not determined

Particle Size Distribution : No data available

Shape : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : Non-oxidizing

Self-ignition : > 155 °C

Evaporation rate : Not applicable

Miscibility with water : partly miscible

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if used as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Avoid dust formation.

Avoid extreme temperatures Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Strong acids and strong bases

Strong oxidizing agents

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 6,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Components:

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 402

Lignosulfonic acid, sodium salt, sulfomethylated:

Acute oral toxicity : LD50 (Rat, female): > 10 g/kg

kaolin:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Method: OECD Test Guideline 401

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LD50: 5,07 mg/l

Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Components:

Chlorantraniliprole:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Lignosulfonic acid, sodium salt, sulfomethylated:

Result : No skin irritation

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : slight irritation

GLP : yes

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Components:

Chlorantraniliprole:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Lignosulfonic acid, sodium salt, sulfomethylated:

Method : OECD Test Guideline 492

Result : No eye irritation

kaolin:

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Local lymph node test

Species : Mouse

Method : OECD Test Guideline 406

Result : Animal test did not cause sensitization by skin contact.

Components:

Chlorantraniliprole:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Test Type : Local lymph node assay (LLNA)

Species : mice

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

 $\label{light} \textbf{Lignosulfonic acid, sodium salt, sulfomethylated:}$

Species : Guinea pig

Result : Not a skin sensitizer.

kaolin:

Method : OECD Test Guideline 429

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Lignosulfonic acid, sodium salt, sulfomethylated:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Species : Rat, male and female

Application Route : Oral Exposure time : 2 Years

NOAEL : 805 - 1.076 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Species : Mouse, male and female

Application Route : Oral Exposure time : 18 month(s)

NOAEL : 158 - 1.155 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

Reproductive toxicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 20.000 ppm General Toxicity F1: NOAEL: 20.000 ppm Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: Pre-natal

Species: Rat

Application Route: Oral

Duration of Single Treatment: 6 - 20 d

General Toxicity Maternal: NOEL: 1.000 mg/kg bw/day Developmental Toxicity: NOEL: 1.000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

Lignosulfonic acid, sodium salt, sulfomethylated:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

kaolin:

Effects on fertility : Remarks: No data available

Effects on foetal develop: Remarks: No data available

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

ment

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Remarks : No significant adverse effects were reported

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

kaolin:

Remarks : No significant adverse effects were reported

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Chlorantraniliprole:

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Species : Rat, male and female NOEL : 1188 - 1526 mg/kg

Application Route : Oral Exposure time : 90 days

Method : OECD Test Guideline 408

kaolin:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Neurological effects

Components:

Chlorantraniliprole:

Remarks : No neurotoxicity observed in animal studies

Further information

Product:

Remarks : No data available

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 3,2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,029 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: EbC50 (Pseudokirchneriella subcapitata (green algae)): > 5,0

mg/

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,00447 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Information refers to the main component.

Toxicity to soil dwelling or-

ganisms

> 1.000 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Toxicity to terrestrial organ-

isms

LD50: > 2.250 mg/kg

Exposure time: 14 d

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPPTS 850.2100

LD50: 340,5 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

GLP:yes

LD50: 285.7 µg/abeille285,7 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214

GLP:yes

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Components:

Chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13,8 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0116 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2

mg/

Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): > 2 mg/l

Exposure time: 14 d

NOEC (Lemna gibba (duckweed)): 2 mg/l

Exposure time: 14 d

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 1,28 mg/l Exposure time: 36 d

Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0,110 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,00447 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 0.005 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: > 0.0274 µg/bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

05.10.2022 50000012 Date of first issue: 05.10.2022 1.0

LD50: > 2.250 mg/kg

Species: Colinus virginianus (Bobwhite quail)

LC50: > 5.620 ppm

Species: Anas platyrhynchos (Mallard duck)

LD50: > 2.250 mg/kg

Species: Poephila guttata (zebra finch)

Lignosulfonic acid, sodium salt, sulfomethylated:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 615 mg/l

Exposure time: 96 h

kaolin:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

12.2 Persistence and degradability

Product:

Biodegradability Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

Components:

Chlorantraniliprole:

Biodegradability Result: Not readily biodegradable.

Stability in water Degradation half life (DT50): 10 d

pH: 9

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Lignosulfonic acid, sodium salt, sulfomethylated:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: < 5 % Exposure time: 28 d

Method: OECD Test Guideline 301E

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 15 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 2,77 (20 °C)

pH: 4

log Pow: 2,86 (20 °C)

pH: 7

log Pow: 2,80 (20 °C)

pH: 9

Lignosulfonic acid, sodium salt, sulfomethylated:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: -3,45

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

12.4 Mobility in soil

Product:

19/26

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Distribution among environ-

mental compartments

Remarks: The product is not expected to be mobile in soils. Estimation based on data obtained on active ingredient.

Components:

Chlorantraniliprole:

Distribution among environ-

mental compartments Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil

Koc: 362 ml/g, log Koc: 2,55

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

See product label for additional application instructions relat-

ing to environmental precautions.

No other ecological effects to be specially mentioned.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Waste, residues, etc. must be collected, stored and disposed of in tightly closed container labeled: "Contains a substance that is covered by the Danish health and safety regulation in

terms of cancer risk."

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Chlorantraniliprole)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Chlorantraniliprole)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Chlorantraniliprole)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Chlorantraniliprole)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Chlorantraniliprole)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version **Revision Date:** SDS Number: Date of last issue: -

05.10.2022 50000012 Date of first issue: 05.10.2022 1.0

IMDG

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

Not applicable

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the Euro-E1 **ENVIRONMENTAL HAZARDS**

pean Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The substance/mixture is subject to the provisions of BEK nr. 1795 of 18/12/2015 (as amended) "Executive order on Measures to Protect Workers from the Risks related to Exposure to Carcinogenic Substances and Materials at Work". The work with this substance/mixture may pose a cancer risk.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-

: titanium dioxide

CARBOXANILIDE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aguatic Acute : Short-term (acute) aguatic hazard

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

Aquatic Chronic : Long-term (chronic) aquatic hazard

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

DK OEL : Denmark. Occupational Exposure Limits

2004/37/EC / TWA : Long term exposure limit DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Aquatic Acute 1 H400 Based on product data or assessment
Aquatic Chronic 1 H410 Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALTACOR® insecticide

Version Revision Date: SDS Number: Date of last issue: -

1.0 05.10.2022 50000012 Date of first issue: 05.10.2022

concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC Logo - Trademark of FMC Corporation © 2021 FMC Corporation. All Rights Reserved.

DK / 6N