Revision: 29.08.2022



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 9 (replaces version 8)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Kanemite® SC

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the mixture Acaricide

1.3 Details of the supplier of the safety data sheet Supplier:

Cheminova Deutschland GmbH & Co. KG FMC Agricultural Solutions Stader Elbstraße 26 21683 Stade Germany

Tel: +49 (0) 4141 9204 0 Fax: +49 (0) 4141 9204 210 datenblatt@fmc.com www.fmcagro.de

Further information obtainable from:

Cheminova Deutschland GmbH & Co. KG FMC Agricultural Solutions Stader Elbstraße 26 21683 Stade Germany Tel: +49 (0) 4141 9204 0

Fax: +49 (0) 4141 9204 210 datenblatt@fmc.com www.fmcagro.de

1.4 Emergency telephone number:

Cases of intoxication:

+49 (0) 551 19240 (GIZ-Nord Poisons Centre, Göttingen, Germany, 24 h) "Member of EPECS Network"

Hazardous substance/dangerous goods incidents (e.g. spills, leaks, fire, exposure or accident): 0800 181 7059 (CHEMTREC Germany, toll-free, 24 h) +49 (0) 69 643 508 409 (CHEMTREC from outside Germany, 24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 H373 May cause damage to the blood system through prolonged or repeated exposure.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)



Printing date 29.08.2022

Version number 9 (replaces version 8)

Trade name: Kanemite® SC

(Contd. of page 1)

Revision: 29.08.2022



Skin Sens. 1

H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms







GHS07 GHS08 GHS09

Signal word Warning

Hazard-determining components of labelling:

acequinocyl (ISO)

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Hazard statements

H317 May cause an allergic skin reaction.

H373 May cause damage to the blood system through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container to a suitable waste collection point.

Additional information:

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Suspension concentrate (SC) of substances listed below with nonhazardous additions.

| Dangerous components: | | |
|----------------------------|---|--------|
| Index number: 606-144-00-6 | acequinocyl (ISO) STOT SE 1, H370; STOT RE 2, H373; Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=1000); Skin Sens. 1, H317 | 14-16% |
| | Propylene glycol substance with a Community workplace exposure limit | < 5% |



Printing date 29.08.2022 Version number 9 (replaces version 8) Revision: 29.08.2022

Trade name: Kanemite® SC

| | | td. of page 2 |
|---|--|---------------|
| CAS: 99734-09-5 | polyarylphenol ethoxylated Aquatic Chronic 3, H412 | < 5% |
| CAS: 52-51-7 EINECS: 200-143-0 Index number: 603-085-00-8 | bronopol (INN) Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335 | < 1% |
| CAS: 55965-84-9 Index number: 613-167-00-5 | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) ↑ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ↑ Skin Corr. 1C, H314; Eye Dam. 1, H318; ↑ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ↑ Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Skin Sens. 1; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % | < 0.05% |

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. If contact lenses are worn, remove after 5 minutes of rinsing, then continue rinsing.

After swallowing:

Rinse mouth with plenty of water; do not swallow.

Do not induce vomiting; call for medical help immidiately and show this material safety data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination, vital functions), no specific antidote known.



Printing date 29.08.2022

Version number 9 (replaces version 8)

Trade name: Kanemite® SC

(Contd. of page 3)

Revision: 29.08.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Foam

Use carbon dioxide (CO₂) or dry chemical powder for small fires.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO₂)

Nitrogen oxides (NOx)

Phosphor oxides (e.g. P₂O₅)

Metal oxides

Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Do not inhale explosion gases or combustion gases.

Cool endangered receptacles with water spray.

Use water spray to knock down fire fumes if possible.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with spilled product or contaminated areas.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Disposal had to be accomplished in suitable receptacles.

If possible clean area with detergent and much water. Absorb wash liquid with absorbent and transfer to suitable containers for disposal.

Larger spills of the product which soak into the ground should be dug up and transferred to suitable containers for disposal.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- EN



Printing date 29.08.2022

Version number 9 (replaces version 8)

Trade name: Kanemite® SC

(Contd. of page 4)

Revision: 29.08.2022

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Wear personal protection equipment.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Wash contaminated clothing before reuse.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Keep containers tightly closed in a dry, cool and well-ventilated place.

Information about storage in one common storage facility:

Do not store together with foodstuffs, beverages and feed.

Do not store with strong oxidising agents.

Addationally the restriction for joint storage must be observed (according to TRGS 510).

Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from frost.

Keep out of reach for children.

Recommended storage temperature: Store between 5 °C and 30 °C.

Storage class: 10 (TRGS 510): Combustible liquids

7.3 Specific end use(s)

Use only in accordance with the instruction manual.

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol

WEL Long-term value: 474* 10** mg/m³, 150* ppm

*total vapour and particulates **particulates

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Exposure limit values exist in other countries.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

(Contd. on page 6)



Printing date 29.08.2022

Version number 9 (replaces version 8)

Trade name: Kanemite® SC

(Contd. of page 5)

Revision: 29.08.2022

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Ensure good ventilation at the workplace.

Do not breath in gases/vapours.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Be sure to clean skin thoroughly after work and before breaks.

The statements on personal protective equipment in the instructions for use apply when handling plant protection products.

Respiratory protection:



Respiratory single serving mask DIN EN 149 with filter FFP2

Hand protection



Protective gloves (EN 374, EN 388, EN 420)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommend are gloves made of:

Nitrile, recommended thickness of the material: ≥ 0.11 mm

Penetration time of glove material

Penetration time 480 minutes (Permeation according to EN 374 Part 3: Level 6) e.g. for Dermatril® If other glove materials or protective gloves of other manufacturers are used, than the exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles (EN 166)

(Contd. on page 7)



Printing date 29.08.2022

Version number 9 (replaces version 8)

Trade name: Kanemite® SC

(Contd. of page 6)

Revision: 29.08.2022

Body protection:



Use suitable protective work clothing. Protective suit against pesticides (DIN 32781) is recommended when handling plant protection products.



Sturdy shoes, e.g. rubber boots (EN 20345)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateFluidColour:Light yellowOdour:Detergent likeOdour threshold:Not determinedMelting point/freezing point:Not determined

Boiling point or initial boiling point and

boiling range > 100 °C

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:ca. 100 °C (EEC A.9)Ignition temperature:Not determined.Decomposition temperature:Not determined.pH (1 g/l) at 22 °C7.10 (CIPAC MT 75.2)

Viscosity:

Kinematic viscosity at 40 °C 217 mm²/s (CIPAC MT 22) Dynamic at 20 °C: 422 mPas (CIPAC MT 22)

Solubility

water: Dispersible

Partition coefficient n-octanol/water (log

value)Not determined.Vapour pressure:Not determined.

Density and/or relative density

Density at 20 °C: 1.04 g/L (OECD 109)

Particle characteristics not applicable

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Auto-ignition temperature: Product is not selfigniting. (EEC A.15).

Explosive properties: Product does not present an explosion hazard

(EEC A.14).

Information with regard to physical hazard

classes

Explosives Void **Flammable gases** Void

(Contd. on page 8)



Printing date 29.08.2022 Version number 9 (replaces version 8) Revision: 29.08.2022

Trade name: Kanemite® SC

| | | (Contd. of page 7) |
|---------------------------------------|------|--------------------|
| Aerosols | Void | |
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit | | |
| flammable gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions of use.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

No hazardous reactions if used and stored according to specifications.

10.4 Conditions to avoid

Heating of the product will produce harmful and irritant vapours.

Protect against heat and direct sunlight.

Protect from frost.

10.5 Incompatible materials: Strong oxidants.

10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and used according to specifications. See Section 5 for information about hazardous decomposition products in case of fire.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

The data of toxicological effects were carried out with a similar formulation.

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

| Oral | LD50 | >5,000 mg/kg (rat) (OECD 401) |
|------------|---------|-------------------------------|
| Dermal | LD50 | >2,000 mg/kg (rat) (OECD 402) |
| Inhalative | LC50/4h | >4.56 mg/L (rat) (OECD 403) |

Skin corrosion/irritation Not irritant (JMAFF 59 NohSan No. 3850).

Serious eye damage/irritation Not irritant (JMAFF 59 NohSan No. 4200).

Respiratory or skin sensitisation

Estimation based on the sensitizing properties of the ingredients.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 9)



Printing date 29.08.2022

Version number 9 (replaces version 8)

Trade name: Kanemite® SC

(Contd. of page 8)

Revision: 29.08.2022

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

There is an inhalation study for the product in which no serious lung damage occurred.

STOT-repeated exposure

May cause damage to the blood system through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity

Acequinocyl: In several in-vivo studies with several species haemorrhages and haematological effects (including reversible effects

on clotting) were observed.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Tested with a similar formulation.

LC50 (96 h) >100 mg/L (Oncorhynchus mykiss) (OECD 203) EC50 (48 h) (static) 0.0154 mg/L (Daphnia magna) (OECD 202)

12.2 Persistence and degradability

On the basis of the data for the active substance:

Not easily biodegradable

12.3 Bioaccumulative potential

Acequinocyl: log Pow: > 6.2 (25 °C, pH-independent); BCF (fish): 366. EFSA Journal 2013;11(5): 3212

Non significant accumulation in organisms

12.4 Mobility in soil Acequinocyl is immobile in soil. (EFSA Journal 2013;11(5):3212)

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Remark: Very toxic for water organisms.

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

_ _ _ _



Printing date 29.08.2022

Version number 9 (replaces version 8)

Trade name: Kanemite® SC

(Contd. of page 9)

Revision: 29.08.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

Uncleaned packaging:

Recommendation:

Do not reuse packing for other products.

Disposal must be made according to official regulations.

| 14.1 UN number or ID number ADR, IMDG | UN3082 |
|---------------------------------------|--|
| 14.2 UN proper shipping name | |
| ADR | UN3082 ENVIRONMENTALLY HAZARDOUS |
| | SUBSTANCE, LIQUID, N.O.S. (acequinocyl) |
| IMDG | ENVIRONMENTALLY HAZARDOUS |
| | SUBSTANCE, LIQUID, N.O.S. (acequinocyl), |
| | MARINE POLLUTANT |
| IATA | ENVIRONMENTALLY HAZARDOUS |
| | SUBSTANCE, LIQUID, N.O.S. (acequinocyl, |
| | chlorothalonil) |
| 14.3 Transport hazard class(es) | |



Class 9 Miscellaneous dangerous substances and articles.

Label 9

14.4 Packing group

ADR, IMDG ///

14.5 Environmental hazards: Product contains environmentally hazardous

substances: acequinocyl

Marine pollutant: Yes

Special marking (ADR):
Special marking (IATA):
Symbol (fish and tree)
Symbol (fish and tree)

14.6 Special precautions for user Warning: Miscellaneous dangerous substances

and articles.

Hazard identification number (Kemler code): 90
EMS Number: F-A,S-F
Stowage Category A

(Contd. on page 11)

Revision: 29.08.2022



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 9 (replaces version 8)

Trade name: Kanemite® SC

| 14.7 Maritime transport in bulk according IMO instruments | to Not applicable. |
|---|--|
| Transport/Additional information: | |
| ADR | |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 m. Maximum net quantity per outer packaging: 1000 ml |
| Transport category | 3 |
| Tunnel restriction code | (-) |
| IMDG | |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E1 |
| Excepted quantities (EQ) | 3040. = . |
| | Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 1000 ml |
| UN "Model Regulation": | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACEQUINOCYL) 9, III |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Information about limitation of use:

Young people (under the age of 18) are not allowed to work with the product (Directive 2014/27/EU amending Council Directive 94/33/EC).

Waterhazard class:

It must be excluded that plant protection products reach ground water, water course or sewage system. Therefore, they have to be stored like substances which are classified as Water Hazard Class 3. (Consequently, it is not necessary to classify plant protection products into Water Hazard Classes and to mark them in this case.)

Other regulations, limitations and prohibitive regulations

Avoid any unnecessary contact with the product.

Any misuse may cause health problems.

The product is not covered by Annex 2 of the German Chemikalienverbotsverordnung (ChemVerbotsV).

(Contd. on page 12)



Printing date 29.08.2022

Version number 9 (replaces version 8)

Trade name: Kanemite® SC

(Contd. of page 11)

Revision: 29.08.2022

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This material safety data sheet was created in accordance with the Commission Regulation (EU) 2020/878 amending Regulation (EC) No 1907/2006.

Relevant phrases

| H301 | Toxic if swallowed. |
|--------|--|
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H335 | May cause respiratory irritation. |
| H370 | Causes damage to organs. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |

Department issuing SDS: Regulatory Affairs

Contact:

Cheminova Deutschland GmbH & Co. KG FMC Agricultural Solutions Stader Elbstraße 26 21683 Stade

Z 1003 Stade Germany

Tel: +49 (0) 4141 9204 0 Fax: +49 (0) 4141 9204 210

datenblatt@fmc.com www.fmcagro.de

Date of previous version: 18.07.2019 **Version number of previous version:** 8

Abbreviations and acronyms:

BCF: Bioconcentration Factor

log Pow: n-octanol/water-partition coefficient EC50: Effective concentration, 50 percent EFSA: European Food Safety Authority

OECD: Organisation for Economic Co-operation and Development

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Hazardous Substances)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3

(Contd. on page 13)

Page 13/13



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 9 (replaces version 8)

Trade name: Kanemite® SC

(Contd. of page 12)

Revision: 29.08.2022

Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

^{*} Data compared to the previous version altered.