

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** MOJANG® 600

#### Other means of identification

**Product code** 50000661

Product Registration Number : 15926 del 04 Febbraio 2014

Unique Formula Identifier : TSRY-K2PS-1N4C-FW2U  
(UFI)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Herbicide

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier Address

FMC Agro ITALIA S.r.l  
Via Fratelli Bronzetti 32/28  
24124 Bergamo  
Italy

Telephone: (+39) 035 199 04 468  
E-mail address: info.it@fmc.com  
SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Italy: +39 024527031 (CHEMTREC)  
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:  
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA Roma - Tel. 06 68593726  
CAV Az. Osp. Univ. Foggia - Tel. 800183459  
CAV Az. Osp. "A. Cardarelli" Napoli - Tel. 081 5453333  
CAV Policlinico "Umberto I" Roma - Tel. 06 49978000  
CAV Policlinico "A. Gemelli" Roma - Tel. 06 3054343  
CAV Az. Osp. "Careggi" U.O. Tossicologia Medica Firenze -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

Tel. 055 7947819  
CAV Centro Nazionale di Informazione Tossicologica Pavia -  
Tel. 0382 24444  
CAV Osp. Niguarda Ca' Granda Milano - Tel. 02 66101029  
CAV Azienda Ospedaliera Papa Giovanni XXIII Bergamo - Tel.  
800883300  
CAV Azienda Ospedaliera Integrata Verona - Tel. 800011858

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Sub-category 1A	H317: May cause an allergic skin reaction.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

#### Prevention:

P264 Wash hands thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ protective clothing/ eye protec-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

tion/ face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

### Storage:

P401 Store away from food or feed and beverages.

### Disposal:

P501 Dispose of contents and/or container in accordance with hazardous waste regulations.

### Hazardous components which must be listed on the label:

pethoxamide (ISO)

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified

calcium dodecylbenzenesulphonate

### Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pethoxamide (ISO)	106700-29-2	Acute Tox. 4; H302	>= 50 - < 70

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0      Revision Date: 24.04.2025      SDS Number: 50000661      Date of last issue: -  
Date of first issue: 24.04.2025

	616-145-00-3	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 <hr/> Acute toxicity estimate  Acute oral toxicity: 983 mg/kg	
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5 265-198-5 649-424-00-3	Asp. Tox. 1; H304 EUH066	>= 30 - < 50
Tristyrylphenol ethoxylates	99734-09-5	Aquatic Chronic 3; H412	>= 2,5 - < 10
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 4; H413 <hr/> Acute toxicity estimate  Acute oral toxicity: 1.300 mg/kg	>= 1 - < 3
2-ethylhexan-1-ol	104-76-7 203-234-3	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) <hr/> Acute toxicity estimate  Acute inhalation toxicity (dust/mist): 4,3 mg/l	>= 1 - < 10

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                            |   |
|----------------------------|---|
| General advice             | : Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance.<br>Symptoms of poisoning may appear several hours later.<br>Do not leave the victim unattended.   |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes.   |
| If inhaled                 | : Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact    | : If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.   |
| In case of eye contact     | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.        |
| If swallowed               | : Do NOT induce vomiting.<br>Rinse mouth with water.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>Take victim immediately to hospital.   |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |       |   |
|-------|---|
| Risks | : The product contains petroleum distillates, which may pose an aspiration pneumonia hazard.<br><br>Harmful if swallowed.<br>May be fatal if swallowed and enters airways.<br>Causes skin irritation.<br>May cause an allergic skin reaction.<br>Causes serious eye damage. |
|-------|---|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

---

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Carbon oxides  
Sulphur oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorinated compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

---

equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Prevent unauthorized access. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0      Revision Date: 24.04.2025      SDS Number: 50000661      Date of last issue: -  
Date of first issue: 24.04.2025

must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : Minimum storage temperature > 5°C, recommended >15°C  
No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
2-ethylhexan-1-ol	104-76-7	TWA	1 ppm 5,4 mg/m <sup>3</sup>	2017/164/EU
Further information: Indicative				
		TWA	1 ppm 5,4 mg/m <sup>3</sup>	IT OEL
		TWA	5 ppm	ACGIH

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
pethoxamide (ISO)			Systemic effects	0,02 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
pethoxamide (ISO)		0,29 µg/l



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: brown
Odour	: aromatic, hydrocarbon-like
Odour Threshold	: not determined
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: 102 °C Method: closed cup
Auto-ignition temperature	: No data available
Decomposition temperature	: not determined
pH	: 3,2 (20 °C) Concentration: 1 %

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

(as aqueous solution)

Viscosity  
Viscosity, dynamic : 28,3 mPa.s (20 °C)  
Viscosity, kinematic : 56 mm<sup>2</sup>/s (20 °C)  
6 rpm

Solubility(ies)  
Water solubility : No data available  
Solubility in other solvents : No data available  
Partition coefficient: n-octanol/water : Not available for this mixture.  
Vapour pressure : Not available for this mixture.  
Relative density : No data available  
Density : 1,06 g/cm<sup>3</sup> (20 °C)  
Relative vapour density : 1  
Particle characteristics  
Particle size : Not applicable  
Particle Size Distribution : Not applicable

### 9.2 Other information

Explosives : Not explosive  
Oxidizing properties : Non-oxidizing  
Flammability (liquids) : ignitable, Based on available information, the classification criteria for flammability hazard are not met.  
Self-ignition : 355 °C  
Evaporation rate : Not available for this mixture.  
Miscibility with water : emulsifiable

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Protect from frost, heat and sunlight.  
Heating of the product will produce harmful and irritant vapours.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Harmful if swallowed.

##### Product:

Acute oral toxicity : LD50 (Rat): 813 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402

##### Components:

##### **pethoxamide (ISO):**

Acute oral toxicity : LD50 (Rat, male): 983 mg/kg  
Method: US EPA Test Guideline OPP 81-1  
Symptoms: Tremors, Breathing difficulties  
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 4,16 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: US EPA Test Guideline OPP 81-3  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest attainable concentration.  
no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: US EPA Test Guideline OPP 81-2  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: no mortality

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4,688 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Tristyrylphenol ethoxylates:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

### 2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Causes skin irritation.

### Product:

Species : Rabbit  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

---

Result : Skin irritation

### Components:

#### **pethoxamide (ISO):**

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: US EPA Test Guideline OPP 81-5
Result	: slight irritation

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species	: Rabbit
Assessment	: Repeated exposure may cause skin dryness or cracking.
Result	: No skin irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from similar materials

#### **Tristyrylphenol ethoxylates:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

#### **calcium dodecylbenzenesulphonate:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

#### **2-ethylhexan-1-ol:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

#### **Serious eye damage/eye irritation**

Causes serious eye damage.

### Product:

Species	: Rabbit
Assessment	: Risk of serious damage to eyes.
Method	: OECD Test Guideline 405
Result	: Irreversible effects on the eye

### Components:

#### **pethoxamide (ISO):**

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: US EPA Test Guideline OPP 81-4

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

---

Result : slight irritation

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species	: Rabbit
Assessment	: No eye irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from similar materials

### **Tristyrylphenol ethoxylates:**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

### **calcium dodecylbenzenesulphonate:**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irreversible effects on the eye
Remarks	: Based on data from similar materials

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irreversible effects on the eye

### **2-ethylhexan-1-ol:**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritation to eyes, reversing within 21 days

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Product:**

Species	: Guinea pig
Assessment	: The product is a skin sensitiser, sub-category 1A.
Method	: OECD Test Guideline 406
Result	: May cause sensitisation by skin contact.

#### **Components:**

##### **pethoxamide (ISO):**

Exposure routes	: Dermal
Species	: Guinea pig
Method	: US EPA Test Guideline OPPTS 870.2600

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

Result : May cause sensitisation by skin contact.

Assessment : Harmful if swallowed.  
May cause an allergic skin reaction.

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Test Type : Maximisation Test  
Species : Guinea pig  
Result : Not a skin sensitizer.  
Remarks : Based on data from similar materials

### **calcium dodecylbenzenesulphonate:**

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Not a skin sensitizer.  
Remarks : Based on data from similar materials

### **Germ cell mutagenicity**

Not classified based on available information.

### **Product:**

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Components:**

#### **pethoxamide (ISO):**

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative  
  
Test Type: In Vivo Rat Liver DNA Repair Test  
Species: Rat  
Application Route: Oral  
Result: negative

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials  
  
Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

### **Tristyrylphenol ethoxylates:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Remarks: No data available

### calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Species: Rat (male and female)  
Application Route: Oral  
Exposure time: 90 d  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### 2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Product:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### Components:

#### pethoxamide (ISO):

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
LOAEL : 17 mg/kg bw/day  
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

---

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species	: Rat, male and female
Application Route	: inhalation (vapour)
Exposure time	: 12 month(s)
NOAEC	: 1,8 mg/l
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Not classifiable as a human carcinogen.
------------------------------	---

### **calcium dodecylbenzenesulphonate:**

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 720 d
NOAEL	: 250 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

### **2-ethylhexan-1-ol:**

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

### **Reproductive toxicity**

Not classified based on available information.

### **Product:**

Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity
------------------------------------	--

### **Components:**

#### **pethoxamide (ISO):**

Effects on fertility	: Test Type: Two-generation study Species: Rat General Toxicity - Parent: NOAEL: 14 mg/kg bw/day Fertility: NOAEL: 112 mg/kg bw/day Result: negative
----------------------	--

Effects on foetal development	: Test Type: Developmental toxicity study Species: Rat, female Application Route: Oral General Toxicity Maternal: NOAEL: 75 mg/kg bw/day Developmental Toxicity: NOAEL: 75 mg/kg bw/day
-------------------------------	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

---

Symptoms: Maternal effects  
Result: negative

Test Type: Developmental toxicity study  
Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 50 mg/kg bw/day  
Developmental Toxicity: NOEL: 50 mg/kg bw/day  
Symptoms: Maternal effects  
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

### **calcium dodecylbenzenesulphonate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 400 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Developmental Toxicity: NOAEL: 600 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **2-ethylhexan-1-ol:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 414  
Result: negative

### **STOT - single exposure**

Not classified based on available information.

### **Components:**

#### **pethoxamide (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

---

### 2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### pethoxamide (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

### Components:

#### pethoxamide (ISO):

Species : Rat  
LOAEL : 36.2 mg/kg bw/day  
Application Route : Oral - feed  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
Remarks : Effects are of limited toxicological significance.

### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female  
NOAEC : 0,9 - 1,8 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 12 Months

### calcium dodecylbenzenesulphonate:

Species : Rat, male and female  
NOAEL : 85 mg/kg  
LOAEL : 145 mg/kg  
Application Route : Oral  
Exposure time : 9 Months  
Remarks : Based on data from similar materials

Species : Rat, male  
LOAEL : 286 mg/kg  
Application Route : Skin contact  
Exposure time : 15 Days  
Remarks : Based on data from similar materials

Species : Rat, male and female  
NOAEL : 100 mg/kg bw/day  
LOAEL : 200 mg/kg bw/day  
Application Route : Oral - gavage  
Exposure time : 28 - 54 Days  
Method : OECD Test Guideline 422  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

---

### 2-ethylhexan-1-ol:

Species	:	Rat
	:	250 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Method	:	OECD Test Guideline 408

### Aspiration toxicity

Not classified based on available information.

### Product:

May be fatal if swallowed and enters airways.

Remarks : Based on data from a similar product.

### Components:

#### pethoxamide (ISO):

No aspiration toxicity classification

#### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Experience with human exposure

#### Components:

#### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

### Neurological effects

#### Components:

#### pethoxamide (ISO):

No neurotoxicity observed in animal studies

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

### Further information

#### Product:

Remarks : Solvents may degrease the skin.

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 17 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0,014 mg/l  
Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0,053 mg/l  
Exposure time: 7 d

Toxicity to soil dwelling organisms : LC50: 435 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: 169 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

LD50: 333 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

LD50: 1.450 mg/kg  
Species: Colinus virginianus (Bobwhite quail)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

---

### Components:

#### **pethoxamide (ISO):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203  NOEC (Oncorhynchus mykiss (rainbow trout)): 1,7 mg/l Exposure time: 96 h Method: OECD Test Guideline 203  LC50 (Lepomis macrochirus (Bluegill sunfish)): 6,6 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 20 - 25 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes  NOEC (Daphnia magna (Water flea)): 17 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,00195 mg/l Exposure time: 72 h  EbC50 (Lemna minor (duckweed)): 0,0079 mg/l Exposure time: 14 d GLP: yes  ErC50 (Lemna minor (duckweed)): 0,018 mg/l Exposure time: 14 d GLP: yes  ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,004 mg/l Exposure time: 120 h Test Type: static test  NOEC (Pseudokirchneriella subcapitata (green algae)): 0,0012 mg/l Exposure time: 120 h Test Type: static test
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to microorganisms	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 9,4 mg/l Exposure time: 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

Toxicity to fish (Chronic toxicity) : NOEC: 1,1 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2,8 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: 527 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217  
Remarks: No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50: 84.4 -120.5  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

LD50: > 200 µg/bee  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

LD50: ca. 1.500 - 2.100 mg/kg  
Species: Colinus virginianus (Bobwhite quail)  
Method: EPA OPP 71-1

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1,4 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677,9 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

Exposure time: 72 h  
Test Type: Growth inhibition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50: 0,89 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Tristyrylphenol ethoxylates:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 21 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to microorganisms :  
Remarks: No data available

### calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,65 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

NOEC: 1,18 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1.356 mg/kg  
Exposure time: 14 d  
Species: Colinus virginianus (Bobwhite quail)  
Method: OECD Test Guideline 223

### Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

### 2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3,2 mg/l  
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11,5 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l  
Exposure time: 72 h

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

### Components:

#### **pethoxamide (ISO):**

Biodegradability : Remarks: Not readily biodegradable.

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 58,6 %  
Exposure time: 28 d

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

---

Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

### Tristyrylphenol ethoxylates:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 8 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301

### calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301E

### 2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: No data is available on the product itself.

### Components:

#### pethoxamide (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,96 (20 °C)  
pH: 5

#### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,72  
Method: QSAR

### Tristyrylphenol ethoxylates:

Partition coefficient: n-octanol/water : Remarks: No data available

### calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 70,79  
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

---

### 2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

## 12.4 Mobility in soil

### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

### Components:

#### **pethoxamide (ISO):**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil :

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- |                        |   |
|------------------------|---|
| Product                | : The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company.                                    |
| Contaminated packaging | : Empty remaining contents.<br>Do not re-use empty containers.<br>Packaging that is not properly emptied must be disposed of as the unused product.<br>Empty containers should be taken to an approved waste handling site for recycling or disposal. |

### SECTION 14: Transport information

#### 14.1 UN number or ID number

- |      |           |
|------|-----------|
| ADN  | : UN 3082 |
| ADR  | : UN 3082 |
| RID  | : UN 3082 |
| IMDG | : UN 3082 |
| IATA | : UN 3082 |

#### 14.2 UN proper shipping name

- |      |  |
|------|--|
| ADN  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Pethoxamide, ALKYL(C3-C6)BENZENES) |
| ADR  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Pethoxamide, ALKYL(C3-C6)BENZENES) |
| RID  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Pethoxamide, ALKYL(C3-C6)BENZENES) |
| IMDG | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Pethoxamide, ALKYL(C3-C6)BENZENES) |
| IATA | : Environmentally hazardous substance, liquid, n.o.s.<br>(Pethoxamide, ALKYL(C3-C6)BENZENES) |

#### 14.3 Transport hazard class(es)

- |     | Class | Subsidiary risks |
|-----|-------|------------------|
| ADN | : 9   |                  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

---

**ADR** : 9

**RID** : 9

**IMDG** : 9

**IATA** : 9

### 14.4 Packing group

#### ADN

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

#### ADR

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

#### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

#### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS
---	----	-----------------------

34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home
----	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version 1.0	Revision Date: 24.04.2025	SDS Number: 50000661	Date of last issue: - Date of first issue: 24.04.2025
----------------	------------------------------	-------------------------	--

---

heating oils and gas oil blending streams), (d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Legislative Decree April 9, 2008, 81 (Implementation of Article 1 of the Law of 3 August 2007, n. 123, concerning the protection of health and safety in the workplace.) and subsequent amendments

Legislative Decree April 3, 2006, n. 152, (Environmental standards) and subsequent amendments

Legislative Decree February 6, 2009, 21 (Regulations for the execution of the provisions laid down in Regulation (EC) no. 648/2004 on detergents)

National authorization according to Reg. (EC) No. 1107/2009 of the European Parliament and of the Council of October 21, 2009 concerning the placing of plant protection products on the market: Ministry of Health Registration No. 15926 del 04 Febbraio 2014

### The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.
H413	: May cause long lasting harmful effects to aquatic life.
EUH066	: Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
2017/164/EU	: Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
IT OEL	: Italy. List of indicative limit values for professional exposure to chemical agents.
2017/164/EU / TWA	: Limit Value - eight hours
ACGIH / TWA	: 8-hour, time-weighted average
IT OEL / TWA	: 8 hour exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Acute Tox. 4	H302
Skin Irrit. 2	H315
Skin Sens. 1A	H317
Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## MOJANG® 600

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.04.2025	50000661	Date of first issue: 24.04.2025

---

© 2021-2025 FMC Corporation. All Rights Reserved.

IT / 6N