

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

SECTION 1. IDENTIFICATION

Product identifier

Product name SZ HERBICIDE

Other means of identification

Product code 50003043

Product Registration Number PCP #35367

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer

FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Inhalation) : Category 4

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Skin irritation : Category 2

Eye irritation : Category 2A

Respiratory sensitization : Sub-category 1A

Specific target organ toxicity : Category 1
- single exposure

Specific target organ toxicity : Category 2
- repeated exposure

GHS label elements

Hazard pictograms :

The image shows two GHS hazard pictograms side-by-side. The first is a red diamond with a black silhouette of a person with a star on their chest, representing 'Health' (H315). The second is a red diamond with a black exclamation mark, representing 'Environment' (H373).

Signal Word : DANGER

Hazard Statements : H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H370 Causes damage to organs.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version 1.0 Revision Date: 01/17/2025 SDS Number: 50003043 Date of last issue: 01/17/2025
Date of first issue: 01/17/2025

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Sulfentrazone	Sulfentrazone	122836-35-5	75
Palygorskite	palygorskite	12174-11-7	$\geq 5 - < 10$ *
toluene	Toluene	108-88-3	$\geq 1 - < 5$ *
sodium diisopropyl-naphthalenesulphonate	sodium diisopropyl-naphthalenesulphonate	1322-93-6	$\geq 1 - < 5$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
Call a physician or poison control center immediately.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version 1.0	Revision Date: 01/17/2025	SDS Number: 50003043	Date of last issue: 01/17/2025 Date of first issue: 01/17/2025
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

- If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
Causes serious eye irritation.
Harmful if inhaled.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Causes damage to organs.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version 1.0 Revision Date: 01/17/2025 SDS Number: 50003043 Date of last issue: 01/17/2025
Date of first issue: 01/17/2025

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Palygorskite	12174-11-7	TWAEV	1 fibres per cubic centimeter	CA QC OEL
toluene	108-88-3	TWA	50 ppm 188 mg/m ³	CA AB OEL
		TWA	20 ppm	CA BC OEL
		TWAEV	20 ppm	CA QC OEL
		TWA	20 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
toluene	108-88-3	Toluene	In blood	Prior to last shift of work-week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Form	: granules
Color	: brown
Odor	: musty
Odor Threshold	: No data available
pH	: 6.5 - 7.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version 1.0	Revision Date: 01/17/2025	SDS Number: 50003043	Date of last issue: 01/17/2025 Date of first issue: 01/17/2025
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

Relative density	:	No data available
Density	:	No data available
Bulk density	:	38 - 40 lb/scf
Solubility(ies)	:	
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	None reasonably foreseeable. No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Avoid extreme temperatures. Heat, flames and sparks.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity	: LD50 (Rat): 2,416 mg/kg
Acute inhalation toxicity	: Acute toxicity estimate: 2.16 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

Components:

Sulfentrazone:

Acute oral toxicity	: LD50 (Rat, female): 2,689 mg/kg Symptoms: ataxia, clonic convulsions, Fatality GLP: yes
Acute inhalation toxicity	: LC50 (Rat, male and female): > 4.13 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: EPA OPP 81 - 3 Symptoms: ataxia, Breathing difficulties GLP: yes Remarks: no mortality
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 2,000 mg/kg Method: EPA OPP 81-2 GLP: yes Assessment: The component/mixture is minimally toxic after single contact with skin.

Palygorskite:

Acute oral toxicity	: Assessment: Toxic effects cannot be excluded
Acute inhalation toxicity	: Assessment: Toxic effects cannot be excluded
Acute dermal toxicity	: Assessment: Toxic effects cannot be excluded

toluene:

Acute oral toxicity	: LD50 (Rat): 5,580 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male): 25.7 mg/l Exposure time: 4 h Test atmosphere: vapor

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

LC50 (Rat, female): 30 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : (Rabbit): 12,267 mg/kg

sodium diisopropylnaphthalenesulphonate:

Acute oral toxicity : LD50 (Rat, female): > 300 - 2,000 mg/kg
Method: OECD Test Guideline 423

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Result : Skin irritation

Components:

Sulfentrazone:

Species : Rabbit
Assessment : No skin irritation
Method : EPA OPP 81-5
Result : No skin irritation
GLP : yes

Palygorskite:

Remarks : No data available

toluene:

Species : Rabbit
Assessment : Repeated exposure may cause skin dryness or cracking.
Result : Skin irritation

sodium diisopropylnaphthalenesulphonate:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431
Result : Corrosive after 4 hours or less of exposure

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Components:

Sulfentrazone:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation
Method	:	EPA OPP 81-4
GLP	:	yes

toluene:

Species	:	Rabbit
Result	:	No eye irritation

sodium diisopropylnaphthalenesulphonate:

Species	:	Bovine cornea
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 437

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Product:

Result	:	Not a skin sensitizer.
--------	---	------------------------

Components:

Sulfentrazone:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

Palygorskite:

Remarks	:	No data available
---------	---	-------------------

toluene:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

sodium diisopropylnaphthalenesulphonate:

Test Type	:	Direct Peptide Reactivity Assay (DPRA)
Method	:	OECD Test Guideline 442C

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Sulfentrazone:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: Mouse lymphoma assay
Test system: mouse lymphoma cells
Metabolic activation: Metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

toluene:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
Species: Rat
Result: negative

sodium diisopropylnaphthalenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Components:

Sulfentrazone:

Species : Rat, male and female
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Species : Mouse, male and female
Application Route : Ingestion
Exposure time : 18 month(s)
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Sulfentrazone:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Parent: NOEL: 13.7 - 16.2 mg/kg bw/day
General Toxicity F1: NOEL: 13.7 - 16.2 mg/kg bw/day
Symptoms: Maternal effects.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOEL: 25 mg/kg bw/day
Developmental Toxicity: NOEL: 10 mg/kg bw/day
Method: EPA OPP 83-3

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 50 mg/kg bw/day
Developmental Toxicity: LOAEL F1: 25 mg/kg bw/day
Symptoms: Skeletal malformations.
Target Organs: spleen
Method: EPA OPP 83-3

toluene:

Effects on fetal development : Species: Rat
Application Route: Inhalation
Result: Teratogenic effects.
Remarks: Adverse developmental effects were observed

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

STOT-single exposure

Causes damage to organs.

Components:

Sulfentrazone:

Remarks : No significant adverse effects were reported

toluene:

Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Components:

Sulfentrazone:

Target Organs : hematopoietic system

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

toluene:

Routes of exposure : Inhalation

Target Organs : inner ear

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Sulfentrazone:

Species : Rat, male

NOAEL : 19.9 mg/kg

LOAEL : 65.8 mg/kg

Application Route : Oral - feed

Exposure time : 90-days

GLP : yes

Target Organs : hematopoietic system

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Species	: Mouse, male
NOAEL	: 60 mg/kg
LOAEL	: 108.4 mg/kg
Application Route	: Oral - feed
Exposure time	: 90-days
Target Organs	: hematopoietic system

Species	: Dog, male
NOAEL	: 10 mg/kg
LOAEL	: 28 mg/kg
Application Route	: Oral - feed
Exposure time	: 90-days
Target Organs	: hematopoietic system, Liver

toluene:

Species	: Rat
NOAEL	: 625 mg/kg
Application Route	: Oral
Symptoms	: central nervous system effects

Species	: Rat
NOAEL	: 0.098 mg/l
Application Route	: Inhalation
Test atmosphere	: vapor

Species	: Rat
LOAEL	: 2.261 mg/l
Application Route	: Inhalation
Test atmosphere	: vapor

sodium diisopropylnaphthalenesulphonate:

Remarks	: No data available
---------	---------------------

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Sulfentrazone:

The substance does not have properties associated with aspiration hazard potential.

toluene:

May be fatal if swallowed and enters airways.

Neurological effects

Components:

Sulfentrazone:

Neurotoxicity observed in animals studies

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sulfentrazone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: EPA OPP 72-1

LC50 (Lepomis macrochirus (Bluegill sunfish)): 93.8 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: EPA OPP 72-1

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 60.4 mg/l
Exposure time: 48 h
Test Type: flow-through test

NOEC (Daphnia magna (Water flea)): 14.1 mg/l
Exposure time: 48 h
Test Type: flow-through test

Toxicity to algae/aquatic plants : EC50 (algae): 32.8 mg/l
Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.031 mg/l
Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 0.0288 mg/l
Exposure time: 14 d

EC50 (Navicula pelliculosa (Diatom)): 0.042 mg/l
Exposure time: 120 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 5.9 mg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.51 mg/l
Exposure time: 21 d

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm
End point: Acute oral toxicity

NOEL (Anas platyrhynchos (Mallard duck)): 3,160 ppm
End point: Acute oral toxicity

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm
End point: Acute oral toxicity

NOEL (Colinus virginianus (Bobwhite quail)): 5,620 ppm
End point: Acute oral toxicity

NOEL (Colinus virginianus (Bobwhite quail)): > 100 ppm
End point: Reproduction Test

NOEL (Anas platyrhynchos (Mallard duck)): > 100 ppm
End point: Reproduction Test

LD50 (Apis mellifera (bees)): > 25 µg/bee
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee
End point: Acute contact toxicity

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Palygorskite:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

toluene:

Toxicity to fish : LC50 (Fish): 5.5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 3.78 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Skeletonema costatum (marine diatom)): 10 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus kisutch (coho salmon)): 1.4 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC (Ceriodaphnia sp.): 0.74 mg/l
Exposure time: 7 d

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

ic toxicity)

Toxicity to microorganisms : EC50 (Bacteria): 134 mg/l
Exposure time: 3 h

sodium diisopropylnaphthalenesulphonate:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 72 mg/l
aquatic invertebrates
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l
plants
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): 10 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Persistence and degradability

Components:

Sulfentrazone:

Biodegradability : Result: Not readily biodegradable.
Stability in water : Degradation half life (DT50): 2.22 - 9.56 h
Photodegradation : Remarks: Decomposes rapidly in contact with light.

toluene:

Biodegradability : Result: Readily biodegradable.

sodium diisopropylnaphthalenesulphonate:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.
Biodegradation: 2 %
Exposure time: 21 d
Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

Sulfentrazone:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
GLP: yes
Remarks: Low potential for bioaccumulation

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Partition coefficient: n-octanol/water : Pow: 9.8
pH: 7

toluene:

Bioaccumulation : Bioconcentration factor (BCF): 90

Partition coefficient: n-octanol/water : log Pow: 2.73 (20 °C)

sodium diisopropylnaphthalenesulphonate:

Partition coefficient: n-octanol/water : log Pow: > 2.6 (20 °C)

Mobility in soil

Components:

Sulfentrazone:

Mobility : Medium: Water
Remarks: Predicted distribution to environmental compartments

Distribution among environmental compartments : Koc: 43 ml/g, log Koc: 1.63
Remarks: Highly mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Sulfentrazone)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Sulfentrazone)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Sulfentrazone)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Sulfentrazone)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(Sulfentrazone)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : toluene

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AICS	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

PMRA/PCPA Information

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product

CAUTION

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Harmful if inhaled, Avoid breathing dust or spray mist., Causes eye irritation, Avoid contact with skin, eyes and clothing.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA EV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET

according to the Hazardous Products Regulations



SZ HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 01/17/2025
1.0	01/17/2025	50003043	Date of first issue: 01/17/2025

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet