

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

#### Other means of identification

**Product code** 50000675

Unique Formula Identifier (UFI) : TYSY-P2CA-AN49-QP7R

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Herbicide

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

#### 1.3 Manufacturer or supplier's details

**Supplier Address** FMC Agricultural Solutions A/S  
Thyborønvej 78  
DK-7673 Harboøre  
Denmark

Telephone: +45 9690 9690  
Telefax: +45 9690 9691  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:  
Denmark: +45 82 12 12 12

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### SECTION 2: Hazards identification




#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	  
Signal word	:	Warning
Hazard statements	:	H302 Harmful if swallowed. H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. <b>Response:</b> P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/ attention if you feel unwell. <b>Disposal:</b> P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

### Hazardous components which must be listed on the label:

pethoxamide (ISO)  
terbuthylazine (ISO)  
ethanediol  
calcium dodecylbenzenesulphonate

### Additional Labelling

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains pethoxamide (ISO), 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pethoxamide (ISO)	106700-29-2 616-145-00-3	Acute Tox. 4; H302 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100	>= 25 - < 30

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0      Revision Date: 23.10.2024      SDS Number: 50000675      Date of last issue: -  
Date of first issue: 23.10.2024

		M-Factor (Chronic aquatic toxicity): 100	
		Acute toxicity estimate	
		Acute oral toxicity: 983 mg/kg	
terbutylazine (ISO)	5915-41-3 227-637-9 613-323-00-2	Acute Tox. 4; H302 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
		Acute toxicity estimate	
		Acute oral toxicity: 1.000 mg/kg	
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5 265-198-5 649-424-00-3	Asp. Tox. 1; H304 EUH066	>= 10 - < 20
Tristyrylphenol ethoxylates	99734-09-5	Aquatic Chronic 3; H412	>= 2,5 - < 10
ethanediol	107-21-1 203-473-3 603-027-00-1	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney)	>= 1 - < 10
Alcohols, C9-11-iso-, C10-rich, ethoxylated	78330-20-8	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 1 - < 3
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 4; H413	>= 1 - < 3
		Acute toxicity estimate	
		Acute oral toxicity:	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0      Revision Date: 23.10.2024      SDS Number: 50000675      Date of last issue: -  
Date of first issue: 23.10.2024

naphthalene	91-20-3 202-049-5 601-052-00-2	1.300 mg/kg Flam. Sol. 2; H228 Acute Tox. 4; H302 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1  Acute toxicity estimate  Acute oral toxicity: 710 mg/kg	>= 0,1 - < 0,25
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 2; H330 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1  specific concentration limit Skin Sens. 1A; H317 >= 0,036 %  Acute toxicity estimate  Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0,21 mg/l	>= 0,0025 - < 0,025
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-	55965-84-9	Acute Tox. 3; H301 Acute Tox. 2; H330	<= 0,0002

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

methyI-2H-isothiazol-3-one (3:1)	613-167-00-5	<div>Acute Tox. 2; H310</div> <div>Skin Corr. 1C; H314</div> <div>Eye Dam. 1; H318</div> <div>Skin Sens. 1A; H317</div> <div>Aquatic Acute 1; H400</div> <div>Aquatic Chronic 1; H410</div> <div>EUH071</div> <div>M-Factor (Acute aquatic toxicity): 100</div> <div>M-Factor (Chronic aquatic toxicity): 100</div> <div>specific concentration limit</div> <div>Skin Corr. 1C; H314</div> <div>&gt;= 0,6 %</div> <div>Skin Irrit. 2; H315</div> <div>0,06 - &lt; 0,6 %</div> <div>Eye Irrit. 2; H319</div> <div>0,06 - &lt; 0,6 %</div> <div>Skin Sens. 1A; H317</div> <div>&gt;= 0,0015 %</div> <div>Eye Dam. 1; H318</div> <div>&gt;= 0,6 %</div> <div>Acute toxicity estimate</div> <div>Acute oral toxicity: 200 mg/kg</div> <div>Acute inhalation toxicity (dust/mist): 0,33 mg/l</div> <div>Acute dermal toxicity: 87 mg/kg</div>
----------------------------------	--------------	--

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

- |                            |   |   |
|----------------------------|---|---|
| Protection of first-aiders | : | Avoid inhalation, ingestion and contact with skin and eyes.   |
| If inhaled                 | : | Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact    | : | If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.   |
| In case of eye contact     | : | Immediately flush eye(s) with plenty of water.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.   |
| If swallowed               | : | Do NOT induce vomiting.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.  |

### 4.2 Most important symptoms and effects, both acute and delayed

- |       |   |   |
|-------|---|---|
| Risks | : | Harmful if swallowed.<br>Causes serious eye irritation.<br>May cause damage to organs through prolonged or repeated exposure. |
|-------|---|---|

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |   |
|-----------|---|---|
| Treatment | : | Treat symptomatically.<br>Immediate medical attention is required in case of ingestion. |
|-----------|---|---|

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                              |   |   |
|------------------------------|---|---|
| Suitable extinguishing media | : | Dry chemical, CO <sub>2</sub> , water spray or regular foam.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing     | : | Do not spread spilled material with high-pressure water   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

media  
streams.  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Fire may produce irritating, corrosive and/or toxic gases. Carbon oxides Sulphur oxides Nitrogen oxides (NOx) Hydrogen chloride Chlorinated compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters	: Firefighters should wear protective clothing and self-contained breathing apparatus.  Wear self-contained breathing apparatus for firefighting if necessary.
Specific extinguishing methods	: Remove undamaged containers from fire area if it is safe to do so. Use a water spray to cool fully closed containers.
Further information	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas. Use personal protective equipment. If it can be safely done, stop the leak. Do not touch or walk through the spilled material. Remove all sources of ignition. Ensure adequate ventilation. Never return spills in original containers for re-use. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
----------------------	--



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

---

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labelled containers.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Protect from frost and extreme heat.

Recommended storage temperature : > 0 - < 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanediol	107-21-1	TWA	20 ppm 52 mg/m <sup>3</sup>	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	40 ppm 104 mg/m <sup>3</sup>	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		GV	10 ppm 26 mg/m <sup>3</sup>	DK OEL
	Further information: Means that the substance can be absorbed through the skin., Guiding list of organic solvents.			
		GV (vaporized)	10 mg/m <sup>3</sup>	DK OEL
	Further information: Means that the substance can be absorbed through the skin., Guiding list of organic solvents.			
		S (vaporized)	20 mg/m <sup>3</sup>	DK OEL
	Further information: Means that the substance can be absorbed through the skin., Guiding list of organic solvents.			
		S	40 ppm 104 mg/m <sup>3</sup>	DK OEL
	Further information: Means that the substance can be absorbed through the skin., Guiding list of organic solvents.			
naphthalene	91-20-3	TWA	10 ppm 50 mg/m <sup>3</sup>	91/322/EEC
	Further information: Indicative			

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0      Revision Date: 23.10.2024      SDS Number: 50000675      Date of last issue: -  
Date of first issue: 23.10.2024

		GV	10 ppm 50 mg/m <sup>3</sup>	DK OEL
	Further information: Means that the substance is included in the list of substances considered carcinogenic.			
		S	20 ppm 100 mg/m <sup>3</sup>	DK OEL
	Further information: Means that the substance is included in the list of substances considered carcinogenic.			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
pethoxamide (ISO)			Systemic effects	0,02 mg/kg
ethanediol	Workers	Inhalation	Long-term local effects	35 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	106 mg/kg
	Consumers	Inhalation	Long-term local effects	7 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	53 mg/kg
naphthalene	Workers	Inhalation	Long-term systemic effects	25 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	25 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	3,57 mg/kg bw/day
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Workers	Inhalation	Long-term local effects	0,02 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	0,04 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	0,02 mg/m <sup>3</sup>
	Consumers	Inhalation	Acute local effects	0,04 mg/m <sup>3</sup>
	Consumers	Oral	Long-term systemic effects	0,09 mg/kg
	Consumers	Oral	Acute systemic effects	0,11 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
----------------	---------------------------	-------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0      Revision Date: 23.10.2024      SDS Number: 50000675      Date of last issue: -  
Date of first issue: 23.10.2024

pethoxamide (ISO)		0,29 µg/l
ethanediol	Fresh water	10 mg/l
	Marine water	1 mg/l
	Sewage treatment plant	199,5 mg/l
	Fresh water sediment	37 mg/kg dry weight (d.w.)
	Marine sediment	3,7 mg/kg dry weight (d.w.)
	Soil	1,53 mg/kg dry weight (d.w.)
naphthalene	Fresh water	0,0024 mg/l
	Intermittent use/release	0,020 mg/l
	Marine water	0,0024 mg/l
	Sewage treatment plant	2,9 mg/l
	Fresh water sediment	0,0672 mg/kg dry weight (d.w.)
	Marine sediment	0,0672 mg/kg dry weight (d.w.)
	Soil	0,0533 mg/kg dry weight (d.w.)
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Fresh water	0,00339 mg/l
	Intermittent use/release	0,00339 mg/l
	Marine water	0,00339 mg/l
	Sewage treatment plant	0,23 mg/l
	Fresh water sediment	0,027 mg/kg
	Marine sediment	0,027 mg/kg

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

#### Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: light brown, opaque
Odour	: aromatic
Odour Threshold	: not determined
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Upper explosion limit / Upper flammability limit	: Not available for this mixture.
Lower explosion limit / Lower flammability limit	: Not available for this mixture.
Flash point	: Not determined, but expected to be > 95°C
Auto-ignition temperature	: No data available
Decomposition temperature	: not determined
pH	: 5,02 Concentration: 1 % Based on data from a similar product.
Viscosity	
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Solubility(ies)	
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Relative density	: No data available
Density	: ca. 1,06 g/cm <sup>3</sup>
Relative vapour density	: Not available for this mixture.
Particle characteristics	
Particle size	: Not applicable
Particle Size Distribution	: Not applicable
Shape	: Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Self-ignition	:	No autoignition
Evaporation rate	:	not determined
Miscibility with water	:	dispersible
Molecular weight	:	Not applicable

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures  
Avoid formation of aerosol.  
Heat, flames and sparks.  
Heating of the product will produce harmful and irritant vapours.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity	:	LD50 (Rat): 300 - 2.000 mg/kg Method: OECD Test Guideline 420 Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity	:	LC50 (Rat): > 4,95 mg/l Exposure time: 4 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The component/mixture is minimally toxic after short term inhalation.  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The component/mixture is minimally toxic after single contact with skin.  
Remarks: Based on data from similar materials

### Components:

#### **pethoxamide (ISO):**

Acute oral toxicity : LD50 (Rat, male): 983 mg/kg  
Method: US EPA Test Guideline OPP 81-1  
Symptoms: Tremors, Breathing difficulties  
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 4,16 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: US EPA Test Guideline OPP 81-3  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest attainable concentration.  
no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: US EPA Test Guideline OPP 81-2  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: no mortality

#### **terbuthylazine (ISO):**

Acute oral toxicity : LD50 (Rat): 1.000 - 1.590 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Acute inhalation toxicity : LC50 (Rat): > 4,688 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Tristyrylphenol ethoxylates:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### ethanediol:

Acute inhalation toxicity : LC0 (Rat, male and female): > 2,5 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Remarks: no mortality

Acute dermal toxicity : LD50 (Mouse, male and female): > 3.500 mg/kg

### Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

### calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

### naphthalene:

Acute oral toxicity : LD50 (Mouse, female): 710 mg/kg



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male and female): > 0,4 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 16.000 mg/kg  
Method: OECD Test Guideline 402

### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg  
Method: OECD Test Guideline 401

Acute toxicity estimate: 450 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008  
Remarks: Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l  
Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008  
Remarks: Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity : LD50 Oral (Rat, female): 200 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat, male and female): 0,33 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit, male): 87 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### **Product:**

Method	: OECD Test Guideline 404
Result	: Moderate skin irritation
Remarks	: Based on data from similar materials Repeated exposure may cause skin dryness or cracking. Based on available data, the classification criteria are not met.

### **Components:**

#### **pethoxamide (ISO):**

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: US EPA Test Guideline OPP 81-5
Result	: slight irritation

#### **terbuthylazine (ISO):**

Result	: No skin irritation
Remarks	: Minimal effects that do not meet the threshold for classification.

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species	: Rabbit
Assessment	: Repeated exposure may cause skin dryness or cracking.
Result	: No skin irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from similar materials

#### **Tristyrylphenol ethoxylates:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

#### **ethanediol:**

Species	: Rabbit
Result	: No skin irritation

#### **Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

Species	: Rabbit
Exposure time	: 4 h
Assessment	: No skin irritation
Remarks	: Minimal effects that do not meet the threshold for classification.

#### **calcium dodecylbenzenesulphonate:**

Species	: Rabbit
---------	----------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Method : OECD Test Guideline 404  
Result : Skin irritation

### naphthalene:

Species : Rabbit  
Result : No skin irritation

### 1,2-benzisothiazol-3(2H)-one:

Species : Rabbit  
Exposure time : 72 h  
Method : OECD Test Guideline 404  
Result : No skin irritation

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Method : OECD Test Guideline 404  
Result : Corrosive after 1 to 4 hours of exposure

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Assessment : Irritating to eyes.  
Method : OECD Test Guideline 405  
Result : Mild eye irritant  
Remarks : Based on data from similar materials

#### Components:

##### pethoxamide (ISO):

Species : Rabbit  
Assessment : Not classified as irritant  
Method : US EPA Test Guideline OPP 81-4  
Result : slight irritation

##### terbuthylazine (ISO):

Result : No eye irritation  
Remarks : Minimal effects that do not meet the threshold for classification.

##### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rabbit  
Assessment : No eye irritation  
Remarks : Minimal effects that do not meet the threshold for classification.  
Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### Tristyrylphenol ethoxylates:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

### ethanediol:

Species	:	Rabbit
Result	:	No eye irritation

### Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Species	:	Rabbit
Method	:	Draize Test
Result	:	Irreversible effects on the eye

### calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye
Remarks	:	Based on data from similar materials

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye

### naphthalene:

Species	:	Rabbit
Result	:	No eye irritation

### 1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Result	:	Irreversible effects on the eye
--------	---	---------------------------------

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### Respiratory sensitisation

Not classified based on available information.

### Product:

Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from a similar product.

### Components:

#### **pethoxamide (ISO):**

Exposure routes	:	Dermal
Species	:	Guinea pig
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	May cause sensitisation by skin contact.

Assessment	:	Harmful if swallowed. May cause an allergic skin reaction.
------------	---	---

#### **terbuthylazine (ISO):**

Assessment	:	Not a skin sensitizer.
Remarks	:	Minimal effects that do not meet the threshold for classification.

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

#### **ethanediol:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

#### **Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

Result	:	Does not cause skin sensitisation.
--------	---	------------------------------------

#### **calcium dodecylbenzenesulphonate:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

#### **naphthalene:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.

### 1,2-benzisothiazol-3(2H)-one:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitisation by skin contact.

Species	: Guinea pig
Method	: FIFRA 81.06
Result	: May cause sensitisation by skin contact.

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Result	: The product is a skin sensitiser, sub-category 1A.

### Germ cell mutagenicity

Not classified based on available information.

#### Product:

Germ cell mutagenicity- Assessment	: Contains no ingredient listed as a mutagen
------------------------------------	--

#### Components:

##### pethoxamide (ISO):

Genotoxicity in vivo	: Test Type: Micronucleus test
	Species: Mouse
	Result: negative
	Test Type: In Vivo Rat Liver DNA Repair Test
	Species: Rat
	Application Route: Oral
	Result: negative

##### terbuthylazine (ISO):

Germ cell mutagenicity- Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	--

##### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Genotoxicity in vitro	: Test Type: reverse mutation assay
	Method: OECD Test Guideline 471
	Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

### Tristyrylphenol ethoxylates:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Remarks: No data available

### ethanediol:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OPPTS 870.5100  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Rat  
Application Route: Oral  
Result: negative

### Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : In vivo tests did not show mutagenic effects

### calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Species: Rat (male and female)  
Application Route: Oral  
Exposure time: 90 d  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### naphthalene:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Intraperitoneal injection Result: negative

### 1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro	:	Test Type: gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative  Test Type: Ames test Method: OECD Test Guideline 471 Result: negative  Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive
Genotoxicity in vivo	:	Test Type: unscheduled DNA synthesis assay Species: Rat (male) Cell type: Liver cells Application Route: Ingestion Exposure time: 4 h Method: OECD Test Guideline 486 Result: negative  Test Type: Micronucleus test Species: Mouse Application Route: Oral Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Product:

Carcinogenicity - Assessment	:	Contains no ingredient listed as a carcinogen
------------------------------	---	---



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### **Components:**

#### **pethoxamide (ISO):**

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
LOAEL	:	17 mg/kg bw/day
Result	:	negative

Carcinogenicity - Assessment	:	Animal testing did not show any carcinogenic effects.
------------------------------	---	---

#### **terbuthylazine (ISO):**

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
------------------------------	---	--

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species	:	Rat, male and female
Application Route	:	inhalation (vapour)
Exposure time	:	12 month(s)
NOAEC	:	1,8 mg/l
Result	:	negative
Remarks	:	Based on data from similar materials

Carcinogenicity - Assessment	:	Not classifiable as a human carcinogen.
------------------------------	---	---

#### **ethanediol:**

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	24 month(s)
Result	:	negative

#### **calcium dodecylbenzenesulphonate:**

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	720 d
NOAEL	:	250 mg/kg body weight
Result	:	negative
Remarks	:	Based on data from similar materials

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
------------------------------	---	--

#### **naphthalene:**

Species	:	Rat
Application Route	:	Inhalation
Exposure time	:	2 Years

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Result : positive

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

### Reproductive toxicity

Not classified based on available information.

### Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

### Components:

#### **pethoxamide (ISO):**

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
General Toxicity - Parent: NOAEL: 14 mg/kg bw/day  
Fertility: NOAEL: 112 mg/kg bw/day  
Result: negative

Effects on foetal development : Test Type: Developmental toxicity study  
Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 75 mg/kg bw/day  
Developmental Toxicity: NOAEL: 75 mg/kg bw/day  
Symptoms: Maternal effects  
Result: negative

Test Type: Developmental toxicity study  
Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 50 mg/kg bw/day  
Developmental Toxicity: NOEL: 50 mg/kg bw/day  
Symptoms: Maternal effects  
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

#### **terbuthylazine (ISO):**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

#### **Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

Effects on fertility : Species: Rat  
Application Route: Dermal  
General Toxicity - Parent: NOEL: 250 mg/kg body weight  
General Toxicity F1: NOEL: 250 mg/kg body weight

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Effects on foetal development : Species: Rat  
Application Route: Dermal  
General Toxicity Maternal: NOEL: 250 mg/kg body weight  
Teratogenicity: NOEL: 250 mg/kg body weight

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 400 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Developmental Toxicity: NOAEL: 600 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### naphthalene:

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Inhalation  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Method: OECD Test Guideline 414  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

### 1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters  
Method: OPPTS 870.3800

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **pethoxamide (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

#### Components:

##### **pethoxamide (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **terbuthylazine (ISO):**

Assessment : May cause damage to organs through prolonged or repeated exposure.

##### **ethanediol:**

Exposure routes : Oral  
Target Organs : Kidney  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

##### **Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### 1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **pethoxamide (ISO):**

Species : Rat  
LOAEL : 36.2 mg/kg bw/day  
Application Route : Oral - feed  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
Remarks : Effects are of limited toxicological significance.

##### **terbuthylazine (ISO):**

Species : Mouse  
NOEL : 2,97 mg/kg  
Application Route : Oral  
Exposure time : 2 yr

Species : Rat  
NOEL : 0,35 mg/kg  
Application Route : Oral  
Exposure time : 2 yr

Species : Dog  
NOEL : 0,4 mg/kg  
Application Route : Oral  
Exposure time : 1 yr

Species : Rat  
NOAEL : 2,1 mg/kg  
Exposure time : 90 Days  
Target Organs : No specific target organs noted

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rat, male and female  
NOAEC : 0,9 - 1,8 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 12 Months

##### **ethanediol:**

Species : Rat  
NOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 12 Months

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Species	: Dog
NOAEL	: > 2.200 - < 4.400 mg/kg
Application Route	: Dermal
Exposure time	: 4 Weeks
Method	: OECD Test Guideline 410

### Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Species	: Rat
NOAEL	: 80 mg/kg
Application Route	: Dermal
Exposure time	: 90 d

Species	: Rat
NOAEL	: 150 mg/kg
Application Route	: Oral
Exposure time	: 90 d

### calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
NOAEL	: 85 mg/kg
LOAEL	: 145 mg/kg
Application Route	: Oral
Exposure time	: 9 Months
Remarks	: Based on data from similar materials

Species	: Rat, male
LOAEL	: 286 mg/kg
Application Route	: Skin contact
Exposure time	: 15 Days
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 100 mg/kg bw/day
LOAEL	: 200 mg/kg bw/day
Application Route	: Oral - gavage
Exposure time	: 28 - 54 Days
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials

### 1,2-benzisothiazol-3(2H)-one:

Species	: Rat, male and female
NOAEL	: 15 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d
Method	: OECD Test Guideline 407
Symptoms	: Irritation

Species	: Rat, male and female
NOAEL	: 69 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Species	: Dog
NOAEL	: 22 mg/kg
Application Route	: Oral
Species	: Rat
NOAEL	: 16,3 - 24,7 mg/kg
Application Route	: Skin contact
Species	: Rat
NOAEL	: 2.36 mg/m <sup>3</sup>
Application Route	: Inhalation

### Aspiration toxicity

Not classified based on available information.

### Product:

No aspiration toxicity classification

Remarks : Based on data from a similar product.

### Components:

#### pethoxamide (ISO):

No aspiration toxicity classification

#### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Experience with human exposure

#### Components:

#### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

### Neurological effects

#### Components:

##### **pethoxamide (ISO):**

No neurotoxicity observed in animal studies

### Further information

#### Product:

Remarks : No data available

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 6,4 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40,2 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0,168 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

EC50 (Lemna gibba (duckweed)): 0,147 mg/l  
Exposure time: 7 d  
Remarks: Based on data from similar materials



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Toxicity to soil dwelling organisms	:	LC50: 320 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Remarks: Based on data from similar materials
Toxicity to terrestrial organisms	:	LC50: > 200 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees) Remarks: Information given is based on data obtained from similar product.  LC50: > 200 µg/bee Exposure time: 48 h Species: Apis mellifera (bees) Remarks: Information given is based on data obtained from similar product.

### Components:

#### **pethoxamide (ISO):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203  NOEC (Oncorhynchus mykiss (rainbow trout)): 1,7 mg/l Exposure time: 96 h Method: OECD Test Guideline 203  LC50 (Lepomis macrochirus (Bluegill sunfish)): 6,6 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 20 - 25 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes  NOEC (Daphnia magna (Water flea)): 17 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,00195 mg/l Exposure time: 72 h  EbC50 (Lemna minor (duckweed)): 0,0079 mg/l Exposure time: 14 d GLP: yes  ErC50 (Lemna minor (duckweed)): 0,018 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Exposure time: 14 d  
GLP: yes

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,004 mg/l  
Exposure time: 120 h  
Test Type: static test

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,0012 mg/l  
Exposure time: 120 h  
Test Type: static test

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 9,4 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC: 1,1 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2,8 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: 527 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217  
Remarks: No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50: 84.4 -120.5  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

LD50: > 200 µg/bee  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

LD50: ca. 1.500 - 2.100 mg/kg  
Species: *Colinus virginianus* (Bobwhite quail)  
Method: EPA OPP 71-1

### terbuthylazine (ISO):

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 2,2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : LC50 (*Daphnia* (water flea)): 69,3 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (*Pseudokirchneriella subcapitata* (algae)): 0,012 mg/l  
plants Exposure time: 72 h

EC50 (*Lemna gibba* (gibbous duckweed)): 0,0128 mg/l  
Exposure time: 14 d

EC50 (*Microcystis aeruginosa* (blue-green algae)): 0,102 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic tox- : 10  
icity)

Toxicity to fish (Chronic tox- : NOEC: 0,09 mg/l  
icity) Exposure time: 21 d  
Species: *Oncorhynchus mykiss* (rainbow trout)

Toxicity to daphnia and other : NOEC: 0,019 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity) Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic : 10  
toxicity)

Toxicity to soil dwelling or- : LC50: > 141,7 mg/kg  
ganisms Exposure time: 14 d  
Species: *Eisenia fetida* (earthworms)

Toxicity to terrestrial organ- : LD50: 1.236 mg/kg  
isms Species: *Colinus virginianus* (Bobwhite quail)

LD50: > 22,6 µg/bee  
End point: Acute oral toxicity  
Species: *Apis mellifera* (bees)

LD50: > 32 µg/bee  
End point: Acute contact toxicity  
Species: *Apis mellifera* (bees)

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1,4 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677,9 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50: 0,89 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Tristyrylphenol ethoxylates:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 21 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to microorganisms :  
Remarks: No data available

### ethanediol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 72.860 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (green algae)): 10.940 mg/l  
Exposure time: 96 h

Toxicity to microorganisms : (activated sludge): > 1.995 mg/l  
Exposure time: 30 min  
Method: ISO 8192

Toxicity to fish (Chronic toxicity) : 1.500 mg/l  
Exposure time: 28 d  
Species: Menidia peninsulæ (tidewater silverside)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 33.911 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8,5 mg/l  
Exposure time: 96 h

### calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,65 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

NOEC: 1,18 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

Toxicity to soil dwelling or- : LC50: 1.000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

ganisms  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1.356 mg/kg  
Exposure time: 14 d  
Species: Colinus virginianus (Bobwhite quail)  
Method: OECD Test Guideline 223

### Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

### naphthalene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,16 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 0,4 - 0,5 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : IC50 (Bacteria): 29 mg/l  
Exposure time: 24 h

Toxicity to fish (Chronic toxicity) : NOEC: 0,37 mg/l  
Exposure time: 40 d  
Species: Oncorhynchus kisutch (coho salmon)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,59 mg/l  
Exposure time: 125 d  
Species: Daphnia pulex (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,19 mg/l  
Exposure time: 96 h  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,16 mg/l  
Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 0,1 mg/l  
Exposure time: 21 d

EC50 (Daphnia magna (Water flea)): 0,18 mg/l  
Exposure time: 21 d

Toxicity to algae/aquatic plants : NOEC (Skeletonema costatum (marine diatom)): 0,00049 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

NOEC (Skeletonema costatum (marine diatom)): 0,019 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Skeletonema costatum (marine diatom)): 0,037 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : NOEC (activated sludge): 0,91 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: yes

EC50 (activated sludge): 4,5 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC: 0,02 mg/l  
Exposure time: 35 d  
Species: Danio rerio (zebra fish)  
Method: OECD Test Guideline 210  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,1 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

Chronic Toxicity Value: 0,18 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

#### Components:

##### **pethoxamide (ISO):**

Biodegradability : Remarks: Not readily biodegradable.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### terbuthylazine (ISO):

Biodegradability : Remarks: Not readily biodegradable.

### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 58,6 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

### Tristyrylphenol ethoxylates:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 8 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301

### ethanediol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 - 100 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301A

### Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Biodegradability : Result: Readily biodegradable.

### calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301E

### naphthalene:

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 67 %  
Exposure time: 12 d

### 1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Biodegradability : Result: Readily biodegradable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### 12.3 Bioaccumulative potential

#### **Product:**

Bioaccumulation : Remarks: No data is available on the product itself.

#### **Components:**

##### **pethoxamide (ISO):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,96 (20 °C)  
pH: 5

##### **terbuthylazine (ISO):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,4 (25 °C)

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,72  
Method: QSAR

##### **Tristyrylphenol ethoxylates:**

Partition coefficient: n-octanol/water : Remarks: No data available

##### **ethanediol:**

Partition coefficient: n-octanol/water : log Pow: -1,36

##### **calcium dodecylbenzenesulphonate:**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 70,79  
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

##### **naphthalene:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 168

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Partition coefficient: n-octanol/water : log Pow: 3,7

### 1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305  
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)  
pH: 7

log Pow: 0,99 (20 °C)  
pH: 5

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Bioaccumulation : Exposure time: 28 d  
Bioconcentration factor (BCF): < 54  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : Pow: 0,75

## 12.4 Mobility in soil

### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

### Components:

#### **pethoxamide (ISO):**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil :

#### **terbuthylazine (ISO):**

Distribution among environmental compartments : Remarks: immobile

Stability in soil :

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

mental compartments

solids. Moderately volatile.

### 1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97  
Method: OECD Test Guideline 121  
Remarks: Highly mobile in soils

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as the unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

#### 14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES)
IATA	:	Environmentally hazardous substance, liquid, n.o.s. (Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES)

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

#### 14.4 Packing group

ADN		
Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9
ADR		
Packing group	:	III
Classification Code	:	M6

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	naphthalene
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS
	34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

#### Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The substance/mixture is subject to the provisions of BEK nr. 1795 of 18/12/2015 (as amended) "Executive order on Measures to Protect Workers from the Risks related to Exposure to Carcinogenic Substances and Materials at Work". The work with this substance/mixture may pose a cancer risk.

: Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified naphthalene

### The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  106700-29-2 Ethanol, 2,2',2''-nitrilotris-, compd. with .alpha.-[2,4,6-tris(1-phenylethyl)phenyl]-.omega.-hydroxypoly(oxy-1,2-ethanediyl) phosphate terbuthylazine (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

### SECTION 16: Other information

#### Full text of H-Statements

H228	: Flammable solid.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H310	: Fatal in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H351	: Suspected of causing cancer.
H373	: May cause damage to organs through prolonged or repeated exposure.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.
H413	: May cause long lasting harmful effects to aquatic life.
EUH066	: Repeated exposure may cause skin dryness or cracking.
EUH071	: Corrosive to the respiratory tract.

#### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage
Flam. Sol.	: Flammable solids
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
91/322/EEC	: Europe. Commission Directive 91/322/EEC on establishing indicative limit values
DK OEL	: Denmark. Occupational Exposure Limits
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
91/322/EEC / TWA	: Limit Value - eight hours
DK OEL / S	: Exposure period of 15 minutes
DK OEL / GV	: Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Acute Tox. 4	H302
Eye Irrit. 2	H319
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## 2729, PETHOXAMID 300 g/l + TERBUTHYLAZINE 187.5 g/l SE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

---

disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

DK / 6N