SAFETY DATA SHEET

Foly-ZnMn

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: NP-0046-2-A

Revision date: 2019-12-09

Format: EU Version 1.02

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0046-2-A

Product Name Foly-ZnMn

Contains GARANTI EDILEN ZENGIN SEKLI

Içerik (% W / V) Çinko (ZnO) = 43.75 Manganez (Mn) = 25.0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A micronutrient suspension concentrate for use in agriculture

Restrictions on useUse as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Manufacturer FMC Agro Limited

Rectors Lane
Pentre
Flintshire
CH5 2DH
United Kingdom
Tel: + 44 1244 537370
E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point E-Mail: SDS-Info@fmc.com

Phone: +1 215-299-6000 (General Information)

1.4. Emergency telephone number

Emergency telephone Medical emergencies:

Austria: +43 1 406 43 43 Belgium: +32 70 245 245 Bulgaria: +359 2 9154 409

Cyprus: 1401

Czech Republic: +420 224 919 293, +420 224 915 402

Denmark: +45 82 12 12 12 France: +33 (0) 1 45 42 59 59 Finland: +358 9 471 977 Greece: 30 210 77 93 777 Hungary: +36 80 20 11 99

Ireland (Republic): +352 1 809 2166

Italy: +39 02 6610 1029

Lithuania: +370 523 62052, +370 687 53378

Luxembourg: +352 8002 5500

Page 1/10

Version 1.02

Netherlands: +31 30 274 88 88

Norway: +47 22 591300

Poland: +48 22 619 66 54, +48 22 619 08 97

Portugal: 800 250 250 (in Portugal only), +351 21 330 3284

Romania: +40 21318 3606 Slovakia: +421 2 54 77 4 166 Slovenia: +386 41 650 500 Spain: +34 91 562 04 20 Sweden: +46 08-331231112

Switzerland: 145

United Kingdom: 0870 600 6266 (in the UK only)

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Chronic aquatic toxicity Category 2

2.2. Label elements

Hazard pictograms



Signal Word None

Hazard Statements

H411 - Toxic to aquatic life with long lasting effects

EUH208: Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Precautionary Statements

P273 - Avoid release to the environment

P391 - Collect spillage

P501 - Dispose of contents/ container to an approved waste disposal plant in accordance with local, regional, and national regulations.

2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

3.2 Mixtures

Chemical name	EC-No	CAS-No	Weight Classification according to Percent Regulation (EC) No. 1272/2008		REACH registration number	
Zinc oxide	215-222-5	1314-13-2	10-30	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119463881-32- XXXX	
ethane-1,2-diol	203-473-3	107-21-1	1-10	Acute Tox. 4 (H302)	01-2119456816-28-	

Version 1.02

		STOT RE 2: (H373)	XXXX

Additional Information

Contains 1,2-Benzisothiazolin-3-one (CAS number 2634-33-5) at a level below the concentration limit for classification of the mixture as sensitising.

For the full text of the H- and EUH- phrases mentioned in this Section, see Section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water. Call a poison control centre or doctor

for treatment advice.

Inhalation Remove person from exposure ensuring one's own safety while doing so.

Ingestion Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

May cause an allergic reaction in individuals already sensitised to

1,2-Benzisothiazolin-3-one.

Skin contact: May see mild irritation at the site of contact.

Eye contact: Possible irritation and redness.

Ingestion: Possible irritation of the throat.

Inhalation: May experience irritation of the throat with a feeling of tightness in the chest.

Delayed/Immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Toxic fumes may be released in fire situations.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Wear protective clothing to prevent contact with skin and eyes. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

Version 1.02

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

For personal protection see section 8. Isolate and post spill area. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Stop leak if you can do it without risk. In the case of large spills (1 ton or more), alert the appropriate authorities.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for Containment Surface drains within close vicinity of the spill should be covered. Contain and collect

spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see

Section 13).

Pick up and transfer to properly labelled containers. Methods for cleaning up

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Protect from freezing. Store above 5°C. Store in a well-ventilated place. Keep cool. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)

See subsection 1.2. Relevant identified uses of the substance or mixture and uses advised against.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
Zinc oxide	-	-	TWA 5 mg/m ³	TWA 2 mg/m ³	-

Version 1.02

1314-13-2			TWA 10 mg/m ³	STEL 10 mg/m ³	
ethane-1,2-diol 107-21-1	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ S*	STEL 40 ppm STEL 104 mg/m ³ STEL 30 mg/m ³ TWA 10 mg/m ³ TWA 20 ppm TWA 52 mg/m ³ Skin	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ P*	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ S*	-
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
Zinc oxide 1314-13-2	-	TWA 2 mg/m ³ STEL 10 mg/m ³	-	TWA 2 mg/m ³ STEL 10 mg/m ³	TWA 4 mg/m ³
ethane-1,2-diol 107-21-1	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ Pelle*	TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ Ceiling 100 mg/m ³ C(A4) P*	Huid* STEL 104 mg/m³ TWA 52 mg/m³ TWA 10 mg/m³	TWA 20 ppm TWA 50 mg/m ³ STEL 40 ppm STEL 100 mg/m ³ iho*	TWA 10 ppm TWA 26 mg/m ³ TWA 10 mg/m ³ H*
Chemical name Austria		Switzerland	Poland	Norway	Ireland
Zinc oxide 1314-13-2	TWA 5 mg/m ³	TWA 3 mg/m ³ STEL 3 mg/m ³	TWA 5 mg/m ³ STEL 10 mg/m ³	TWA 5 mg/m ³ STEL 10 mg/m ³	TWA 2 mg/m ³ STEL 10 mg/m ³
ethane-1,2-diol 107-21-1	H* STEL 20 ppm STEL 52 mg/m ³ TWA 10 ppm TWA 26 mg/m ³	SS-C** H* TWA 10 ppm TWA 26 mg/m ³ STEL 20 ppm STEL 52 mg/m ³	TWA 15 mg/m ³ STEL 50 mg/m ³	TWA 20 ppm TWA 52 mg/m ³ S* STEL 104 mg/m ³ STEL 40 ppm	TWA 10 mg/m ³ TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 30 mg/m ³ STEL 104 mg/m ³ Skin

Derived No Effect Level (DNEL)No information available.

Predicted No Effect Concentration

No information available.

(PNEC)

8.2. Exposure controls

Engineering measuresThe floor of the storage room must be impermeable to prevent the escape of liquids.

Personal protective equipment

Eye/Face Protection Safety Glasses. Maintain eye wash fountain and quick-drench facilities in work area.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory Protection Not required under normal use.

Environmental exposure controls Refer to specific Member State legislation for requirements under Community

environmental legislation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid Appearance Liquid

Odour Barely perceptible
Colour Light brown

Odour threshold No information available

pH 8.5 - 9.5

Melting point/freezing pointNo information availableBoiling point/boiling rangeNo information availableFlash pointNo information availableEvaporation RateNo information available

Version 1.02

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit:
Lower flammability limit
Vapour pressure
Vapour density

No information available
No information available
No information available
No information available

Specific gravity 1.75 - 1.80

Water solubility Dispersible in water Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available No information available **Decomposition temperature** Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidising properties** Non-oxidizing (by EC criteria)

9.2. Other information

Softening point
Molecular weight
VOC content (%)
Density
Bulk density
No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under recommended storage conditions

10.2. Chemical stability

Stable under recommended storage conditions.

Explosion data

Sensitivity to Mechanical Impact No information available. **Sensitivity to Static Discharge** No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation

Hazardous polymerization does not occur.

Hazardous reactions

None under normal processing. Decomposition can occur on exposure to heat or moisture.

10.4. Conditions to avoid

Excessive heat.

10.5. Incompatible materials

Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Version 1.02

Acute toxicity

Product Information

.

LD50 Oral > 4000 (rat) (Calculated Estimated Acute Toxicity - EAT)

Skin corrosion/irritation Serious eye damage/eye irritation

Sensitisation Mutagenicity Carcinogenicity No information available. No information available. No information available No information available. No information available.

Reproductive toxicity STOT - single exposure STOT - repeated exposure Symptoms No information available. No information available. No information available.

Skin contact: May see mild irritation at the site of contact.

Eye contact: Possible irritation and redness.

Ingestion: Possible irritation of the throat.

Inhalation: May experience irritation of the throat with a feeling of tightness in the chest.

Delayed/Immediate effects: Immediate effects can be expected after short-term exposure.

May cause an allergic reaction in individuals already sensitised to

1,2-Benzisothiazolin-3-one.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The ecotoxicity of the product is measured as:

ZEBRAFISH (Brachydanio rerio): 96H LC50 = 7.29 (calculated) mg/L DAPHNIDS (Daphnia magna): 48H EC50 = 15.3 (calculated) mg/L

ALGAE (Pseudokirchneriella subcapitata): 72H IC50 = 0.690 (calculated) mg/L

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

Version 1.02

Mobility

No information available.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Toxic to aquatic organisms

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not

discharge to sewer systems.

Contaminated Packaging Clean container with water. Dispose of in accordance with local regulations. Dispose of

rinse water in accordance with local and national guidelines.

EWC Waste Disposal No 02 01 08

OTHER INFORMATION NOTE: The user's attention is drawn to the possible existence of specific European,

national or local regulations regarding disposal.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s (Zinc oxide)

14.3 Hazard class914.4 Packing GroupIII14.5 Marine PollutantYesEnvironmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E

Transport category: 3

14.7 Transport in bulk according to This product is not transported in bulk containers.

Annex II of MARPOL and the IBC

Code

RID

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Çevre açisindan tehlikeli madde, sivi, n.o.s. (Çinko oksit)

14.3 Hazard class 9
14.4 Packing Group III
14.5 Environmental Hazard Yes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ADR/RID

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Çevre açisindan tehlikeli madde, sivi, n.o.s. (Çinko oksit)

14.3 Hazard class 9
14.4 Packing Group III

NP-0046-2-A Foly-ZnMn

SDS #: NP-0046-2-A **Revision date**: 2019-12-09

Version 1.02

14.5 Environmental Hazard Yes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

ICAO/IATA

14.1 UN/ID no UN3082

14.2 Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s (Zinc oxide)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions No special precautions.

Tunnel code: E Transport category: 3

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not Applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Zinc oxide 1314-13-2	Х	Х	Х	X	Х	X	Х	Χ
ethane-1,2-diol 107-21-1	Х	Х	Х	Х	Х	Х	Х	Х

15.2. Chemical safety assessment

A Chemical Safety Assessment has not yet been completed for this substance

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under sections 2 and 3

EUH208 - May produce an allergic reaction

H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Version 1.02

<u>Legend</u>

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

DNEL: Derived No Effect Level (DNEL)

EINECS: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)

IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods (IMDG)

LC50: LC50 (lethal concentration)

LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

SVHC: Substances of Very High Concern for Authorisation:

TWA: time weighted average

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for data

Data measured on the product are unpublished company data. Data on ingredients are available from published literature and can be found several places.

Revision date: 2019-12-09

Reason for revision: Format Change.

Training Advice This material should only be used by persons who are made aware of its hazardous

properties and have been instructed in the required safety precautions.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. .

Prepared By

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2019 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet