

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ELEVEST™ INSECT CONTROL

Other means of identification : VKM32 INSECT CONTROL
PRESIPEL

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 Walnut Street
Philadelphia PA 19104
USA

Telephone : 1 215 / 299-6000 (Corporate office in USA)

E-mail address : SDS-Info@fmc.com

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical Emergency Number : All other countries: +1 651 / 632-6793 (Collect)

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Specific target organ toxicity - repeated exposure : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version 1.1 Revision Date: 15.04.2024 SDS Number: 50000153 Date of last issue: 21.03.2022
Date of first issue: 21.03.2022

- Hazard pictograms :
- Signal Word : Danger
- Hazard Statements : H302 Harmful if swallowed.
H333 May be harmful if inhaled.
H372 Causes damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
Response:
P301 + P317 + P330 IF SWALLOWED: Get medical help.
Rinse mouth.
P304 + P317 IF INHALED: Get medical help.
P319 Get medical help if you feel unwell.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Bifenthrin	82657-04-3	≥ 10 - < 20
Chlorantraniliprole	500008-45-7	≥ 2.5 - < 10
D-Glucopyranose, oligomeric, C9-11-alkyl glycosides	132778-08-6	≥ 3 - < 10
ammonium sulphate	7783-20-2	≥ 2.5 - < 10

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

- | | |
|---|---|
| If inhaled | : Move to fresh air.
Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice. |
| In case of skin contact | : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with plenty of water for at least 15 minutes.
Get medical attention if irritation develops and persists. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : The product contains a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.
Exposure may result in neurotoxicity with symptoms including tremors, impaired gait, and excessive salivation. Tremors may disappear with continued exposure.
Harmful if swallowed.
May be harmful if inhaled.
Causes damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| Notes to physician | : Treat symptomatically.
It may be helpful to show this safety data sheet to physician. |

5. FIRE-FIGHTING MEASURES

- | | |
|------------------------------|---|
| Suitable extinguishing media | : Dry chemical
Carbon dioxide (CO2)
Water spray
Foam |
|------------------------------|---|

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

- | | | |
|--|---|---|
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Thermal decomposition can lead to release of irritating gases and vapors.
Chlorine compounds
Carbon oxides
Nitrogen oxides (NOx)
Bromine compounds |
| Specific extinguishing methods | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | Firefighters should wear protective clothing and self-contained breathing apparatus. |

6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Use personal protective equipment.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13. |
| Environmental precautions | : | Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal. |

7. HANDLING AND STORAGE

- | | | |
|---|---|--|
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
| Advice on safe handling | : | Avoid formation of aerosol.
Do not breathe vapors/dust.
For personal protection see section 8. |

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Hygiene measures : When using do not eat or drink.
When using do not smoke.

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: liquid
Color	: white
Odor	: neutral
Odor Threshold	: not determined
pH	: 5.6 (20.8 °C) (1% solution in water)
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Flash point	: > 100 °C
Evaporation rate	: not determined
Flammability (liquids)	: Not classified as a flammability hazard
Self-ignition	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapor pressure	: Not available for this mixture.
Relative vapor density	: not determined
Relative density	: not determined
Density	: 1.11 g/cm ³ (20 °C)
Bulk density	: No data available

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Solubility(ies)	
Water solubility	: dispersible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Autoignition temperature	: No data available
Decomposition temperature	: not determined
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: 158.8 mm ² /s (21.6 °C)
	151.2 mm ² /s (42 °C)
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Particle size	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Avoid extreme temperatures. Protect from frost, heat and sunlight. Heat, flames and sparks.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Skin contact Inhalation
--	------------------------------

Acute toxicity

Harmful if swallowed.

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

May be harmful if inhaled.

Product:

Acute oral toxicity	:	LD50(Rat, female): 1,098 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	:	LC50(Rat, male and female): > 2.14 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The component/mixture is minimally toxic after short term inhalation.
Acute dermal toxicity	:	LD50(Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402

Components:

Bifenthrin:

Acute oral toxicity	:	LD50 (Rat, male and female): 56.7 mg/kg Symptoms: Convulsions, Tremors, ataxia LD50 (Mouse, female): 42.5 mg/kg Method: OPPTS 870.1100
Acute inhalation toxicity	:	LC50 (Rat, female): 0.6 - 1.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: Tremors, Convulsions LC50 (Rat, male): 1.10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: Tremors, Fatality
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Remarks: no mortality

Chlorantraniliprole:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Remarks: Information source: Internal study report
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Assessment: The substance or mixture has no acute inhalation toxicity

Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Information source: Internal study report

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

ammonium sulphate:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 423

LD50 (Rat): 4,250 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male): 0.0035 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 433

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 434

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight irritation

Components:

Bifenthrin:

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight or no skin irritation.
GLP : yes

Chlorantraniliprole:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Remarks : Information source: Internal study report

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Species	: Rabbit
Result	: slight irritation

ammonium sulphate:

Species	: Rabbit
Exposure time	: 20 h
Method	: Draize Test
Result	: slight irritation

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: slight irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

Components:

Bifenthrin:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Slight or no eye irritation
GLP	: yes

Chlorantraniliprole:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes
Remarks	: Information source: Internal study report

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Method	: in vitro eye irritation test
Result	: Irreversible effects on the eye

ammonium sulphate:

Species	: Rabbit
Result	: slight irritation

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: Not a skin sensitizer.

Components:

Bifenthrin:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitization by skin contact.
GLP	: yes

Chlorantraniliprole:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes
Remarks	: Information source: Internal study report

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

ammonium sulphate:

Test Type	: Maximization Type
Routes of exposure	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity - Assessment	: Contains no ingredient listed as a mutagen
-------------------------------------	--

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Components:

Bifenthrin:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Mouse lymphoma assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Sex-linked Recessive Lethal Test
Species: Drosophila melanogaster (vinegar fly)
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Method: OECD Test Guideline 486
Result: negative

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

ammonium sulphate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male)
Application Route: Intraperitoneal injection
Exposure time: 4 d
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Bifenthrin:

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 3 mg/kg bw/day
Result : negative

Species : Mouse, male
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 7.6 mg/kg bw/day
Result : positive
Symptoms : malignant tumors

Chlorantraniliprole:

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 805 - 1,076 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 158 - 1,155 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

ammonium sulphate:

Species : Rat, male
Application Route : Oral
Exposure time : 2 y
Dose : 564, 1288 mg/kg food
Method : OECD Test Guideline 453
Result : negative

Species : Rat, female
Application Route : Oral
Exposure time : 2 y
Dose : 649, 1371 mg/kg food
Method : OECD Test Guideline 453
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

Components:

Bifenthrin:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 3 mg/kg bw/day
General Toxicity F1: NOAEL: 5 mg/kg bw/day
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 2.7 mg/kg bw/day
Teratogenicity: NOAEL: 2.7 mg/kg bw/day
Symptoms: Maternal effects.
Result: No teratogenic effects.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 1 mg/kg bw/day
Teratogenicity: NOAEL: 2 mg/kg bw/day
Result: No teratogenic effects.

Species: Rat
Application Route: Oral

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

General Toxicity Maternal: LOAEL: 7.2 mg/kg bw/day
Developmental Toxicity: LOAEL: 7.2 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 9.0 mg/kg bw/day
Method: OECD Test Guideline 426
Result: Animal testing did not show any effects on fertility.,
Some evidence of adverse effects on development, based on
animal experiments.

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Parent: NOAEL: 20,000 ppm
General Toxicity F1: NOAEL: 20,000 ppm
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Duration of Single Treatment: 6 - 20 Days
General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day
Developmental Toxicity: NOEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

ammonium sulphate:

Effects on fertility : Species: Rat
Application Route: Oral
Dose: 250, 750, 1500 mg/kg
General Toxicity Parent: LOAEL: 250 mg/kg body weight
Fertility: NOAEL: 1,500 mg/kg body weight
Method: OECD Test Guideline 422
Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Species: Rat
Application Route: Oral
Dose: 250, 750, 1500 mg/kg
Developmental Toxicity: NOAEL: 1,500 mg/kg body weight
Method: OECD Test Guideline 415
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified based on available information.

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Bifenthrin:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Bifenthrin:

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

ammonium sulphate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Bifenthrin:

Species : Rat, male and female
NOEL : 100 ppm
Application Route : Oral - feed
Exposure time : 90 d
Remarks : No toxicologically significant effects were found.

Species : Dog, male and female
NOEL : 2.5 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 13 w
Symptoms : Tremors

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Chlorantraniliprole:

Species	: Rat, male and female
NOEL	: 1188 - 1526 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

ammonium sulphate:

Species	: Rat, female
NOAEL	: 284 mg/kg
Application Route	: Oral
Exposure time	: 1 y
Dose	: 48, 284, 1490 mg/kg
Method	: OECD Test Guideline 453
Symptoms	: Liver effects, kidney effects

Species	: Rat, male
NOAEL	: 256 mg/kg
Application Route	: Oral
Exposure time	: 1 y
Dose	: 42, 256, 1527 mg/kg
Method	: OECD Test Guideline 453
Symptoms	: Liver effects, kidney effects

Species	: Rat
NOAEC	: 0.3 mg/l
Application Route	: Inhalation
Exposure time	: 14 d
Number of exposures	: 8 h/d
Dose	: 0.3 mg/L
Symptoms	: No adverse effects.

Aspiration toxicity

Not classified based on available information.

Components:

Bifenthrin:

The substance does not have properties associated with aspiration hazard potential.

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks	: On contact, the active ingredient can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia), which is harmless at low exposure, but can be quite painful, especially in the eye. The effect may result from splash, aero-
---------	---

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

sol or transfer from contaminated gloves. The effect is transient, lasting up to 24 hours, but may in exceptional cases last longer. It may be considered as a warning that overexposure has occurred and that work practice should be reviewed.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to soil dwelling organisms : NOEC: 1,000 mg/kg
Exposure time: 14 d
Species: Eisenia andrei (red worm)
Method: OECD Test Guideline 207

LC50: > 1,000 mg/kg
Exposure time: 14 d
Species: Eisenia andrei (red worm)
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: > 2,250 mg/kg
Species: Colinus virginianus (Bobwhite quail)
Method: OECD Test Guideline 223

LD50: 0.49 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214

LD50: 6.66 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Bifenthrin:

Toxicity to fish : LC50 (Salmo gairdneri): 0.00015 mg/l
Exposure time: 96 h
Test Type: flow-through test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00035 mg/l
Exposure time: 96 h
Test Type: flow-through test

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.000256 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Pimephales promelas (fathead minnow)): 0.000234 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 0.00011 mg/l
Exposure time: 48 h

LC50 (Daphnia): 0.0016 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): 0.822 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to fish (Chronic toxicity) : NOEC: 0.00012 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0013 µg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0.00095 µg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100,000

Toxicity to soil dwelling organisms : LD50: > 16 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: 1,800 mg/kg
Species: Colinus virginianus (Bobwhite quail)

LD50: > 2,150 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LD50: 0.1 - 0.35 µg/bee
Exposure time: 24 h

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213

LD50: 0.1 - 0.3 µg/bee
Exposure time: 24 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214

Chlorantraniliprole:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: Information source: Internal study report LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes Remarks: Information source: Internal study report LC50 (Cyprinodon sp. (minnow)): > 12 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Hyalomma azteca (Amphipod)): 0.26 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes LC50 (Ceriodaphnia dubia (water flea)): 0.0067 - 0.011 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l Exposure time: 120 h NOEC (Lemna gibba (duckweed)): 2 mg/l Exposure time: 14 d ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC: 1.28 mg/l Exposure time: 36 d

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Species: *Cyprinodon variegatus* (sheepshead minnow)

NOEC: 0.110 mg/l

Exposure time: 28 d

Species: *Oncorhynchus mykiss* (rainbow trout)

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.00447 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 1,000 mg/kg
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)
Method: OECD Test Guideline 207
GLP: yes

Toxicity to terrestrial organisms : LD50: > 4.0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in acetone

LD50: > 0.005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in water

LD50: > 104.1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in acetone

LD50: > 0.0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in water

LD50: > 2,250 mg/kg
Species: *Poephila guttata* (zebra finch)

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Toxicity to fish : LC50 (*Brachydanio rerio* (zebrafish)): 2.95 mg/l

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 26.2 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (Diatom)): 9.05 mg/l
Exposure time: 72 h
Method: ISO 10253

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 560 mg/l

ammonium sulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 169 mg/l
Exposure time: 48 h

EC50 (Daphnia): 121.7 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 2,700 mg/l
Exposure time: 18 h

EC50 (Chlorella vulgaris (Fresh water algae)): 1,605 mg/l
Exposure time: 5 d

Toxicity to microorganisms : EC50 (activated sludge): 1,618 mg/l
Exposure time: 0.5 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : EC10: 5.29 mg/l
Exposure time: 30 d
Species: Lepomis macrochirus (Bluegill sunfish)
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 3.12 mg/l
Exposure time: 70 d
Species: Hyalella azteca (Amphipod)
Test Type: semi-static test

Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.
Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Components:

Bifenthrin:

Biodegradability : Result: Not readily biodegradable.

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0.3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Biodegradability : Result: Readily biodegradable.

ammonium sulphate:

Biodegradability : Result: Not biodegradable

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

Bifenthrin:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 1,709
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 6.6

Chlorantraniliprole:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.77 (20 °C)
pH: 4

log Pow: 2.86 (20 °C)
pH: 7

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

log Pow: 2.80 (20 °C)
pH: 9

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Partition coefficient: n-octanol/water : log Pow: 3.7
Method: OECD Test Guideline 117

ammonium sulphate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -5.1 (25 °C)

log Pow: 0.48 (25 °C)

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

Bifenthrin:

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5.37
Remarks: immobile

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemi-

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

cal or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bifenthrin, Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin, Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bifenthrin, Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 500008-45-7 2-METHYLBIPHENYL-3-YLMETHYL (Z)-(1RS,3RS)-3-(2-CHLORO-3,3,3-TRIFLUOROPROP-1-ENYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 15.04.2024
Date format	: dd.mm.yyyy

Full text of other abbreviations

SAFETY DATA SHEET

according to the Globally Harmonized System



ELEVEST™ INSECT CONTROL

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2022
1.1	15.04.2024	50000153	Date of first issue: 21.03.2022

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PK / EN