# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

**SECTION 1. IDENTIFICATION** 

**Product identifier** 

Product name BELEAF® 50 SG INSECTICIDE

Other means of identification

Product code 50000163

Recommended use of the chemical and restrictions on use

**Recommended use** Can be used as insecticide only.

**Restrictions on use**Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

**Emergency telephone** 

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A

**GHS label elements** 

Hazard pictograms :

 $\Diamond$ 

Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

# **BELEAF® 50 SG INSECTICIDE**



Version **Revision Date:** SDS Number: Date of last issue: -

10/13/2023 50000163 Date of first issue: 10/13/2023 1.0

**Precautionary Statements** Prevention:

> P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

# Components

Chemical name	CAS-No.	Concentration (% w/w)
flonicamid (ISO)	158062-67-0	50
Sodium alkyl naphthalene sulfonate	68425-94-5	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**

General advice Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled If unconscious, place in recovery position and seek medical

If symptoms persist, call a physician.

In case of skin contact Wash off with soap and water.

> If symptoms persist, call a physician. Wash contaminated clothing before re-use.

Immediately flush eye(s) with plenty of water. In case of eye contact

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

Hazardous combustion prod-

ucts

Thermal decomposition can lead to release of toxic and irritat-

ing vapors.

Specific extinguishing meth-

ods

Use a water spray to cool fully closed containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak. Use personal protective equipment. Evacuate personnel to safe areas.

Avoid dust formation. Avoid breathing dust.

Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Never return spills in original containers for re-use.

Pick up and transfer to properly labeled containers without

creating dust.

Keep in suitable, closed containers for disposal.

## **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : Particulates type

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : Do not breathe dust.

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : solid

Form : granules

Color : brown

Odor : ammoniacal

Odor Threshold : No data available

pH : 8.3 (72 °F / 22 °C)

Melting point/range : 315.5 °F / 157.5 °C

Boiling point/boiling range : No data available

Flash point :  $> 572 \, ^{\circ}\text{F} \, / > 300 \, ^{\circ}\text{C}$ 

Evaporation rate : Not applicable

Flammability (solid, gas) : The product is not flammable.

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : 0.543 g/cm3

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : insoluble

Solvent: Methanol

insoluble

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

Solvent: hexane

Partition coefficient: n-

octanol/water

: log Pow: 0.3 (85.6 °F / 29.8 °C)

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Surface tension : Not applicable

Molecular weight : Not applicable

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Dust may form explosive mixture in air.

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Avoid dust formation.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The component/mixture is minimally toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.36 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is minimally toxic after

short term inhalation.

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The component/mixture is minimally toxic after

single contact with skin.

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Assessment : Not classified as irritant Result : slight or no skin irritation.

Remarks : May cause skin irritation in susceptible persons.

### Serious eye damage/eye irritation

Causes serious eye irritation.

**Product:** 

Species : Rabbit
Result : Eye irritation
Assessment : Irritating to eyes.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

**Product:** 

Species : Guinea pig

Result : Does not cause skin sensitization.

## Germ cell mutagenicity

Not classified based on available information.

**Product:** 

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: Micronucleus test

Result: negative

### Carcinogenicity

Not classified based on available information.

**Product:** 

Carcinogenicity - Assess- : A slight increased incidence in tumors was observed in one





Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

ment species, but not in other species

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

**Product:** 

Effects on fertility : Species: Rat, female

Result: equivocal

### STOT-single exposure

Not classified based on available information.

**Product:** 

Target Organs : Respiratory organs

# STOT-repeated exposure

Not classified based on available information.

### **Components:**

flonicamid (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

## Repeated dose toxicity

### Components:

flonicamid (ISO):

Species : Mouse, male

NOAEL : 15.3 mg/kg bw/day

LOAEL : 153.9 mg/kg bw/day

Application Route : Oral Exposure time : 90 day

Method : OECD Test Guideline 408

Target Organs : Liver

Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male

NOAEL : 60 mg/kg bw/day

LOAEL : 119.4 mg/kg bw/day

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

Application Route : Oral Exposure time : 90 day

Method : OPPTS 870.3100

Target Organs : Kidney

Remarks : Based on available data, the classification criteria are not met.

Species : Dog, male and female NOAEL : 20 mg/kg bw/day

Application Route : Oral Exposure time : 90 day

Method : OECD Test Guideline 409

**Aspiration toxicity** 

Not classified based on available information.

**Neurological effects** 

**Components:** 

flonicamid (ISO):

No neurotoxicity observed in animal studies.

**Further information** 

**Product:** 

Remarks : No data available

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Product:** 

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 141.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 126.13 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): 194.13

mg/l

Exposure time: 72 h

Toxicity to soil dwelling or-

ganisms

(Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): 0.04487 mg/kg

Exposure time: 24 h

LD50 (Apis mellifera (bees)): 0.03186 mg/kg

Exposure time: 48 h

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

LD50 (Coturnix japonica (Japanese quail)): 1,055.9 mg/kg

**Components:** 

flonicamid (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: static test

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 120

mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

EC50 (algae): > 119 mg/l

End point: Growth inhibition

Exposure time: 96 h

EC50 (Lemna sp.): > 119 mg/l

Exposure time: 7 d Test Type: static test

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 10 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Crustaceans): 3.1 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

LC50 (worms): > 1,000 mg/kg

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg

LC50 (Colinus virginianus (Bobwhite quail)): > 5,000 mg/kg

Remarks: Dietary

LC50 (Anas platyrhynchos (Mallard duck)): > 5,000 mg/kg

Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): 1,591 - 2,621

mg/kg

Sodium alkyl naphthalene sulfonate:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

# Persistence and degradability

#### **Components:**

flonicamid (ISO):

Biodegradability : Result: Readily biodegradable.

Stability in water : Remarks: resistant to hydrolysis

### Sodium alkyl naphthalene sulfonate:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

### Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

**Components:** 

flonicamid (ISO):

Partition coefficient: n-

octanol/water

log Pow: 0.3

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

Mobility in soil

**Components:** 

flonicamid (ISO):

Distribution among environ-

mental compartments

: Remarks: Mobile in soils

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

# International Regulations

UNRTDG

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**49 CFR** 

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

Not regulated as a dangerous good

### Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

## **SECTION 15. REGULATORY INFORMATION**

# **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

# **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

## Pennsylvania Right To Know

D-Glucose, 4-O-β-D-galactopyranosyl-, monohydrate 64044-51-5 flonicamid (ISO) 158062-67-0 Sodium alkyl naphthalene sulfonate 68425-94-5

### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

## **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

#### The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

flonicamid (ISO)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

## **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## **SECTION 16. OTHER INFORMATION**

# **Further information**


# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

#### NFPA 704:



Special hazard

**0** No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DOT - Department of Transportation: DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Con-

# **BELEAF® 50 SG INSECTICIDE**



Version Revision Date: SDS Number: Date of last issue: -

1.0 10/13/2023 50000163 Date of first issue: 10/13/2023

trol Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

# Prepared by:

**FMC** Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.
© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet