

SAFETY DATA SHEET

DRAGNET DUST INSECTICIDAL POWDER



Version 1.0	Revision Date: 23.09.2024	SDS Number: 50000357	Date of last issue: - Date of first issue: 23.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DRAGNET DUST INSECTICIDAL POWDER

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Australasia Pty Ltd

Address : Building B, Suite G.01, 12 Julius Avenue
North Ryde NSW 2113
Australia

Telephone : 1 800 066 355

Telefax : (02) 9923 6011

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
1800 033 111 (Ixm)

Medical emergency:
1 800 033 111 (Transport and 24 h Medical information)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Serious eye damage/eye irritation : Category 2B

Skin sensitisation : Sub-category 1A

Carcinogenicity : Category 1A

Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Lungs)

DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H302 + H332 Harmful if swallowed or if inhaled.
H317 May cause an allergic skin reaction.
H320 Causes eye irritation.
H350 May cause cancer.
H373 May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

DRAGNET DUST INSECTICIDAL POWDER

Version 1.0	Revision Date: 23.09.2024	SDS Number: 50000357	Date of last issue: - Date of first issue: 23.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

disposal plant.

Other hazards which do not result in classification

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
permethrin (ISO)	52645-53-1	≥ 10 -< 30
Quartz (SiO ₂)	14808-60-7	≥ 1 -< 10
sodium 2-[methylethylamino]ethane-1-sulphonate	137-20-2	< 10

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.
May cause an allergic skin reaction.
Causes eye irritation.
May cause cancer.
May cause damage to organs through prolonged or repeated exposure if inhaled.
- Notes to physician : Treat symptomatically.

DRAGNET DUST INSECTICIDAL POWDER

Version 1.0	Revision Date: 23.09.2024	SDS Number: 50000357	Date of last issue: - Date of first issue: 23.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Hazardous combustion products
Carbon oxides
Halogenated compounds
Sulphur oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
- Hazchem Code : 2Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Ensure adequate ventilation.
Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.

DRAGNET DUST INSECTICIDAL POWDER

Version 1.0	Revision Date: 23.09.2024	SDS Number: 50000357	Date of last issue: - Date of first issue: 23.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : Keep in a dry place.
No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO ₂)	14808-60-7	TWA (Respirable dust)	0.05 mg/m ³	AU OEL
		Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans		
		TWA (Respirable particulate matter)	0.025 mg/m ³ (Silica)	ACGIH

Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Particulates type
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed

SAFETY DATA SHEET

DRAGNET DUST INSECTICIDAL POWDER



Version 1.0	Revision Date: 23.09.2024	SDS Number: 50000357	Date of last issue: - Date of first issue: 23.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Powder

Colour : white

Odour : odourless

pH : 8 - 9

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point : Not applicable

Self-ignition : not determined

Density : 30 - 35 lb/scf

Solubility(ies)
Water solubility : dispersible

Partition coefficient: n-octanol/water : Not applicable

Viscosity
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers
Hazardous decomposition products	:	Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity	:	LD50 (Rat, male): 1,900 mg/kg Method: US EPA Test Guideline OPP 81-1
---------------------	---	-------------------------------------------------------------------------

	:	LD50 (Rat, female): 1,100 mg/kg Method: US EPA Test Guideline OPP 81-1
--	---	---------------------------------------------------------------------------

Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.27 mg/l Exposure time: 1 h Test atmosphere: dust/mist
---------------------------	---	----------------------------------------------------------------------------------------------

Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 2,000 mg/kg Method: US EPA Test Guideline OPP 81-2
-----------------------	---	-----------------------------------------------------------------------------------------

Components:**permethrin (ISO):**

Acute oral toxicity	:	LD50 (Rat, female): 3,129 mg/kg Method: OECD Test Guideline 425
---------------------	---	--------------------------------------------------------------------

Acute inhalation toxicity	:	LC50 (Rat, male and female): > 2.09 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
---------------------------	---	---------------------------------------------------------------------------------------------------------------------------------

Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
-----------------------	---	-------------------------------------------------------------------------------------------------------------------------------------------------------

Quartz (SiO₂):

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------

SAFETY DATA SHEET



DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

Acute inhalation toxicity : LC50 (Rat): > 5.01 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : US EPA Test Guideline OPP 81-5
Result : slight irritation

Remarks : May cause skin irritation and/or dermatitis.

Components:

permethrin (ISO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight irritation

Quartz (SiO₂):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET



DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days
Method	:	US EPA Test Guideline OPP 81-4
Remarks	:	Product dust may be irritating to eyes, skin and respiratory system.

Components:

permethrin (ISO):

Species	:	Rabbit
Result	:	slight irritation
Method	:	OECD Test Guideline 405

Quartz (SiO₂):

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	The product is a skin sensitizer, sub-category 1A.
Remarks	:	Causes sensitisation.

Components:

permethrin (ISO):

Test Type	:	Buehler Test
Exposure routes	:	Skin contact

SAFETY DATA SHEET



DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

Quartz (SiO₂):

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.
Remarks	: Based on data from similar materials

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Method	: OECD Test Guideline 406
Result	: negative

Chronic toxicity

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

permethrin (ISO):

Genotoxicity in vitro	: Test Type: Ames test Result: negative Test Type: Mouse lymphoma assay Result: negative
Genotoxicity in vivo	: Test Type: dominant lethal test Species: Mouse (male) Result: negative Test Type: Sex-linked Recessive Lethal Test Species: Drosophila melanogaster (vinegar fly) Result: negative

Quartz (SiO₂):

Genotoxicity in vitro	: Test Type: reverse mutation assay Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Rat Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

May cause cancer.

Components:**permethrin (ISO):**

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Quartz (SiO₂):

Carcinogenicity - Assessment : Human carcinogen.

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Remarks : This information is not available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**permethrin (ISO):**

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Symptoms: No maternal effects
Result: negative

DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

sodium 2-[methyleoleylamino]ethane-1-sulphonate:

Effects on fertility	: Test Type: Fertility Species: Rat, male and female General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight Method: OECD Test Guideline 421 Remarks: No data available
Effects on foetal development	: Test Type: Pre-natal Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight Embryo-foetal toxicity: NOAEL: 1,000 mg/kg body weight Method: OECD Test Guideline 414
Reproductive toxicity - Assessment	: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Components:**permethrin (ISO):**

Assessment	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	----------------------------------------------------------------------------------------------------

Quartz (SiO₂):

Exposure routes	: Inhalation
Target Organs	: Lungs
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Exposure routes	: Inhalation
Target Organs	: Immune system, Kidney
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity**Components:****permethrin (ISO):**

Species	: Rat
NOAEL	: 270 mg/kg
Application Route	: Oral - feed
Exposure time	: 90 days
Symptoms	: No adverse effects

Species	: Rat
NOAEL	: 20 mg/kg

SAFETY DATA SHEET



DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

Application Route : Oral - feed
Exposure time : 90 days
Symptoms : Liver effects

Species : Dog
Application Route : Oral - feed
Exposure time : 13 weeks
Symptoms : No adverse effects

Quartz (SiO₂):

Species : Rat
LOAEC : 0.0025 mg/l
Application Route : Inhalation
Exposure time : 90 day
Method : OECD Test Guideline 413
Target Organs : Lungs
Remarks : Based on data from similar materials

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Species : Rat
NOAEL : 1,000 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

permethrin (ISO):

No data available

Neurological effects

Components:

permethrin (ISO):

No neurotoxicity observed in animal studies

Further information

Product:

Remarks : No data available

DRAGNET DUST INSECTICIDAL POWDER

Version 1.0	Revision Date: 23.09.2024	SDS Number: 50000357	Date of last issue: - Date of first issue: 23.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity**Components:****permethrin (ISO):**

Toxicity to fish	:	LC50 (Fish): 5.3 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Crustaceans): 0.001 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 0.0125 mg/l Exposure time: 72 h NOEC (algae): 0.9 µg/l Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Fish): 0.3 µg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Crustaceans): 0.039 µg/l Exposure time: 21 d

Quartz (SiO₂):

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l Exposure time: 72 h
------------------	---	---------------------------------------------------------------------

sodium 2-[methylethylamino]ethane-1-sulphonate:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 1.32 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 5.76 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 117 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 2 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50 (activated sludge): > 1,000 mg/l Method: OECD Test Guideline 209

DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

Persistence and degradability**Components:****permethrin (ISO):**

Biodegradability : Result: Not readily biodegradable.

Quartz (SiO₂):

Biodegradability : Result: Not biodegradable

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 80 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential**Components:****permethrin (ISO):**

Bioaccumulation : Remarks: The product may be accumulated in organisms.

Partition coefficient: n-octanol/water : Remarks: No data available

Quartz (SiO₂):

Bioaccumulation : Remarks: Does not bioaccumulate.

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 2.9
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1.36
Method: OECD Test Guideline 117
Remarks: Not applicable

Mobility in soil**Components:****permethrin (ISO):**

Distribution among environmental compartments : Remarks: immobile

sodium 2-[methyleoleoylamino]ethane-1-sulphonate:

Distribution among environmental compartments : Koc: 53.4 ml/g, log Koc: 1.72
Remarks: Highly mobile in soils

SAFETY DATA SHEET



DRAGNET DUST INSECTICIDAL POWDER

Version 1.0	Revision Date: 23.09.2024	SDS Number: 50000357	Date of last issue: - Date of first issue: 23.09.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Permethrin)
Class : 9
Subsidiary risk : ENVIRONM.
Packing group : III
Labels : 9 (ENVIRONM.)
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Permethrin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

SAFETY DATA SHEET



DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

(Permethrin)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Remarks : Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Permethrin)

Class : 9

Packing group : III

Labels : 9

Hazchem Code : 2Z

Environmentally hazardous : yes

Remarks : Environmentally hazardous substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg / liters, or IBCs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

APVMA Code: 52336

Prohibition/Licensing Requirements : Quartz (SiO₂)
Refer to model WHS Act and Regulations for prohibition, authorisation

DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

and restricted use.

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. permethrin (ISO) N-methyltaurine
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	On the inventory, or in compliance with the inventory

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date	:	23.09.2024
Date format	:	dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA	:	8-hour, time-weighted average
AU OEL / TWA	:	Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

DRAGNET DUST INSECTICIDAL POWDER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2024	50000357	Date of first issue: 23.09.2024

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N