# **SAFETY DATA SHEET**

Authority® Maxx CAL

SDS #: 6541-2-A Revision date: 2018-02-14

> Format: NA Version 1.05



# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name Authority® Maxx CAL

Other means of identification

Product Code(s) 6541-2-A

Legacy Product Code FO000582

Synonyms SULFENTRAZONE (FMC 97285):

2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)

methanesulfonanilide (IUPAC name);

N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-

1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name),

, CHLORIMURON-ETHYL: ethyl

2-[[[(4-chloro-6-methoxypyrimidin-2-yl)amino]carbonyl]amino]-sulfonyl]benzoate

Active Ingredient(s) Sulfentrazone, Chlorimuron-ethyl

Chemical Family Triazolinones; Sulfonylurea

Alternate Commercial Name F9016-2 DF Herbicide

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

**Restrictions on Use:** Use as recommended by the label

**Supplier Address** 

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527 3887 (CHEMTREC - Alternate)

Medical Emergencies:

1 800 / 331-3148 (ProPharma Group - U.S.A. & Canada)

1 651 / 632-6793 (ProPharma Group - All Other Countries - Collect)

# 2. HAZARDS IDENTIFICATION

Classification

**SDS #**: 6541-2-A **Revision date**: 2018-02-14

Version 1.05

### **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (repeated exposure)	Category 2

### GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

# Danger

#### Hazard Statements

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure



### **Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P281 - Use personal protective equipment as required

# **Precautionary Statements - Response**

P314 - Get medical advice/ attention if you feel unwell

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

P391 - Collect spillage

#### **Precautionary Statements - Storage**

P405 - Store locked up

### **Precautionary Statements - Disposal**

P501 - Dispose of contents/container according to label directions

# Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

#### Other Information

Very toxic to aquatic life with long lasting effects.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# Chemical Family Triazolinones; Sulfonylurea.

Chemical name	CAS-No	Weight %
Sulfentrazone	122836-35-5	62.22
Chlorimuron ethyl	90982-32-4	7.78
Toluene	108-88-3	1-5

SDS #: 6541-2-A **Revision date: 2018-02-14** 

Version 1.05

Synonyms are provided in Section 1.

# 4. FIRST AID MEASURES

**Eye Contact** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control

center or doctor for further treatment advice.

**Skin Contact** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice Have person sip a

> glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor Never give anything by mouth to an unconscious person Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not induce vomiting or give anything by mouth to an unconscious

person.

Most important symptoms and effects, both acute and delayed Central nervous system effects.

Indication of immediate medical attention and special treatment

needed, if necessary

Treat symptomatically

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). Foam. Dry powder. Water spray.

Specific Hazards Arising from the

Chemical

**Hazardous Combustion Products** 

Powdered material may form explosive dust-air mixtures.

Carbon oxides (COx), nitrogen oxides (NOx), sulfur oxides, hydrogen chloride, hydrogen

fluoride.

**Explosion data** 

**Sensitivity to Mechanical Impact** Sensitivity to Static Discharge

Not sensitive. Not sensitive.

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

**Environmental Precautions** Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

**Methods for Containment** Use a wet sweeping compound or water to prevent dust formation.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean and neutralize spill area,

**Revision date:** 2018-02-14

Version 1.05

tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal.

Dispose of waste as indicated in Section 13.

### 7. HANDLING AND STORAGE

**Handling** Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Store in original

container.

Incompatible products None known

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Toluene	TWA: 20 ppm	TWA: 200 ppm	IDLH: 500 ppm	Mexico: TWA 50 ppm
(108-88-3)		Ceiling: 300 ppm	TWA: 100 ppm	Mexico: TWA 188 mg/m <sup>3</sup>
			TWA: 375 mg/m <sup>3</sup>	
			STEL: 150 ppm	
			STEL: 560 mg/m <sup>3</sup>	
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Toluene	TWA: 20 ppm	TWA: 50 ppm	TWA: 20 ppm	TWA: 50 ppm
(108-88-3)		TWA: 188 mg/m <sup>3</sup>		TWA: 188 mg/m <sup>3</sup>
		Skin		Skin

### **Appropriate engineering controls**

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

**Skin and Body Protection** Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

**Respiratory Protection**Use local ventilation such as a fume hood or wear a properly-fitted air-purifying respirator

which is appropriate for the hazards reported on this safety data sheet. Respirator use and

selection must be based on airborne concentrations.

**Hygiene measures** Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Appearance Solid Physical State Solid

**Color** No information available

# **Authority® Maxx CAL**

**SDS #**: 6541-2-A

Revision date: 2018-02-14 Version 1.05

Odor No information available
Odor threshold No information available
7.3 (1% solution)

pH 7.3 (1% solution)
Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point Not applicable

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Density 34.52 lb/cu ft

Specific gravity No information available Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available

Bulk density 33-36 lb/cu ft

### 10. STABILITY AND REACTIVITY

**Reactivity** None under normal use conditions

**Chemical Stability** Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx). nitrogen oxides (NOx). sulfur oxides. hydrogen chloride. hydrogen

fluoride.

### 11. TOXICOLOGICAL INFORMATION

#### Product Information

 LD50 Oral
 1750 mg/kg (rat)

 LD50 Dermal
 > 5000 mg/kg (rat)

 LC50 Inhalation
 > 2.07 mg/L 4 hr (rat)

Serious eye damage/eye irritation

Skin corrosion/irritation

Moderately irritating to eyes. Moderately irritating to skin.

Sensitization Non-sensitizer

# Information on toxicological effects

**Symptoms** Signs of toxicity in laboratory animals given sulfentrazone included clonic convulsions,

ataxia, hypersensitivity to touch, chromorhinorrhea, abdominogenital staining, decreased

locomotion, lacrimation, nasal discharge, and squinting eyes.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Sulfentrazone: Prolonged exposure cause decreased hemoglobin content and hematocrit,

and increased spleen weight and splenic extramedullary hematopoiesis at high doses in

# **Authority® Maxx CAL**

SDS #: 6541-2-A Revision date: 2018-02-14

Version 1.05

animal studies.

**Mutagenicity** Sulfentrazone, Chlorimuron-ethyl: Not genotoxic in laboratory studies.

**Carcinogenicity**Sulfentrazone, Chlorimuron-ethyl: No evidence of carcinogenicity from animal studies. **Neurological effects**Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high

dose levels

**Reproductive toxicity** Sulfentrazone: No toxicity to reproduction in animal studies.

Chlorimuron ethyl did not affect reproduction and lactation performance.

Developmental toxicity

Sulfentrazone: Fetal weight decreased; delayed skeletal ossification observed at maternally non-toxic doses are reversible effects and a dose-response is established; malformations observed in fetuses at maternally toxic doses and consistent with the mode of action for

protoporphyrongen oxidase inhibitors.

Chlorimuron-ethyl: Maternal and fetal NOELs were 250 ppm based on reduced maternal and fetal body weights. It was weakly teratogenic in rats and non-teratogenic in rabbits.

Not classified.

STOT - single exposure STOT - repeated exposure

Target organ effects

May cause damage to organs through prolonged or repeated exposure.

Sulfentrazone, Chlorimuron-ethyl: Hematopoietic system.

Neurological effects Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high

dose levels

**Aspiration hazard** No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Toluene		Group 3		
108-88-3		-		

#### Legend:

IARC (International Agency for Research on Cancer) Group 3 - Not classifiable as to its carcinogenicity to humans

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Sulfentrazone (122836-35-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Sulfentrazone	72 h EC50	Algae	32.8	mg/L
	48 h EC50	Crustacea	60.4	mg/L
	96 h LC50	Fish	94	mg/L
	21 d NOEC	Fish	5.9	mg/L
	21 d NOEC	Crustacea	0.51	mg/L

Chlorimuron ethyl (90982-32-4	<b>l</b> )			
Active Ingredient(s)	Duration	Species	Value	Units
Chlorimuron-ethyl	LC50	Fish	100-1000	mg/L
	LD50 Dietary	Bird	>5620	ppm
	LD50 Oral	Bird	>2510	mg/kg

**Persistence and degradability** . Sulfentrazone: Persistent, Does not readily hydrolyze, Not readily biodegradable.

**Bioaccumulation** Sulfentrazone: The substance does not have a potential for bioconcentration.

**Mobility** Sulfentrazone: Mobile, Has potential to reach ground water.

### 13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate

disposal authorities for guidance.

Revision date: 2018-02-14

Version 1.05

**Contaminated Packaging** 

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions. Do not reuse or refill this

container.

# 14. TRANSPORT INFORMATION

**DOT** This material is not a hazardous material as defined by U.S. Department of Transportation

at 49 CFR Parts 100 through 185.

<u>TDG</u> Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant Sulfentrazone.

**Description** UN3077, Environmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII,

Marine Pollutant

#### ICAO/IATA

UN/ID no UN3077

**Proper Shipping Name** Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group III

**Description** UN3077, Enviornmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII,

Marine Pollutant

IMDG/IMO

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Sulfentrazone

**Description** UN3077, Environmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII,

Marine Pollutant

# 15. REGULATORY INFORMATION

# U.S. Federal Regulations

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Chlorimuron ethyl - 90982-32-4	90982-32-4	7.78	1.0
Toluene - 108-88-3	108-88-3	1-5	1.0

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Revision date: 2018-02-14 Version 1.05

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene	1000 lb	X	X	X
108-88-3				

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Toluene	1000 lb	
108-88-3	454 kg	

#### FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **CAUTION**

Harmful is swallowed. Causes moderate eye irritation.

This pesticide is toxic to marine/estuarine invertebrates.

# **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Toluene - 108-88-3	Developmental

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Chlorimuron ethyl	X		
90982-32-4			
Toluene	X	X	X
108-88-3			

### **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Chlorimuron ethyl					X			
90982-32-4								
Toluene	Х	Х	X	Х	Х	X	X	Х
108-88-3								

# Mexico - Grade

Slight risk, Grade 1

Chemical name	Carcinogen Status	Mexico
Toluene		Mexico: TWA 50 ppm
		Mexico: TWA 188 mg/m <sup>3</sup>

Chemical name	Mexico - Pollutant Release and	Pollutant Release and Transfer
	Transfer Register - Reporting	Register - Reporting Emissions -
	<b>Emissions for Fabrication, Process</b>	Threshold Quantities

**Revision date: 2018-02-14** 

Version 1.05

	or Use -Threshold Quantities	
Toluene	1000	1000 kg/yr
	5000 kg/yr	

#### **CANADA**

#### **WHMIS Statement**

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

**WHMIS Hazard Class** 

Non-controlled



# 16. OTHER INFORMATION

NFPA He	ealth Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS He	ealth Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

<sup>\*</sup>Indicates a chronic health hazard.

**NFPA/HMIS Ratings Legend** Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

2018-02-14 Revision date:

Reason for revision: (M)SDS sections updated

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved. **End of Safety Data Sheet**