

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

1. IDENTIFICATION

Product name : CARFENTRAZONE-ETHYL 400 G/L EC

Other means of identification : Aurora 400 EC
AFFINITY 400 EC

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 WALNUT ST
PHILADELPHIA PA 19104
USA

E-mail address : SDS-Info@fmc.com

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical Emergency Number : All other countries: +1 651 / 632-6793 (Collect)
Desde Ecuador: 1800 593005 (Quito, La Sierra, Centro y Norte).
Desde Bogotá: 288 60 12; Línea Nacional: 01 8000 916012
Desde Perú: SAMU: 106;
CISPROQUIM®: 080-050-847;
FMC LATINOAMERICA S.A. SUCURSAL: 421-4811;
Desde Venezuela: 0800 1005012

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 5

Carcinogenicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 2 (Liver)

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H313 May be harmful in contact with skin.
H350 May cause cancer.
H373 May cause damage to organs (Liver) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P203 Obtain, read and follow all safety instructions before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P301 + P316 IF SWALLOWED: Get emergency medical help immediately.
P303 + P361 + P353 + P317 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Get medical help.
P318 IF exposed or concerned, get medical advice.
P331 Do NOT induce vomiting.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391 Collect spillage.

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version 1.0	Revision Date: 14.03.2022	SDS Number: 50000179	Date of last issue: - Date of first issue: 14.03.2022
----------------	------------------------------	-------------------------	--

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light arom.	64742-95-6	≥ 50 - < 70
carfentrazone-ethyl (ISO)	128639-02-1	≥ 30 - < 50
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	≥ 3 - < 10
2-ethylhexan-1-ol	104-76-7	≥ 1 - $< 2,5$

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Call a physician or poison control center immediately.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version 1.0	Revision Date: 14.03.2022	SDS Number: 50000179	Date of last issue: - Date of first issue: 14.03.2022
----------------	------------------------------	-------------------------	--

Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May be fatal if swallowed and enters airways.
May be harmful in contact with skin.
May cause cancer.
May cause damage to organs through prolonged or repeated exposure.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point : 52 °C

Upper explosion limit / Upper flammability limit : Not available for this mixture.

Lower explosion limit / Lower flammability limit : Not available for this mixture.

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides
Hazardous combustion products
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

Remove undamaged containers from fire area if it is safe to do so.

Use a water spray to cool fully closed containers.

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

for fire-fighters

essary.

Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Prevent further leakage or spillage if safe to do so.
Try to prevent the material from entering drains or water courses.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).
Keep away from open flames, hot surfaces and sources of ignition.

Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version 1.0 Revision Date: 14.03.2022 SDS Number: 50000179 Date of last issue: -
Date of first issue: 14.03.2022

To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Prevent unauthorized access.
No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), light arom.	64742-95-6	TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhalable particulate matter)	1 mg/m ³	ACGIH

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

No personal respiratory protective equipment normally required.

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
Safety glasses

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version 1.0	Revision Date: 14.03.2022	SDS Number: 50000179	Date of last issue: - Date of first issue: 14.03.2022
----------------	------------------------------	-------------------------	--

Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. Protective suit
Protective measures	: Plan first aid action before beginning work with this product.
Hygiene measures	: Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product. General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: yellow
Odor	: aromatic
Odor Threshold	: No data available
pH	: 4,4 (20 °C) 4,6 (25 °C) Concentration: 10 g/l
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 52 °C
Flammability (liquids)	: Sustains combustion
Upper explosion limit / Upper flammability limit	: Not available for this mixture.
Lower explosion limit / Lower flammability limit	: Not available for this mixture.
Vapor pressure	: No data available
Relative density	: 1,0721

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

Density	:	1,063 g/cm ³
Solubility(ies)	:	
Water solubility	:	Miscible
Solubility in other solvents	:	Miscible Solvent: Toluene
		Miscible Solvent: Methanol
Viscosity	:	
Viscosity, kinematic	:	59,62 mm ² /s (20 °C)
		5,16 mm ² /s (40 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Surface tension	:	35,34 mN/m

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks. Avoid formation of aerosol.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

May be harmful in contact with skin.

Product:

Acute oral toxicity	:	LD ₅₀ (Rat): > 3.000 mg/kg Assessment: The component/mixture is moderately toxic after single ingestion. Remarks: no mortality
Acute inhalation toxicity	:	LC ₅₀ (Rat): > 10,41 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version 1.0	Revision Date: 14.03.2022	SDS Number: 50000179	Date of last issue: - Date of first issue: 14.03.2022
----------------	------------------------------	-------------------------	--

Remarks: no mortality

Acute dermal toxicity : LD50(Rat): > 4.000 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Components:

Solvent naphtha (petroleum), light arom.:

Acute oral toxicity : LD50 (Rat, female): 3.492 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat, male): 6.984 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6,193 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3.160 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.

carfentrazone-ethyl (ISO):

Acute oral toxicity : LD50 (Rat): 5.143 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 4.000 mg/kg

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute inhalation toxicity : LD50 (Rat, male and female): > 1,9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 4.000 mg/kg
Remarks: Based on data from similar materials

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

2-ethylhexan-1-ol:

Acute oral toxicity	: LD50 (Rat, male): 2.047 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 4,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat, male and female): > 3.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	: Rabbit
Assessment	: Not classified as irritant
Result	: slight irritation

Components:

Solvent naphtha (petroleum), light arom.:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Mild skin irritation

carfentrazone-ethyl (ISO):

Species	: Rabbit
Result	: No skin irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Result	: Skin irritation
--------	-------------------

2-ethylhexan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	: Rabbit
Assessment	: Not classified as irritant
Result	: slight irritation

Components:

Solvent naphtha (petroleum), light arom.:

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

Species : Rabbit
Result : No eye irritation

carfentrazone-ethyl (ISO):

Species : Rabbit
Result : slight irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Result : Irreversible effects on the eye

2-ethylhexan-1-ol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Routes of exposure : Dermal
Species : Guinea pig
Assessment : Not a skin sensitizer.
Result : Does not cause skin sensitization.

Components:

Solvent naphtha (petroleum), light arom.:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

carfentrazone-ethyl (ISO):

Species : Guinea pig
Result : Does not cause skin sensitization.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Test Type : Buehler Test
Species : Guinea pig
Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

Product:

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Components:

Solvent naphtha (petroleum), light arom.:

Genotoxicity in vitro : Test Type: in vitro DNA damage and/or repair study
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration
Species: Rat (male and female)
Application Route: Inhalation
Result: negative

Germ cell mutagenicity - Assessment : In vivo tests showed mutagenic effects

carfentrazone-ethyl (ISO):

Genotoxicity in vitro : Result: negative

Genotoxicity in vivo : Result: negative

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Exposure time: 72 hrs
Method: Mutagenicity (micronucleus test)
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

Carcinogenicity

May cause cancer.

Components:

Solvent naphtha (petroleum), light arom.:

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

carfentrazone-ethyl (ISO):

Result : negative

2-ethylhexan-1-ol:

Species : Rat
 Application Route : Oral
 Exposure time : 24 month(s)
 Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum), light arom.:

Effects on fertility : Test Type: Three-generation study
 Species: Rat
 Application Route: inhalation (vapor)
 Fertility: NOAEC Mating/Fertility: 7,5 mg/l
 Result: negative
 Remarks: Based on data from similar materials

Effects on fetal development : Species: Mouse
 Application Route: inhalation (vapor)
 General Toxicity Maternal: LOAEC: 500 part per million
 Symptoms: Maternal effects.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Effects on fertility : Test Type: one-generation reproductive toxicity
 Species: Rat, male and female
 Application Route: Oral
 Method: OECD Test Guideline 415
 Result: No effects on fertility and early embryonic development were detected.

2-ethylhexan-1-ol:

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Mouse
 Application Route: Oral
 Method: OECD Test Guideline 414
 Result: negative

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

STOT-single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Solvent naphtha (petroleum), light arom.:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

Product:

Target Organs : Liver
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Components:

Solvent naphtha (petroleum), light arom.:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), light arom.:

Species : Rat, male and female
: 0,8 - 0,9 mg/l
Application Route : Inhalation
Test atmosphere : vapor
Remarks : Based on data from similar materials

Species : Rat, male
NOAEL : 600 mg/kg
Application Route : Oral
Remarks : Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rat, male and female
NOAEL : 500 mg/kg
Application Route : Oral
Method : OECD Test Guideline 407
Remarks : Based on data from similar materials

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

Species	: Rat, male and female
NOAEL	: 50 mg/m ³
Application Route	: Inhalation
Method	: OECD Test Guideline 412
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: > 1.000 mg/kg
Application Route	: Dermal
Method	: OECD Test Guideline 410
Remarks	: Based on data from similar materials

2-ethylhexan-1-ol:

Species	: Rat
	: 250 mg/kg
Application Route	: Oral
Exposure time	: 13 weeks
Method	: OECD Test Guideline 408

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Solvent naphtha (petroleum), light arom.:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks	: Solvents may degrease the skin.
---------	-----------------------------------

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 12,9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia similis (Water flea)): 13,1 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 0,06 mg/l Exposure time: 96 h
Toxicity to soil dwelling organisms	: LC50: 2.219 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

Toxicity to terrestrial organisms : > 2.000 mg/kg
Species: Coturnix japonica (Japanese quail)

LC50: > 100
Exposure time: 24 h
Species: Apis mellifera (bees)

Components:

Solvent naphtha (petroleum), light arom.:

Toxicity to fish : NOEC (Oncorhynchus mykiss (rainbow trout)): 4,5 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LL50 (Pimephales promelas (fathead minnow)): 8,2 mg/l
Exposure time: 96 h
Test Type: semi-static test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4,5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3,1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (Tetrahymena pyriformis): 15,41 mg/l
Exposure time: 40 h
Test Type: Growth inhibition
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Toxicity to fish (Chronic toxicity) : NOELR: 2,6 mg/l
Exposure time: 14 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 204
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 2,6 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

carfentrazone-ethyl (ISO):

Toxicity to fish : LC50 (Fish): 1,6 mg/l
Exposure time: 96 h

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): > 9,8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 0,012 mg/l Exposure time: 72 h NOEC (algae): 0,001 mg/l Exposure time: 96 h EC50 (Lemna gibba (gibbous duckweed)): 0,0057 mg/l Exposure time: 14 d
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,0187 mg/l Exposure time: 21 d Species: Fish
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,22 mg/l Exposure time: 21 d Species: Crustaceans
M-Factor (Chronic aquatic toxicity)	:	100
Toxicity to soil dwelling organisms	:	LC50: > 820 mg/kg Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	:	LD50: > 5.620 ppm End point: Acute oral toxicity Species: Anas platyrhynchos (Mallard duck) LD50: > 5.620 ppm End point: Acute oral toxicity Species: Colinus virginianus (Bobwhite quail) LD50: > 200 µg/bee End point: Acute oral toxicity Species: Honey Bee LD50: > 200 µg/bee End point: Acute contact toxicity Species: Honey Bee

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Toxicity to fish	:	LL50 (Marine species): 10.000 mg/l Exposure time: 96 h Remarks: Based on data from similar materials LL50 (Pimephales promelas (fathead minnow)): 1.000 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
------------------	---	---

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC (activated sludge): 10.000 mg/l
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3,2 mg/l
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11,5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l
Exposure time: 72 h

Persistence and degradability

Product:

Photodegradation :

Components:

Solvent naphtha (petroleum), light arom.:

Biodegradability : Concentration: 49,2 mg/l
Result: Inherently biodegradable.
Biodegradation: 77,05 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Biodegradability : Result: Not readily biodegradable.

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 176
Remarks: See section 9 for octanol-water partition coefficient.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Partition coefficient: n-octanol/water : log Pow: 22,1

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

Mobility in soil

Components:

carfentrazone-ethyl (ISO):

Distribution among environmental compartments : Remarks: Mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Naphtha Aromatic) (Carfentrazone-ethyl, Aromatic hydrocarbons, C10)
Class	: 3
Packing group	: III
Labels	: 3

IATA-DGR

UN/ID No.	: UN 1993
Proper shipping name	: Flammable liquid, n.o.s. (Naphtha Aromatic) (Carfentrazone-ethyl, Aromatic hydrocarbons, C10)
Class	: 3
Packing group	: III
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355

IMDG-Code

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Naphtha Aromatic, Carfentrazone-ethyl)(, Aromatic hydrocarbons, C10)
Class	: 3
Packing group	: III
Labels	: 3
EmS Code	: F-E, <u>S-E</u>
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Organic Law on Integral Prevention of Social and Economic Phenomenon of Drugs and of Regulation and Use Control of Listed Substances subject to Monitoring	: Not applicable
--	------------------

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. ETHYL (RS)-2-CHLORO-3-[2-CHLORO-5-[4-(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL]PROPIONATE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	: 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

MATERIAL SAFETY DATA SHEET



CARFENTRAZONE-ETHYL 400 G/L EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.03.2022	50000179	Date of first issue: 14.03.2022

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

EC / EN