

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Exirel® 100 SE Insecticide

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 Walnut Street
Philadelphia PA 19104
USA

Telephone : (215) 299-6000

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
0086-0532 8388 9090 (National Registration Center for Chemicals)

Medical emergency:
86 532 8388 9090

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: liquid
Color	: off-white
Odor	: mild, phenol-like

Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

GHS Classification

Skin corrosion/irritation : Category 2

Skin sensitization : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic : Category 1

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

hazard

GHS label elements

Hazard pictograms



Signal Word : WARNING

Hazard Statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes skin irritation. May cause an allergic skin reaction.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Chemical name	CAS-No.	Concentration (% w/w)
Cyantraniliprole	736994-63-1	>= 10 -< 20
Fatty acids, soya, Me esters	68919-53-9	>= 30 -< 50
calcium dodecylbenzenesulphonate	26264-06-2	>= 1 -< 2.5

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : Take off all contaminated clothing immediately.
If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
May cause an allergic skin reaction.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

5. FIRE-FIGHTING MEASURES

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version 1.0	Revision Date: 2024/10/25	SDS Number: 50000098	Date of last issue: - Date of first issue: 2024/10/25
----------------	------------------------------	-------------------------	--

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Bromine compounds
Nitrogen oxides (NO_x)
Carbon oxides
Hydrogen cyanide
Sulfur oxides
Chlorine compounds
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
- Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version 1.0	Revision Date: 2024/10/25	SDS Number: 50000098	Date of last issue: - Date of first issue: 2024/10/25
----------------	------------------------------	-------------------------	--

Prevention of secondary hazards : Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Avoidance of contact : Avoid strong acids, bases, and oxidizers.

Storage

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Protect from frost and extreme heat.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : > 0 - 30 °C

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection	: In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
Eye/face protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hand protection	
Material	: Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. When using do not eat, drink or smoke. In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
Hygiene measures	: General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
------------	----------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version 1.0	Revision Date: 2024/10/25	SDS Number: 50000098	Date of last issue: - Date of first issue: 2024/10/25
----------------	------------------------------	-------------------------	--

Color	:	off-white
Odor	:	mild, phenol-like
Odor Threshold	:	not determined
pH	:	5.6 Concentration: 10 g/l 1 % (as a dispersion)
Melting point/ range	:	No data available
Boiling point/boiling range	:	97 °C
Flash point	:	> 97 °C Method: closed cup No flash up to boiling point.
Evaporation rate	:	No data available
Flammability (solid, gas)	:	The product is not flammable.
Self-ignition	:	358 °C
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not available for this mixture.
Relative vapor density	:	No data available
Relative density	:	0.982 Method: Regulation (EC) No. 440/2008, Annex, A.3
Density	:	No data available
Solubility(ies)		
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not available for this mixture.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Autoignition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	649.5 mPa.s (24.7 °C) Method: CIPAC MT 192 25 rpm
	:	454.3 mPa.s (24.7 °C) Method: CIPAC MT 192 50 rpm
	:	329.9 mPa.s (24.7 °C) Method: CIPAC MT 192 100 rpm
Explosive properties	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.
Surface tension	:	25.9 mN/m, 22 °C, Regulation (EC) No. 440/2008, Annex, A.5
Molecular weight	:	Not applicable
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid formation of aerosol. Heat, flames and sparks. Heating of the product will produce harmful and irritant vapours.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	Nitrogen oxides (NO _x) Carbon oxides Sulfur oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Product:

Acute oral toxicity	: LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402

Components:

Cyantraniliprole:

Acute oral toxicity	: LD50 (Mouse, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity Remarks: no mortality LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity Remarks: no mortality
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity Remarks: no mortality

Fatty acids, soya, Me esters:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Acute oral toxicity : LD50 (Rat): 5,000 - 15,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1,300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritant

Components:

Cyantraniliprole:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Fatty acids, soya, Me esters:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Method : OECD Test Guideline 405
Remarks : Minimal effects that do not meet the threshold for classification.

Components:

Cyantraniliprole:

Species : Rabbit
Result : slight irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
GLP : yes

Fatty acids, soya, Me esters:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

calcium dodecylbenzenesulphonate:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type : Buehler Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitization by skin contact.
GLP : yes

Test Type : Local lymph node assay (LLNA)
Species : mice
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1B.
GLP : yes

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Components:

Cyantraniliprole:

Test Type	: Local lymph node test
Routes of exposure	: Dermal
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Buehler Test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Magnusson-Kligman test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Causes skin sensitization.
GLP	: yes
Remarks	: see user defined free text

Fatty acids, soya, Me esters:

Result	: Does not cause skin sensitization.
--------	--------------------------------------

calcium dodecylbenzenesulphonate:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Genotoxicity in vitro	: Test Type: reverse mutation assay Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation
-----------------------	---

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Method: OECD Test Guideline 471

Result: negative

Test Type: reverse mutation assay

Test system: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo

: Test Type: Micronucleus test

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

GLP: yes

Germ cell mutagenicity -
Assessment

: Tests on bacterial or mammalian cell cultures did not show
mutagenic effects.

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro

: Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo

: Test Type: chromosome aberration assay

Species: Rat (male and female)

Application Route: Oral

Exposure time: 90 d

Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity -
Assessment

: Weight of evidence does not support classification as a germ
cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Components:

Cyantraniliprole:

Species	: Rat, male and female
Application Route	: Ingestion
Exposure time	: 2 Years
NOAEL	: 200 - 2,000 ppm
Method	: OECD Test Guideline 453
Result	: negative

Species	: Mouse, male and female
Application Route	: Ingestion
Exposure time	: 18 month(s)
NOAEL	: 7,000 ppm
Method	: OECD Test Guideline 451
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Fatty acids, soya, Me esters:

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 720 d
NOAEL	: 250 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Effects on fetal development	: Test Type: Pre-natal
	Species: Rat
	Application Route: Oral
	General Toxicity Maternal: NOAEL: 1,000 mg/kg bw/day
	Embryo-fetal toxicity.: NOAEL: 1,000 mg/kg bw/day
	Method: OECD Test Guideline 414
	Result: negative

Test Type: Pre-natal
Species: Rabbit

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Application Route: Oral
General Toxicity Maternal: NOAEL: 25 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 100 mg/kg bw/day
Symptoms: Maternal effects.
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Cyantraniliprole:

Species : Rat, male and female
NOAEL : 6.9 - 168 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 d
Method : OPPTS 870.3100
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female
NOAEL : 1091.8 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 d
Method : OPPTS 870.3100
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female
NOAEL : 3.08 - 3.48 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 d
Method : OPPTS 870.3150
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female
NOAEL : 8.3 - 106.6 mg/kg bw/day
Application Route : Ingestion
Exposure time : 2 years
Method : OPPTS 870.4300
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female
NOAEL : 768.8 - 903.8 mg/kg bw/day
Application Route : Ingestion
Exposure time : 18 months
Method : OPPTS 870.4200
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female
NOAEL : 5.67 - 6 mg/kg bw/day
Application Route : Ingestion
Exposure time : 1 year
Method : OPPTS 870.4100
Remarks : Effects are of limited toxicological significance.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Species	:	Rat, male and female
NOAEL	:	1000 mg/kg
Application Route	:	Dermal
Exposure time	:	28 d
Method	:	OECD Test Guideline 410
GLP	:	yes
Symptoms	:	Irritation
Remarks	:	Effects are of limited toxicological significance.

calcium dodecylbenzenesulphonate:

Species	:	Rat, male and female
NOAEL	:	85 mg/kg
LOAEL	:	145 mg/kg
Application Route	:	Oral
Exposure time	:	9 Months
Remarks	:	Based on data from similar materials

Species	:	Rat, male
LOAEL	:	286 mg/kg
Application Route	:	Skin contact
Exposure time	:	15 Days
Remarks	:	Based on data from similar materials

Species	:	Rat, male and female
NOAEL	:	100 mg/kg bw/day
LOAEL	:	200 mg/kg bw/day
Application Route	:	Oral - gavage
Exposure time	:	28 - 54 Days
Method	:	OECD Test Guideline 422
Remarks	:	Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

Cyantraniliprole:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks	:	No data available
---------	---	-------------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.232 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.39 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00969 mg/l
Exposure time: 21 d
- Toxicity to terrestrial organisms : LD50 (Bumblebees (Bombus terrestris L.)): > 0.47 µg ai/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213
- LD50 (Bumblebees (Bombus terrestris L.)): > 100 µg ai/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

Ecotoxicology Assessment

- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Cyantraniliprole:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12.6 mg/l
Exposure time: 96 h
Method: US EPA Test Guideline OPP 72-1
GLP: yes
- LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0204 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13 mg/l
Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0.278 mg/l
Exposure time: 7 d

EyC50 (Lemna gibba (duckweed)): 0.060 mg/l
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9 mg/l
Exposure time: 28 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l
Exposure time: 21 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 1.01 mg/l
Exposure time: 90 d
Test Type: Early Life-Stage
Method: US EPA Test Guideline OPP 72-4
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00656 mg/l
End point: Growth
Exposure time: 21 d
Test Type: Static-Renewal
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

LOEC (Daphnia magna (Water flea)): 0.00969 mg/l
End point: Growth
Exposure time: 21 d
Test Type: Static-Renewal
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l
Exposure time: 21 d

NOEC (Americamysis bahia (mysid shrimp)): 0.72 mg/l
End point: reproduction
Exposure time: 35 d
Test Type: flow-through test
Method: US EPA Test Guideline OPP 72-4
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Toxicity to soil dwelling organisms : NOEC (*Eisenia fetida* (earthworms)): 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 0.0934 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214
GLP: yes

LD50 (*Apis mellifera* (bees)): > 0.1055 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213
GLP: yes

LD50 (*Colinus virginianus*): > 2,250 mg/kg
End point: Acute oral toxicity
Method: US EPA Test Guideline OPPTS 850.2100
GLP: yes

NOEC (*Anas platyrhynchos* (Mallard duck)): 1,000 ppm
End point: Reproduction Test
Method: OECD Test Guideline 206
GLP: yes

Fatty acids, soya, Me esters:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l
Exposure time: 96 h

LC50 (*Leuciscus idus* (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: ISO 7346/2

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 800 - 5,243 mg/l
Exposure time: 48 h

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

		LC50 (Pimephales promelas (fathead minnow)): 4.6 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3.5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 7.9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC50 (Pseudokirchneriella subcapitata (green algae)): 65.4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1.65 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
		NOEC (Daphnia magna (Water flea)): 1.18 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50 (activated sludge): 500 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): 1,000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): 1,356 mg/kg Exposure time: 14 d Method: OECD Test Guideline 223

Persistence and degradability

Components:

Cyantraniliprole:

Biodegradability : Remarks: Not readily biodegradable.

Fatty acids, soya, Me esters:

Biodegradability : Result: Readily biodegradable.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

Bioaccumulative potential

Components:

Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 1
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1.97 (22 °C)
pH: 4

log Pow: 2.07 (22 °C)
pH: 7

log Pow: 1.74 (22 °C)
pH: 9

Fatty acids, soya, Me esters:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70.79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.77 (25 °C)

Mobility in soil

Components:

Cyantraniliprole:

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2.38
Kd: 3.73 ml/g
Remarks: Mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | | |
|------------------------|---|---|
| Waste from residues | : | The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- | | | |
|---------------------------|---|---|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cyantraniliprole) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| Environmentally hazardous | : | yes |

IATA-DGR

- | | | |
|--|---|---|
| UN/ID No. | : | UN 3082 |
| Proper shipping name | : | Environmentally hazardous substance, liquid, n.o.s.
(Cyantraniliprole) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | Miscellaneous |
| Packing instruction (cargo aircraft) | : | 964 |
| Packing instruction (passenger aircraft) | : | 964 |
| Environmentally hazardous | : | yes |

IMDG-Code

- | | | |
|----------------------|---|---|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cyantraniliprole) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

GB 6944/12268

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
Marine pollutant	: yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under SAWS : Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not applicable

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

Cyantraniliprole
Fatty acids, C6-10, Me esters

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	:	2024/10/25
Date format	:	yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation,

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Exirel® 100 SE Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/25	50000098	Date of first issue: 2024/10/25

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CN / EN