IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : IGNITE™ insecticide

Other means of identification : Clothianidin 600 g/L SC

Manufacturer or supplier's details

Company : FMC AG (Thailand) Ltd

Address : 159/22 Serm-Mit Tower, Unit 1404,

14th Floor, Sukhumvit 21 Road (Asoke) Khwaeng Klongtoey Nua,Khet Wattana

Bangkok 10110

Thailand

Telephone : +662 700 9770

Telefax : +662 700 9777

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:

1 703 / 741-5970 (CHEMTREC - International)

001-800-13-203-9987 (CHEMTREC) Toll-free: 1800014808 (CHEMTREC)

Medical emergency:

All other countries: +1 651 / 632-6793 (Collect)

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 5

Acute toxicity (Dermal) : Category 5

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

Hazard pictograms :

¥2>

Signal Word : Warning

Hazard Statements : H303 + H313 May be harmful if swallowed or in contact with

skin

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P273 Avoid release to the environment.

Response:

P312 Call a POISON CENTER or doctor/ physician if you feel

unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
clothianidin (ISO)	210880-92-5	>= 30 -< 50
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	>= 1 -< 2.5
1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0.025 -< 0.1

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

Call a physician if irritation develops or persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

May be harmful if swallowed or in contact with skin.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Chlorinated compounds Nitrogen oxides (NOx)

Carbon oxides
Hydrogen cyanide
Sulphuric acid
Sulfur oxides

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Avoid formation of aerosol. Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
clothianidin (ISO)	210880-92-5	TWA (Inhal- able particu- late matter)	0.1 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

Form : suspension

Color : white

Odor : odorless

pH : 4 - 8 (25 °C)

Method: CIPAC MT 75

: 93 °C

Flammability (liquids) : Does not sustain combustion.

Self-ignition : No data available

Vapor pressure : No data available

Density : 1.22 g/l (20 °C)

Partition coefficient: n-

octanol/water

Not applicable

Viscosity

Viscosity, dynamic : 55 mPa.s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The product is not oxidizing.

Metal corrosion rate : Not corrosive to metals.

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Protect from frost, heat and sunlight.

Incompatible materials : Strong oxidizing agents

Strong acids and strong bases

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

Hazardous decomposition

products

: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

May be harmful if swallowed or in contact with skin.

Product:

Acute oral toxicity : LD50 (Rat, female): 2,500 mg/kg

Method: OECD Test Guideline 423

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.060 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Components:

clothianidin (ISO):

Acute oral toxicity : LD50 (Mouse, male and female): 389 - 465 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.54 mg/l

Exposure time: 4.5 h
Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Components:

clothianidin (ISO):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Components:

clothianidin (ISO):

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

Result : No eye irritation

Method : OECD Test Guideline 437

Species : Rabbit

Result : Irreversible effects on the eye

Method : EPA OPP 81-4

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.
Remarks : Based on data from similar materials

Components:

clothianidin (ISO):

Test Type : Maximization Test Species : Guinea pig

Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Routes of exposure : Skin contact

Result : Does not cause skin sensitization.

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitization by skin contact.

Species : Guinea pig Method : FIFRA 81.06

Result : May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

clothianidin (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster fibroblasts

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Test Type: comet assay

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 489

Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Rat (male) Cell type: Liver cells

Application Route: Ingestion

Exposure time: 4 h

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessment

: Weight of evidence does not support classification as a germ

cell mutagen.

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

Carcinogenicity

Not classified due to lack of data.

Components:

clothianidin (ISO):

Species : Rat, male and female

Application Route : Oral

NOAEL : 3,000 ppm

Method : OECD Test Guideline 453

Result : negative

Reproductive toxicity

Not classified due to lack of data.

Components:

clothianidin (ISO):

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Pre-natal

Species: Rat

Application Route: Oral

Embryo-fetal toxicity.: NOAEL: >= 125 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male

Application Route: Ingestion

General Toxicity Parent: NOAEL: 18.5 mg/kg body weight General Toxicity F1: NOAEL: 48 mg/kg body weight

Fertility: NOAEL: 112 mg/kg bw/day

Symptoms: No effects on reproduction parameters.

Method: OPPTS 870.3800

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

clothianidin (ISO):

Species : Rat
NOAEL : 500 ppm
LOAEL : 3000 ppm
Application Route : Oral
Exposure time : 90 days

Method : OECD Test Guideline 408

Remarks : Effects are of limited toxicological significance.

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female

NOAEL : 15 mg/kg Application Route : Ingestion Exposure time : 28 d

Method : OECD Test Guideline 407

Symptoms : Irritation

Species : Rat, male and female

NOAEL : 69 mg/kg Application Route : Ingestion Exposure time : 90 d

Symptoms : Irritation, Reduced body weight

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

clothianidin (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 117 mg/l

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Chironomus riparius (harlequin fly)): 0.029 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

NOEC (Navicula pelliculosa (Freshwater diatom)): 40 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 201

EC50 (Navicula pelliculosa (Freshwater diatom)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 20 mg/l

Exposure time: 33 d

Method: US EPA Test Guideline OPPTS 850.1400

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.12 mg/l

Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 211

NOEC (Americamysis bahia (mysid shrimp)): 0.0097 mg/l

Exposure time: 39 d

Test Type: flow-through test Method: OPPTS 850.1350

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 - 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50: > 1 - 10 mg/l Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): > 1 - 10 mg/l

Exposure time: 72 h

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

EC10 (algae): > 0.1 - < 1 mg/l

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7

mg/l

Exposure time: 96 h Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.9 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070

mg/

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

clothianidin (ISO):

Biodegradability : Remarks: No data available

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Method: OECD Test Guideline 301E

IGNITE™ insecticide



SDS Number: Date of last issue: -Version Revision Date:

2024/03/26 50000770 Date of first issue: 2024/03/26 1.0

1,2-benzisothiazol-3(2H)-one:

Biodegradability Result: rapidly biodegradable

Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

clothianidin (ISO):

Bioaccumulation Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 6.62

Exposure time: 56 d

Method: OECD Test Guideline 305

Remarks: Substance is not persistent, bioaccumulative, and

toxic (PBT).

Partition coefficient: n-

octanol/water

log Pow: 0.7 (20 °C)

pH: 7

log Pow: 0.99 (20 °C)

pH: 5

Mobility in soil

Components:

clothianidin (ISO):

Distribution among environmental compartments

Koc: 123 ml/g, log Koc: 2.08 Remarks: Mobile in soils

1,2-benzisothiazol-3(2H)-one:

Distribution among environ-

mental compartments

Koc: 9.33 ml/g, log Koc: 0.97 Method: OECD Test Guideline 121 Remarks: Highly mobile in soils

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Clothianidin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Clothianidin)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

964

Packing instruction (passen-

ger aircraft)

: 964

gerancian)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Clothianidin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Substance Act : Conditions of restriction for the fol-

lowing entries should be considered:

clothianidin

(Number on list 116) sodium hydroxide

(Number on list 153; Number on list

6)

Emergency Decree on Controlling the Use of Volatile

Substances

Not applicable

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

clothianidin (ISO)

Aqueous solution of a modified polymer with pigment affinitive

groups

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 2024/03/26

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

IGNITE™ insecticide



Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/03/26 50000770 Date of first issue: 2024/03/26

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

TH / EN