According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ALLY® 20 SX

Other means of identification

Product code 50000019

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- Herbicide

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S

Thyborønvej 78 DK-7673 Harboøre

Denmark

Telephone: +45 9690 9690 Telefax: +45 9690 9691

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Denmark: +45-69918573 (CHEMTREC)

Medical emergency:

Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate-

H400: Very toxic to aquatic life.

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in

accordance with local regulations.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and re-entry interval, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

EC-No. (% w/w) Index-No.	Chemical name		Classification	Concentration (% w/w)
--------------------------	---------------	--	----------------	-----------------------

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

	Registration number			
metsulfuron-methyl (ISO)	74223-64-6	Aquatic Acute 1;		
	613-139-00-2	Aquatic Chronic 1; H410		
		M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 1.000		
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 1 - < 10	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Thermal decomposition can lead to release of irritating gases

and vapours.

Nitrogen oxides (NOx)

Sulphur oxides Carbon oxides Hydrogen cyanide

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Specific extinguishing meth-

ods

Use a water spray to cool fully closed containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material.

Evacuate personnel to safe areas.

Avoid dust formation.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

Avoid breathing dust.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.

Pick up and transfer to properly labeled containers without

creating dust.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Hygiene measures : General industrial hygiene practice. Do not breathe dust.

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday. When using do not eat

or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installa-

tions / working materials must comply with the technological

safety standards.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

ble.

Further information on storage conditions

The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be availa-

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Poly(oxy-1,2- ethanediyl), .alphahydro- .omegahydroxy-	25322-68-3	GV	1.000 mg/m3	DK OEL
		S	2.000 mg/m3	DK OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
sodium carbonate	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Acute local effects	10 mg/m3
Poly(oxy-1,2- ethanediyl), .alpha hydroomega hydroxy-	Workers	Inhalation	Long-term systemic effects	40,2 mg/m3
	Workers	Dermal	Long-term systemic effects	112 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	7,14 mg/m3
	Consumers	Oral	Long-term systemic effects	40 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Poly(oxy-1,2-ethanediyl), .alpha	Fresh water	273 mg/l

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

hydroomegahydroxy-		
	Intermittent use/release	1 mg/l
	Marine water	27,3 mg/l
	Intermittent use/release	0,1 mg/l
	Fresh water sediment	1030 mg/kg dry weight (d.w.)
	Marine sediment	103 mg/kg dry weight (d.w.)
	Soil	46,4 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : Particulates type (P)

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Form : solid, granules

Colour : brown

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

Odour : mild

Odour Threshold : not determined

Melting point/range : Not available for this mixture.

Boiling point/boiling range : Decomposition

Flammability : Not highly flammable, may be ignitable

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : not determined

Auto-ignition temperature : No data available

Decomposition temperature : Not available for this mixture.

pH : 9,2

Concentration: 10 g/l

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

Not available for this mixture.

Vapour pressure : Not available for this mixture.

Relative density : Not available for this mixture.

Density : No data available

Bulk density : 0,660 g/m3 Tap density

Relative vapour density : not determined

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The product is not oxidizing.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

Self-ignition : not determined

Evaporation rate : Not applicable

Surface tension : Not applicable

Molecular weight : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air. No decomposition if

stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

Avoid dust formation. Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: Fixed Dose Method

Acute inhalation toxicity : > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Information given is based on data on the compo-

nents.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

Method: OECD Test Guideline 402

Components:

metsulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: US EPA Test Guideline OPP 81-1

Acute inhalation toxicity : LC50 (Rat): > 5.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: US EPA Test Guideline OPPTS 870.1300

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg

Method: US EPA Test Guideline OPP 81-2

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2.800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2,3 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Target Organs: Skin Symptoms: Erythema

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Components:

metsulfuron-methyl (ISO):

Species : Rabbit

Method : US EPA Test Guideline OPP 81-5

Result : No skin irritation

sodium carbonate:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : No skin irritation

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 13.04.2023 50000019 Date of first issue: 23.03.2022 1.2

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species Rabbit

Method OECD Test Guideline 405

Result No eye irritation

Components:

metsulfuron-methyl (ISO):

Species Rabbit

Method **OECD Test Guideline 405**

Result No eye irritation

sodium carbonate:

Species Rabbit

Result Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Species Guinea pig

Method OECD Test Guideline 406 Result Not a skin sensitizer.

Components:

metsulfuron-methyl (ISO):

Test Type **Maximisation Test** Exposure routes Skin contact **Species** Guinea pig

Method US EPA Test Guideline OPPTS 870.2600

Result Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity- As- : Contains no ingredient listed as a mutagen

sessment

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

Components:

metsulfuron-methyl (ISO):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: Chromosome aberration test in vitro Metabolic activation: Metabolic activation

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Germ cell mutagenicity- As-

sessment

Animal testing did not show any mutagenic effects.

sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assess-

ment

Contains no ingredient listed as a carcinogen

Components:

metsulfuron-methyl (ISO):

Species : Rat, male and female

Exposure time : 104 weeks NOAEL : 500 ppm Result : negative

Species : Mouse, male and female

Exposure time : 18 month(s)

NOAEL : 5.000 ppm

Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - As-

sessment

: Contains no ingredient listed as toxic to reproduction

Components:

metsulfuron-methyl (ISO):

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit, female Application Route: Ingestion Symptoms: Maternal effects

Result: negative

Test Type: Embryo-foetal development

Species: Rat, female Application Route: Ingestion Symptoms: Maternal effects

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

sodium carbonate:

Effects on foetal develop-

ment

Species: Rat

Application Route: Oral

Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram

Duration of Single Treatment: 6 - 15 d

General Toxicity Maternal: NOAEL: > 245 mg/kg body weight

Teratogenicity: NOAEL: > 245 mg/kg body weight

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Components:

sodium carbonate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

metsulfuron-methyl (ISO):

Species : Rat, male and female

NOEL : 1000 ppm Application Route : Oral - feed Exposure time : 90 days

Symptoms : Reduced body weight

sodium carbonate:

Species : Rat, male and female

NOAEL : > 0.01 mg/kg

Application Route : inhalation (dust/mist/fume)

Test atmosphere : dust/mist

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

Neurological effects

Components:

metsulfuron-methyl (ISO):

No neurotoxicity observed in animal studies

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 625 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 625 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,6

mg/l

Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 2,35 μg/l

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50: > 100 µg/bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

LD50: 114 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Remarks: Based on EU Harmonised classification - Annex VI

of Regulation (EC) No 1272/2008 (CLP Regulation)

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Remarks: Based on EU Harmonised classification - Annex VI

of Regulation (EC) No 1272/2008 (CLP Regulation)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

Components:

metsulfuron-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 113 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Poecilia reticulata (guppy)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 120 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Lemna minor (duckweed)): 0,16 μg/l

Exposure time: 14 d

ErC50 (Anabaena flos-aquae (cyanobacterium)): 0,1134 mg/l

Exposure time: 72 h

IC50 (Selenastrum capricornutum (green algae)): 0,045 mg/l

Exposure time: 72 h

ErC50 (Myriophyllum spicatum): 0,23 µg/l

ErC50 (Lemna gibba (gibbous duckweed)): 0,57 μg/l

M-Factor (Acute aquatic tox-

icity)

1.000

Toxicity to fish (Chronic tox-

icity)

NOEC: 68 mg/l

Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,5 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

1.000

Toxicity to soil dwelling or-

ganisms

NOEC: 6 mg/kg

Exposure time: 56 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 100 µg/bee

End point: Acute contact toxicity Species: Apis mellifera (bees)

LD50: $> 91,72 \mu g/bee$

End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: > 2.510 mg/kg

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

Species: Anas platyrhynchos (Mallard duck)

sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): 200 mg/l

Exposure time: 48 h Test Type: semi-static test

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

Remarks: Estimation based on data obtained on active ingre-

dient.

Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water

treatment plants.

Components:

metsulfuron-methyl (ISO):

Biodegradability : Result: Not readily biodegradable.

Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and

water.

sodium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Components:

metsulfuron-methyl (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 28 d

Bioconcentration factor (BCF): < 1 Remarks: Does not bioaccumulate.

Partition coefficient: n- : log Pow: -1,7 (25 °C)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

octanol/water pH: 7

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

No other ecological effects to be specially mentioned.

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version **Revision Date:** SDS Number: Date of last issue: 24.03.2022 13.04.2023 50000019 Date of first issue: 23.03.2022 1.2

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN UN 3077 **ADR UN 3077** RID UN 3077 **IMDG** UN 3077 **IATA** UN 3077

14.2 UN proper shipping name

ADN ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Metsulfuron-methyl)

ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Metsulfuron-methyl)

RID ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Metsulfuron-methyl)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Metsulfuron-methyl)

IATA Environmentally hazardous substance, solid, n.o.s.

(Metsulfuron-methyl)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN 9 **ADR** 9 **RID** 9 **IMDG** 9 **IATA** 9

14.4 Packing group

ADN

Packing group Ш Classification Code M7 Hazard Identification Number : 90 Labels 9

ADR

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1

ENVIRONMENTAL HAZARDS

: Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

METHYL 2-{[(4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-

YL)CARBAMOYL]SULFAMOYL}BENZOATE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H319 : Causes serious eye irritation. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

DK OEL : Denmark. Occupational Exposure Limits

DK OEL / S : Exposure period of 15 minutes
DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Re-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



ALLY® 20 SX

Version Revision Date: SDS Number: Date of last issue: 24.03.2022 1.2 13.04.2023 50000019 Date of first issue: 23.03.2022

striction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Aquatic Acute 1 H400 Based on product data or assessment
Aquatic Chronic 1 H410 Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

DK / 6N