

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	23.01.2023	50001468	Date of first issue: 20.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name NUTRILEAF SPRING

Other means of identification

Product code 50001468

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Fertilizers

Recommended restrictions : Use as recommended by the label.
on use

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agro Limited
Rectors Lane, Pentre
Flintshire
CH5 2DH
United Kingdom

Telephone: + 44 1244 537370
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:
England and Wales: 111
Scotland: 84 54 24 2424

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)**

Oxidizing solids, Category 3

H272: May intensify fire; oxidizer.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version 1.3	Revision Date: 23.01.2023	SDS Number: 50001468	Date of last issue: - Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	--

Reproductive toxicity, Category 1B

H360FD: May damage fertility. May damage the unborn child.

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Danger

Hazard statements :
H272 May intensify fire; oxidizer.
H360FD May damage fertility. May damage the unborn child.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :
Prevention:
P201 Obtain special instructions before use.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
Disposal:
P501 Dispose of contents and/or container in accordance with hazardous waste regulations.

Hazardous components which must be listed on the label:
boric acid

Additional Labelling

Restricted to professional users.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version 1.3	Revision Date: 23.01.2023	SDS Number: 50001468	Date of last issue: - Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	--

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
boric acid	10043-35-3 233-139-2 005-007-00-2	Repr. 1B; H360FD	>= 10 - < 20
Zinc sulphate, monohydrate	7446-19-7	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 1 - < 2.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Wash contaminated clothing before reuse. Get medical attention immediately if irritation develops and persists.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	23.01.2023	50001468	Date of first issue: 20.07.2018

- | | |
|------------------------|--|
| In case of eye contact | : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do NOT induce vomiting.
Take victim immediately to hospital.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|--|
| Risks | : Causes serious eye irritation.
May damage fertility. May damage the unborn child. |
|-------|--|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|---|
| Treatment | : Treat symptomatically.

It may be helpful to show this safety data sheet to physician.
Keep warm and in a quiet place.
If a person vomits when lying on his back, place him in the recovery position. |
|-----------|---|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : High volume water jet |

5.2 Special hazards arising from the substance or mixture

- | | |
|---------------------------------------|---|
| Specific hazards during fire-fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : No hazardous combustion products are known |

5.3 Advice for firefighters

- | | |
|---|---|
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	23.01.2023	50001468	Date of first issue: 20.07.2018

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform
respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the ap-
plication area.
Dispose of rinse water in accordance with local and national
regulations.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation
at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated
place. Containers which are opened must be carefully re-
sealed and kept upright to prevent leakage. Observe label
precautions. Electrical installations / working materials must
comply with the technological safety standards.

Further information on stor- age stability : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	23.01.2023	50001468	Date of first issue: 20.07.2018

7.3 Specific end use(s)

Specific use(s) : Fertilizers

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

- | | |
|--------------------------|---|
| Eye protection | : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems. |
| Hand protection | |
| Material | : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Skin and body protection | : Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Respiratory protection | : No personal respiratory protective equipment normally required. |
| Protective measures | : The applicator shall wear chemical protective gloves conforming to UNE-EN 374-1:2016. The gloves can be reusable or disposable, protective clothing type 6 against splashes of liquid products, according to UNE-EN13034: 2005 + A1:2009 or C1 both full and partial protection, against phytosanitary products according to UNE EN 27065: 2017 and chemical resistant footwear at least ankle boots, rubber or other polymeric material (classification II) according to UNE-EN 13832-2 during mixing/loading and application.
The worker should wear appropriate work clothing: Coverall or long-sleeved jacket and long pants made of cotton (> 300 g/m ²) or cotton and polyester (> 200 g/m ²) and sturdy or C1 footwear during re-entry.
During tractor application chemical protective gloves should be worn only for handling application equipment or contaminated surfaces.
The same protective measures as for mixing/loading should be applied for cleaning and maintenance of the equipment.
Do not enter treated crops until the spray has dried. |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version 1.3	Revision Date: 23.01.2023	SDS Number: 50001468	Date of last issue: - Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	--

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: solid
Colour	: light blue
Odour	: odourless
Odour Threshold	: No data available
pH	: 6 - 8 In a 1% aqueous dispersion
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 800 - 1,200
Density	: No data available
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version 1.3	Revision Date: 23.01.2023	SDS Number: 50001468	Date of last issue: - Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	--

Explosive properties	:	No data available
Oxidizing properties	:	The substance or mixture is classified as oxidizing with the category 3.

9.2 Other information

Particle size	:	No data available
Particle Size Distribution	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid	:	Not applicable
--------------------	---	----------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Remarks: No reliable data on the substance/product are available for the inhalation route of exposure.

Components:

boric acid:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version 1.3	Revision Date: 23.01.2023	SDS Number: 50001468	Date of last issue: - Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	--

Acute oral toxicity	: LD50 (Rat, male): > 2,600 mg/kg Method: OECD Test Guideline 401 Remarks: no mortality
Acute inhalation toxicity	: LC0 (Rat, male and female): > 2.03 mg/l Exposure time: 5 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: no mortality
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 2,000 mg/kg Remarks: no mortality

Zinc sulphate, monohydrate:

Acute oral toxicity	: LD50 (Rat, male): 1,710 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Symptoms: irritating Remarks: no mortality

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks	: Based on available data, the classification criteria are not met.
---------	---

Components:

boric acid:

Species	: Rabbit
Result	: No skin irritation

Zinc sulphate, monohydrate:

Species	: Mouse
Result	: slight irritation
Remarks	: Based on data from similar materials

Species	: Rabbit
Result	: slight irritation
Remarks	: Based on data from similar materials

Species	: Guinea pig
Result	: slight irritation
Remarks	: Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	23.01.2023	50001468	Date of first issue: 20.07.2018

Product:

Remarks : Based on available data, the classification criteria are not met.

Components:

boric acid:

Species : Rabbit
Result : slight irritation

Zinc sulphate, monohydrate:

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks : Based on available data, the classification criteria are not met.

Components:

boric acid:

Test Type : Buehler Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Zinc sulphate, monohydrate:

Exposure routes : Skin contact
Species : Mouse
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

boric acid:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Test Type: sister chromatid exchange assay
Result: negative

Test Type: gene mutation test
Result: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version 1.3	Revision Date: 23.01.2023	SDS Number: 50001468	Date of last issue: - Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	--

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Zinc sulphate, monohydrate:

Genotoxicity in vitro : Test Type: gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

boric acid:

Species : Mouse, male and female
Application Route : Oral
Exposure time : 103 weeks
Dose : 0, 446, 1150mg/kg/bw/day
: > 1,150 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Zinc sulphate, monohydrate:

Remarks : No human information is available.

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

boric acid:

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 5.9, 17.5, 58.5(mg)/kg/bw/d
General Toxicity - Parent: LOAEL: 58.5 mg/kg bw/day
General Toxicity F1: LOAEL: 58.5 mg/kg bw/day
General Toxicity F2: LOAEL: 58.5 mg/kg bw/day
Result: negative

Effects on foetal develop- : Test Type: reproductive and developmental toxicity study

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version 1.3	Revision Date: 23.01.2023	SDS Number: 50001468	Date of last issue: - Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	--

ment

Species: Rat
Application Route: Oral
Dose: 3.3, 6.3, 9.6, 13.3, 25mg/kg
General Toxicity Maternal: LOAEL: 13.3 mg/kg bw/day
Embryo-foetal toxicity: NOAEL: \geq 12.9 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

Zinc sulphate, monohydrate:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

boric acid:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Zinc sulphate, monohydrate:

Remarks : No data available

Repeated dose toxicity

Components:

boric acid:

Species : Rat, male and female
LOAEL : 58.5 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 2 years
Dose : 0, 5.9, 17.5, 58.5mg/kg/bw/d

Species : Rat, female
NOAEC : 0.47 mg/l
Application Route : inhalation (dust/mist/fume)
Dose : .077, .175, .47 mg/l

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version 1.3	Revision Date: 23.01.2023	SDS Number: 50001468	Date of last issue: - Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	--

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

boric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 79.7 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: Based on data from similar materials

LC50 (Limanda limanda): 74 mg/l
Exposure time: 96 h
Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 102 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 40.2 mg/l
Exposure time: 74.5 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 17.5 mg/l
Exposure time: 74.5 h
Method: OECD Test Guideline 201

LOEC : 3.6 mg/l
Exposure time: 10 d
Test Type: semi-static test

Toxicity to microorganisms : EC50 (activated sludge): > 175 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

NOEC (activated sludge): 17.5 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 6.4 mg/l
Exposure time: 34 d
Species: Danio rerio (zebra fish)
Method: OECD Test Guideline 210

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	23.01.2023	50001468	Date of first issue: 20.07.2018

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 6.4 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

Toxicity to soil dwelling organisms : LC50: > 175 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

NOEC: >= 175 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

Zinc sulphate, monohydrate:

Toxicity to fish : LC50 (Fish): 0.112 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.169 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.131 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.0052 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : EC10:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0056 mg/l
Exposure time: 10 d

M-Factor (Chronic aquatic toxicity) : 10

12.2 Persistence and degradability

Components:

Zinc sulphate, monohydrate:

Biodegradability : Remarks: No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version 1.3	Revision Date: 23.01.2023	SDS Number: 50001468	Date of last issue: - Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	--

12.3 Bioaccumulative potential

Components:

boric acid:

Bioaccumulation : Species: Fish
Exposure time: 60 d
Bioconcentration factor (BCF): < 0.1

Partition coefficient: n-octanol/water : log Pow: -1.09 (22 °C)

Zinc sulphate, monohydrate:

Bioaccumulation : Remarks: Not inherently biodegradable.

Partition coefficient: n-octanol/water : Remarks: Not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	23.01.2023	50001468	Date of first issue: 20.07.2018

Dispose of as unused product.
Do not re-use empty containers.
Rinse vigorously three times each container used, pouring the
rinse water into the tank (of the sprayer). Deliver empty con-
tainers or packaging waste either to the collection points es-
tablished by the collective systems of extended responsibility
(SIG) or directly to the point of sale where it was purchased if
the containers have been placed on the market through a
deposit, return and refund system.

SECTION 14: Transport information

14.1 UN number

ADN	:	UN 1479
ADR	:	UN 1479
RID	:	UN 1479
IMDG	:	UN 1479
IATA	:	UN 1479

14.2 UN proper shipping name

ADN	:	OXIDIZING SOLID, N.O.S. (boric acid, zinc sulfate)
ADR	:	OXIDIZING SOLID, N.O.S. (boric acid, zinc sulfate)
RID	:	OXIDIZING SOLID, N.O.S. (boric acid, zinc sulfate)
IMDG	:	OXIDIZING SOLID, N.O.S. (boric acid, zinc sulfate)
IATA	:	Oxidizing solid, n.o.s. (boric acid, zinc sulfate)

14.3 Transport hazard class(es)

ADN	:	5.1
ADR	:	5.1
RID	:	5.1
IMDG	:	5.1
IATA	:	5.1

14.4 Packing group

ADN	:	
Packing group	:	III
Classification Code	:	O2
Hazard Identification Number	:	50
Labels	:	5.1

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	23.01.2023	50001468	Date of first issue: 20.07.2018

ADR

Packing group	:	III
Classification Code	:	O2
Hazard Identification Number	:	50
Labels	:	5.1
Tunnel restriction code	:	(E)

RID

Packing group	:	III
Classification Code	:	O2
Hazard Identification Number	:	50
Labels	:	5.1

IMDG

Packing group	:	III
Labels	:	5.1
EmS Code	:	F-A, S-Q

IATA (Cargo)

Packing instruction (cargo aircraft)	:	563
Packing instruction (LQ)	:	Y546
Packing group	:	III
Labels	:	Oxidizer

IATA (Passenger)

Packing instruction (passenger aircraft)	:	559
Packing instruction (LQ)	:	Y546
Packing group	:	III
Labels	:	Oxidizer

14.5 Environmental hazards

ADN

Environmentally hazardous	:	no
---------------------------	---	----

ADR

Environmentally hazardous	:	no
---------------------------	---	----

RID

Environmentally hazardous	:	no
---------------------------	---	----

IMDG

Marine pollutant	:	no
------------------	---	----

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version 1.3	Revision Date: 23.01.2023	SDS Number: 50001468	Date of last issue: - Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	--

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: boric acid (Number on list 30)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	boric acid
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) E2 ENVIRONMENTAL HAZARDS

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2 ENVIRONMENTAL HAZARDS

The components of this product are reported in the following inventories:

TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. 0-00-0
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	23.01.2023	50001468	Date of first issue: 20.07.2018

KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H318	: Causes serious eye damage.
H360FD	: May damage fertility. May damage the unborn child.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Repr.	: Reproductive toxicity

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



NUTRILEAF SPRING

Version	Revision Date:	SDS Number:	Date of last issue: -
1.3	23.01.2023	50001468	Date of first issue: 20.07.2018

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture:

Ox. Sol. 3	H272
Repr. 1B	H360FD
Aquatic Chronic 3	H412

Classification procedure:

Calculation method
Calculation method
Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

GB / 6N