Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Boral 480 SC

Other means of identification : Boral 40 SC

BORAL 48 SC BANDOLIER

SULFENTRAZONE (AUTHORITY/ SPARTAN) 4F

DISMISS CA AUTHORITY 48 SC

ZEUS

WEED B GON FLEX HERBICIDE

AMBITION 1 HERBICIDE

SLUFENTRAZONE LIQUID MUP DISMISS TURF HERBICIDE

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as herbicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 WALNUT ST

PHILADELPHIA PA 19104

Telephone : (215) 299-6000

Emergency telephone : For leak, fire, spill or accident emergencies, call:

001-803-017-9114 (CHEMTREC)

1 703 / 741-5970 (CHEMTREC - International)

Medical emergency: 0800 140 1447

2. HAZARDS IDENTIFICATION

GHS Classification

Specific target organ toxicity - :

repeated exposure

Category 2 (hematopoietic system)

Long-term (chronic) aquatic

hazard

: Category 2

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

GHS label elements

Hazard pictograms





Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (hematopoietic system)

through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors. P273 Avoid release to the environment.

Response:

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sulfentrazone	122836-35-5	>= 30 -< 60

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical

Carbon dioxide (CO2)

Water spray

Foam

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx) Halogenated compounds

Sulfur oxides

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : light brown

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

Odor : alcohol-like

pH : 5,3 - 6 (20 °C)

: 123 °C

Flash point : > 93,3 °C

Method: closed cup

Self-ignition : No data available

Density : 10,07 lb/gal

Bulk density : 1,206 g/cm3

Solubility(ies)

Water solubility : dispersible

Viscosity

Viscosity, dynamic : 590 - 624 mPa.s

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Protect from frost, heat and sunlight.

Incompatible materials : Strong acids

Strong bases

Strong oxidizing agents

Hazardous decomposition

products

Nitrogen oxides (NOx)

Carbon oxides Sulfur oxides

Halogenated compounds

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

Product:

Acute oral toxicity : LD50 (Rat, female): 2.084 mg/kg

Method: US EPA Test Guideline OPP 81-1

Acute inhalation toxicity : LC50 (Rat): > 2,72 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: US EPA Test Guideline OPP 81-3

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg

Method: US EPA Test Guideline OPP 81-2

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

Sulfentrazone:

Acute oral toxicity : LD50 (Rat, male): 3.034 mg/kg

LD50 (Rat, female): 2.689 mg/kg

LD50 (Rat, male and female): 2.855 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,13 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : US EPA Test Guideline OPP 81-5

Result : No skin irritation

Components:

Sulfentrazone:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

Result : No eye irritation

Method : US EPA Test Guideline OPP 81-4

Components:

Sulfentrazone:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type : Skin sensitization
Routes of exposure : Skin contact
Species : Guinea pig

Method : US EPA Test Guideline OPP 81-6
Result : Does not cause skin sensitization.

Components:

Sulfentrazone:

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

Sulfentrazone:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: Mouse lymphoma assay
Test system: mouse lymphoma cells
Metabolic activation: Metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

Assessment

Carcinogenicity

Not classified based on available information.

Components:

Sulfentrazone:

Species : Rat, male and female

Application Route : Ingestion Exposure time : 2 Years Result : negative

Species : Mouse, male and female

Application Route : Ingestion
Exposure time : 18 month(s)
Result : negative

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Components:

Sulfentrazone:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

General Toxicity Parent: NOEL: 13,7 - 16,2 mg/kg bw/day General Toxicity F1: NOEL: 13,7 - 16,2 mg/kg bw/day

Symptoms: Maternal effects.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOEL: 25 mg/kg bw/day Developmental Toxicity: NOEL: 10 mg/kg bw/day

Symptoms: Maternal effects.

STOT-single exposure

Not classified based on available information.

Components:

Sulfentrazone:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

May cause damage to organs (hematopoietic system) through prolonged or repeated exposure.

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

Components:

Sulfentrazone:

Target Organs : hematopoietic system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Sulfentrazone:

Species : Rat, male and female NOEL : 65,8 - 78,1 mg/kg
Application Route : Oral - feed Exposure time : 90-days

Target Organs : hematopoietic system

Species : Mouse, male and female

NOEL : 60 - 79,8 mg/kg Application Route : Oral - feed Exposure time : 90-days

Target Organs : hematopoietic system

Aspiration toxicity

Not classified based on available information.

Components:

Sulfentrazone:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sulfentrazone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 60,4 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): 32,8 mg/l

Exposure time: 72 h

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,031

mg/l

Exposure time: 120 h

EC50 (Navicula pelliculosa (Diatom)): 0,042 mg/l

Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 0,0288 mg/l

Exposure time: 14 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 5,9 mg/l Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Crustaceans): 0,51 mg/l

Exposure time: 21 d

Toxicity to terrestrial organ-

isms

LD50 (Anas platyrhynchos (Mallard duck)): > 5.620 mg/kg

LD50 (Apis mellifera (bees)): > 25 μg/bee

Remarks: Oral

LD50 (Apis mellifera (bees)): > 200 µg/bee

Remarks: Contact

Persistence and degradability

Components:

Sulfentrazone:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 2,22 - 9,56 h

Bioaccumulative potential

Components:

Sulfentrazone:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

See section 9 for octanol-water partition coefficient.

Partition coefficient: n-

octanol/water

Remarks: No data available

Mobility in soil

Components:

Sulfentrazone:

Distribution among environ-

mental compartments

Remarks: Mobile in soils

Boral 480 SC



Version **Revision Date:** SDS Number: Date of last issue: -

2021/12/17 50000370 Date of first issue: 2021/12/17 1.0

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Sulfentrazone)

Class 9 Packing group Ш Labels 9

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Sulfentrazone)

9 Class Packing group Ш

Labels Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

964

964

ger aircraft)

Environmentally hazardous ves

IMDG-Code

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Sulfentrazone)

Class 9

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Minister of Trade No. 44 of 2009 on Procurement, Distribution and Supervision of Hazardous Materials

Type of Hazardous Materials Restricted to Import, : Not applicable

Distribution and Supervision

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

2',4'-DICHLORO-5'-(4-DIFLUOROMETHYL-4,5-DIHYDRO-3-

METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-

YL)METHANESULFONANILIDE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-

Boral 480 SC



Version Revision Date: SDS Number: Date of last issue: -

1.0 2021/12/17 50000370 Date of first issue: 2021/12/17

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

ID / EN