SAFETY DATA SHEET Affinity Force EW

SDS #: 7232-A

Revision date: 2018-03-07

Format: NA Version 1.03



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Affinity Force EW

Other means of identification

Product Code(s) 7232-A

Synonyms CARFENTRAZONE-ETHYL (FMC 116426): ethyl

α,2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl] -4-fluorobenzenepropanoate (CAS name); ethyl (RS)-2-chloro-3-[2-chloro-5-(4-difluoromethyl-4,5-dihydro-3-methyl-5- oxo-1H-1,2,4-triazol-1-yl) -4-fluorophenyl]

propionate (IUPAC name)

Active Ingredient(s) Carfentrazone-ethyl

Chemical Family Triazolinones

Alternate Commercial Name Hammer Force, Shark Rice Herbicide

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call: 1800 / 424 9300 (CHEMTREC - U.S.A.) 1703 / 741-5970 (CHEMTREC - International) 1703 / 527 3887 (CHEMTREC - Alternate)

Medical Emergencies:

1 800 / 331-3148 (ProPharma Group - U.S.A. & Canada)

1 651 / 632-6793 (ProPharma Group - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Version 1.03

Carcinogenicity Category 2

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

H351 - Suspected of causing cancer



Precautionary Statements - Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P308 + P313 - If exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects. May be harmful in contact with skin. May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Triazolinones.

Chemical name	CAS-No	Weight %
2-Methylnaphthalene	91-57-6	5-10
Carfentrazone-ethyl	128639-02-1	24.9
Naphtha (petroleum), heavy aromatic	64742-94-5	5-10
1-Methylnaphthalene	90-12-0	5-10
Propylene glycol	57-55-6	1-5
Naphthalene	91-20-3	0.1-1

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

Skin Contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

Version 1.03

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Immediately call a poison control center or doctor Do not induce vomiting unless told to do

so by a poison control center or doctor Do not give any liquid to the person Do not induce

vomiting or give anything by mouth to an unconscious person

Most important symptoms and effects, both acute and delayed

None known.

Indication of immediate medical attention and special treatment needed, if necessary

Treatment is symptomatic and supportive. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

ase aspiration pricamorita

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO₂), Foam, Dry powder, Water spray.

Specific Hazards Arising from the

Chemical

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None known

No information available. No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains. Keep out of waterways.

Methods for Containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with water and soap.

Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior

to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Version 1.03

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm	-	-	-
Naphthalene (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m³ STEL: 15 ppm STEL: 75 mg/m³	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm	-
			Skin	
Propylene glycol (57-55-6)	-	-	TWA: 10 mg/m³ aerosol only	-
			TWA: 50 ppm aerosol and vapor	
			TWA: 155 mg/m ³ aerosol and vapor	
Naphthalene (91-20-3)	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m³ STEL: 15 ppm STEL: 79 mg/m³	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m³ STEL: 15 ppm STEL: 79 mg/m³ Skin

Appropriate engineering controls

Apply technical measures to comply with the occupational exposure limits. When working in **Engineering measures**

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection For dust, splash, mist or spray exposures wear a filtering mask.

Clean water should be available for washing in case of eye or skin contamination. Wash Hygiene measures

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Liquid Off-white

Physical State Liquid Color Off-white Odor Solvent

No information available **Odor threshold**

Ha 4.29

Melting point/freezing point Not applicable

Affinity Force EW

SDS #: 7232-A

Revision date: 2018-03-07 Version 1.03

Boiling Point/Range
Flash point

Evaporation Rate
Flammability (solid, gas)

No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information available

Density 8.80 lb/gal

Specific gravity
Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Viscosity, kinematic
No information available

Viscosity, dynamic 1000-3000 cps (Brookfield RVT, spindle 3, 5 rpm)

Explosive properties

Oxidizing properties

Molecular weight

Bulk density

No information available
No information available
No information available
No information available

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks

Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx), hydrogen chloride, hydrogen fluoride, nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral Similar formulation: 4077 mg/kg (rat)
LD50 Dermal Similar formulation: > 4000 mg/kg (rat)
LC50 Inhalation Similar formulation: > 6.31 mg/L 4 hr (rat)

Serious eye damage/eye irritation

n Mildly irritating.
Mildly irritating (rabbit).

Skin corrosion/irritation Sensitization

Non-sensitizing

Information on toxicological effects

Symptoms Signs of toxicity in laboratory animals included mydriasis, cyanosis, ataxia, dyspnea,

lacrimation, and diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Long-term exposure caused neurotoxicity (body tremors, decreased motor activity),

decreased body weight and increased liver and spleen weight

Mutagenicity Carfentrazone-ethyl: Not genotoxic in laboratory studies.

Carcinogenicity Carfentrazone-ethyl: No evidence of carcinogenicity from animal studies.

Neurological effects Carfentrazone-ethyl : Not neurotoxic.

Reproductive toxicity Carfentrazone-ethyl . No toxicity to reproduction in animal studies.

Developmental toxicityCarfentrazone-ethyl: Not teratogenic in animal studies.

STOT - single exposure Not classified.

Version 1.03

STOT - repeated exposure

Not classified.

Neurological effects
Aspiration hazard

Carfentrazone-ethyl : Not neurotoxic. Not classified based on viscosity data.

Chemical name	ACGIH	IARC	NTP	OSHA
Naphthalene	A3	Group 2B	Reasonably Anticipated	X
91-20-3				

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

fentrazone-ethyl (128639-0	2-1)			
Active Ingredient(s)	Duration	Species	Value	Units
Carfentrazone-ethyl	72 h EC50	Algae	0.012	mg/L
	96 h LC50	Fish	1.6	mg/L
	48 h LC50	Daphnia	>9.8	mg/L
	96 h NOEC	Algae	1.0	μg/L
	21 d NOEC	Fish	0.0187	mg/L
	21 d NOEC	Crustacea	0.22	mg/L

Persistence and degradability Carfentrazone-ethyl: Non-persistent. Readily hydrolyzed. Not readily biodegradable.

Bioaccumulation Carfentrazone-ethyl: The substance does not have a potential for bioconcentration.

Mobility Carfentrazone-ethyl : Not relevant.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT This material is not a hazardous material as defined by U.S. Department of Transportation

at 49 CFR Parts 100 through 185.

TDG Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant Carfentrazone-ethyl, Naphthalene.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (carfentrazone-ethyl,

Version 1.03

naphthalene), 9, III, Marine pollutant

ICAO/IATA

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group

Special Provisions Marine pollutant

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (carfentrazone-ethyl,

naphthalene), 9, III, Marine pollutant

IMDG/IMO

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III
EmS No. F-A, S-F

Marine Pollutant Carfentrazone-ethyl , Naphthalene

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (carfentrazone-ethyl,

naphthalene), 9, III, Marine pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Naphthalene - 91-20-3	91-20-3	0.1-1	0.1

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic health hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3	100 lb	X	Х	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Naphthalene 91-20-3	100 lb 45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information

Affinity Force EW

SDS #: 7232-A Revision date: 2018-03-07

vision date: 2018-03-07 Version 1.03

required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Causes eye and skin irritation.

This product is highly toxic to algae and toxic to fish and aquatic organisms.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1-Methylnaphthalene 90-12-0	Х	X	Х
Propylene glycol 57-55-6	X		X
Naphthalene 91-20-3	X	X	Х

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Carfentrazone-ethyl 128639-02-1					Х			
Naphtha (petroleum), heavy aromatic 64742-94-5	Х	Х	X		Х	X	Х	Х
1-Methylnaphthalene 90-12-0	Х	Х	Х	Х	Х		Х	Х
Propylene glycol 57-55-6	Х	Х	Х	Х	Х	Х	Х	Х
Naphthalene 91-20-3	Х	Х	Х	Х	Х	Х	Х	Х

Mexico - Grade

Serious risk, Grade 3

Chemical name	Carcinogen Status	Mexico
Naphthalene		Mexico: TWA 10 ppm
·		Mexico: TWA 50 mg/m ³
		Mexico: STEL 15 ppm
		Mexico: STEL 75 mg/m ³

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

D2A - Very toxic materials

(T)

SDS #: 7232-A **Revision date**: 2018-03-07

Version 1.03

16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 1*	Flammability 1	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2018-03-07

Reason for revision: (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet