

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

---

### SECTION 1. IDENTIFICATION

#### Product identifier

**Product name** Steward® eVo insect control

#### Other means of identification

**Product code** 50002925

#### Recommended use of the chemical and restrictions on use

**Recommended use** Can be used as insecticide only.

**Restrictions on use** Use as recommended by the label.

#### Details of the supplier of the safety data sheet

**Manufacturer** FMC Corporation  
2929 WALNUT ST  
PHILADELPHIA PA 19104  
USA  
(215) 299-6000  
SDS-Info@fmc.com

**Supplier Address** FMC Corporation  
2929 Walnut Street  
Philadelphia PA 19104  
USA

#### Emergency telephone

For leak, fire, spill or accident emergencies, call:  
1 800 / 424-9300 (CHEMTREC - U.S.A.)  
1 703 / 741-5970 (CHEMTREC - International)  
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:  
U.S.A. & Canada: +1 800 / 331-3148  
All other countries: +1 651 / 632-6793 (Collect)

---

### SECTION 2. HAZARDS IDENTIFICATION

#### **GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Specific target organ toxicity : Category 2 (Central nervous system)  
- single exposure

Specific target organ toxicity : Category 1 (Blood, Nervous system)  
- repeated exposure

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version 1.0      Revision Date: 07/11/2024      SDS Number: 50002925      Date of last issue: -  
Date of first issue: 07/11/2024

### GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H371 May cause damage to organs (Central nervous system).  
H372 Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
**Response:**  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
**Storage:**  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

Very toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
indoxacarb (ISO)	173584-44-6	27.03
propane-1,2-diol	57-55-6	$\geq 5 - < 10$
2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates	90093-37-1	$\geq 1 - < 5$
sodium decyl sulphate	142-87-0	$\geq 1 - < 5$

## SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version 1.0	Revision Date: 07/11/2024	SDS Number: 50002925	Date of last issue: - Date of first issue: 07/11/2024
----------------	------------------------------	-------------------------	--

- |   |   |
|---|---|
| If inhaled  | : Move to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.<br>If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.                                     |
| In case of skin contact                                     | : Take off all contaminated clothing immediately.<br>Wash contaminated clothing before re-use.<br>Wash off immediately with plenty of water for at least 15 minutes.<br>Get medical attention immediately if irritation develops and persists.  |
| In case of eye contact                                      | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.   |
| If swallowed  | : Do not induce vomiting without medical advice.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.   |
| Most important symptoms and effects, both acute and delayed | : Exposure may result in loss of coordination and tremors.<br>Acute effects on nervous system: drowsiness, tremors, paralysis. Chronic effects include cyanosis<br>May cause damage to organs.<br>Causes damage to organs through prolonged or repeated exposure.   |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection and use the recommended protective clothing<br>Avoid inhalation, ingestion and contact with skin and eyes.<br>If potential for exposure exists refer to Section 8 for specific personal protective equipment.  |
| Notes to physician  | : Treat symptomatically.<br>Gastric lavage and/or administration of activated charcoal can be considered. After decontamination, treatment is primarily supportive and symptomatic. Consider possibility of methemoglobinemia and treat with methylene blue if required.<br>Indoxacarb acts by blocking sodium channels in the nervous system. Secondly, it has oxidant effects on red blood cells causing methemoglobinemia. |

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version 1.0	Revision Date: 07/11/2024	SDS Number: 50002925	Date of last issue: - Date of first issue: 07/11/2024
----------------	------------------------------	-------------------------	--

- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet  
Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Chlorinated compounds  
Fluorinated compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Hydrogen cyanide  
Hydrogen chloride  
Hydrogen fluoride
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Do not touch or walk through the spilled material.  
If it can be safely done, stop the leak.  
Immediately evacuate personnel to safe areas.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.  
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Ensure that eye flushing systems and safety showers are located close to the working place.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version 1.0	Revision Date: 07/11/2024	SDS Number: 50002925	Date of last issue: - Date of first issue: 07/11/2024
----------------	------------------------------	-------------------------	--

Wear suitable protective equipment.  
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: suspension
Color	: white
Odor	: characteristic
Odor Threshold	: No data available
pH	: 6.78 (68 °F / 20 °C) Concentration: 1 % Method: OCSPP 830.7000 GLP: yes (1% solution in water)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: > 203 °F / 95 °C GLP: yes
Evaporation rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.1188 g/cm <sup>3</sup> Method: OPPTS 830.7300 GLP: yes
Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	dispersible
Solubility in other solvents	:	160 g/l Active ingredient Solvent: ethyl acetate  1.72 g/l Active ingredient Solvent: Heptane  0.2 g/l (77 °F / 25 °C) Active ingredient Solvent: water
Partition coefficient: n-octanol/water	:	log Pow: 4.65 (77 °F / 25 °C) Active ingredient
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	500 mPa.s (68 °F / 20 °C) Method: OPPTS 830.7100 GLP: yes  265.5 mPa.s (104 °F / 40 °C) Method: OPPTS 830.7100 GLP: yes
Viscosity, kinematic	:	No data available
Explosive properties	:	GLP: yes Not explosive
Oxidizing properties	:	Non-oxidizing GLP: yes

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version 1.0	Revision Date: 07/11/2024	SDS Number: 50002925	Date of last issue: - Date of first issue: 07/11/2024
----------------	------------------------------	-------------------------	--

Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity	: LD50 Oral (Rat): > 2,000 mg/kg GLP: yes
Acute inhalation toxicity	: LC50 (Rat): > 5.16 mg/l Exposure time: 4 h Test atmosphere: dust/mist GLP: yes
Acute dermal toxicity	: LD50 Dermal (Rat): > 5,000 mg/kg GLP: yes

#### Components:

##### **indoxacarb (ISO):**

Acute oral toxicity	: LD50 (Rat, male and female): 281 - 291 mg/kg Method: OECD Test Guideline 420 Symptoms: ataxia, Tremors, Diarrhea, clonic convulsions GLP: yes  LD50 (Rat, female): 179 mg/kg Method: OECD Test Guideline 401 Target Organs: Nervous system Symptoms: hypoactivity, Tremors, ataxia, Fatality GLP: yes
Acute inhalation toxicity	: LC50 (Rat, female): 4.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: nasal discharge, lethargy GLP: yes
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version 1.0	Revision Date: 07/11/2024	SDS Number: 50002925	Date of last issue: - Date of first issue: 07/11/2024
----------------	------------------------------	-------------------------	--

GLP: yes

Assessment: The substance or mixture has no acute dermal toxicity

### propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l  
Exposure time: 2 h  
Test atmosphere: vapor  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### 2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### sodium decyl sulphate:

Acute oral toxicity : LD50 (Rat, male and female): 1,200 mg/kg  
Method: OECD Test Guideline 401  
Symptoms: Fatality  
Remarks: Based on data from similar materials

LD50 (Rat, female): 977 mg/kg  
Method: OECD Test Guideline 401  
Symptoms: Fatality  
Remarks: Based on data from similar materials

LD50 (Rat, male): 1,427 mg/kg  
Method: OECD Test Guideline 401  
Symptoms: Fatality  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD0 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials  
no mortality

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Product:

Assessment : Not classified as irritant  
Result : No skin irritation  
GLP : yes

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

---

### Components:

#### **indoxacarb (ISO):**

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	slight irritation
GLP	:	yes

#### **propane-1,2-diol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

#### **2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:**

Species	:	Rabbit
Result	:	No skin irritation

#### **sodium decyl sulphate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation
Remarks	:	Based on data from similar materials

### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

### Product:

Result	:	No eye irritation
Assessment	:	Not classified as irritant
GLP	:	yes

### Components:

#### **indoxacarb (ISO):**

Species	:	Rabbit
Result	:	slight irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Product dust may be irritating to eyes, skin and respiratory system.

#### **propane-1,2-diol:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

---

### 2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

### sodium decyl sulphate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

### Respiratory or skin sensitization

#### Skin sensitization

Based on available data, the classification criteria are not met.

#### Respiratory sensitization

Based on available data, the classification criteria are not met.

#### Product:

Assessment	:	Not a skin sensitizer.
Result	:	Does not cause skin sensitization.
GLP	:	yes

#### Components:

##### indoxacarb (ISO):

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Assessment	:	The product is a skin sensitizer, sub-category 1B.
Method	:	OECD Test Guideline 429
Result	:	May cause sensitization by skin contact.
GLP	:	yes

Test Type	:	Maximization Test
Species	:	Guinea pig
Assessment	:	May cause sensitization by skin contact.
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	May cause sensitization by skin contact.
GLP	:	yes

##### propane-1,2-diol:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

### 2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Result : Does not cause skin sensitization.

### sodium decyl sulphate:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : Does not cause skin sensitization.  
Remarks : Based on data from similar materials

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Components:

#### indoxacarb (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: gene mutation test  
Test system: Chinese hamster ovary cells  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

#### propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

### 2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Germ cell mutagenicity - Assessment : No genotoxic potential.

### sodium decyl sulphate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version 1.0	Revision Date: 07/11/2024	SDS Number: 50002925	Date of last issue: - Date of first issue: 07/11/2024
----------------	------------------------------	-------------------------	--

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: reverse mutation assay  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Mouse (male and female)  
Application Route: Oral  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Components:

##### **indoxacarb (ISO):**

Species : Rat, female  
Application Route : Oral  
Exposure time : 24 m  
: 2.13 mg/kg bw/day  
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

##### **propane-1,2-diol:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

##### **2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

##### **sodium decyl sulphate:**

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 2 Years  
Dose : 0, 11, 113, 1125 mg/kg bw  
NOAEL : 1,125 mg/kg bw/day  
Result : negative  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version 1.0	Revision Date: 07/11/2024	SDS Number: 50002925	Date of last issue: - Date of first issue: 07/11/2024
----------------	------------------------------	-------------------------	--

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### **indoxacarb (ISO):**

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Species: Rabbit  
General Toxicity Maternal: NOEL: 500 mg/kg bw/day  
Developmental Toxicity: NOEL: 500 mg/kg bw/day  
Method: EPA OPP 83-3

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.  
Animal testing did not show any effects on fetal development.

##### **propane-1,2-diol:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Mouse  
Application Route: Oral  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 414  
Result: Animal testing did not show any effects on fertility.  
Remarks: Based on data from similar materials

##### **2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:**

Reproductive toxicity - Assessment : No toxicity to reproduction

##### **sodium decyl sulphate:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

Application Route: Oral  
Dose: 0, 63, 125, 250, 500 mg/kg  
General Toxicity Parent: LOAEL: 500 mg/kg bw/day  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT-single exposure

May cause damage to organs (Central nervous system).

#### Components:

##### **indoxacarb (ISO):**

Target Organs : Central nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

##### **2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **sodium decyl sulphate:**

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

#### Components:

##### **indoxacarb (ISO):**

Target Organs : Blood, Nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

##### **2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **indoxacarb (ISO):**

Species : Rat, female  
NOAEL : 1.7 mg/kg  
LOAEL : 4.1 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Method : OECD Test Guideline 408

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

GLP : yes  
Target Organs : Blood

### propane-1,2-diol:

Species : Rat, male and female  
NOAEL : 1,700 mg/kg  
Application Route : Oral  
Exposure time : 2 Years

Species : Rat, male and female  
NOAEL : 1,000 mg/kg  
LOAEL : 160 mg/kg  
Application Route : Inhalation  
Exposure time : 90 Days

### sodium decyl sulphate:

Species : Rat, male and female  
NOAEL : 488 mg/kg bw/day  
LOAEL : 1016 mg/kg bw/day  
Application Route : Oral - feed  
Exposure time : 91 d  
Dose : 62,122,245,488,1016,2081mg/kgb  
Target Organs : Liver  
Remarks : Based on data from similar materials

Species : Mouse, male and female  
NOAEL : 400 mg/kg bw/day  
LOAEL : 500 mg/kg bw/day  
Application Route : Dermal  
Dose : 0,200,400,500,600mg/kgbw/day  
Symptoms : Necrosis  
Remarks : Based on data from similar materials

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### Components:

#### 2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

No aspiration toxicity classification

### Further information

#### Product:

Remarks : No data available

### Components:

#### indoxacarb (ISO):

Remarks : Acute effects on nervous system: drowsiness, tremors, paralysis. Chronic effects include cyanosis



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

Remarks : Information presented in this Section conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **indoxacarb (ISO):**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes  LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.17 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.6 mg/l Exposure time: 48 h  EC50 (Daphnia magna (Water flea)): > 0.17 mg/l Exposure time: 48 h Test Type: flow-through test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (algae)): 0.0793 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes  EbC50 (Lemna gibba (duckweed)): 0.084 mg/l Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.15 mg/l Exposure time: 90 d Test Type: Early Life-Stage Method: OECD Test Guideline 210 GLP: yes  NOEC (Pimephales promelas (fathead minnow)): 0.0675 mg/l

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

		Exposure time: 28 d Test Type: Early Life-Stage Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.09 mg/l Exposure time: 21 d Method: OECD Test Guideline 202 GLP: yes  NOEC (Daphnia magna (Water flea)): 0.0351 mg/l Exposure time: 21 d Test Type: Static renewal test Method: OECD Test Guideline 211 GLP: yes
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,250 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 GLP: yes  Method: OECD Test Guideline 216 Remarks: No significant adverse effect on Nitrogen mineralization.  Method: OECD Test Guideline 217 Remarks: No significant adverse effect on Carbon mineralization.
Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): 0.232 µg/bee Exposure time: 48 d End point: Acute oral toxicity Method: OECD Test Guideline 213  LD50 (Apis mellifera (bees)): 0.068 µg/bee Exposure time: 48 d End point: Acute contact toxicity Method: OECD Test Guideline 214  LD50 (Colinus virginianus (Bobwhite quail)): 98 mg/kg Method: US EPA Test Guideline OPP 71-1 GLP: yes  NOEC (Anas platyrhynchos (Mallard duck)): 720 ppm Exposure time: 147 d End point: Reproduction Test Method: OECD Test Guideline 206 GLP: yes  NOEC (Colinus virginianus (Bobwhite quail)): 144 ppm Exposure time: 147 d End point: Reproduction Test

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

### propane-1,2-diol:

- |  |   |   |
|--|---|---|
| Toxicity to fish   | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates                    | : | (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l<br>Exposure time: 96 h   |
| Toxicity to algae/aquatic plants                                       | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 201 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 13,020 mg/l<br>Exposure time: 7 d   |
| Toxicity to microorganisms   | : | EC50 (Pseudomonas putida): > 20,000 mg/l<br>Exposure time: 18 h   |

### 2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

- |   |   |  |
|---|---|--|
| Toxicity to fish                                    | : | LC50 (Brachydanio rerio (zebrafish)): 3,000 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 550 mg/l<br>Exposure time: 24 h<br>Remarks: Based on data from similar materials      |

### sodium decyl sulphate:

- |  |   |   |
|--|---|---|
| Toxicity to fish   | : | LC50 (Cyprinus carpio (Carp)): 13 mg/l<br>Exposure time: 48 h<br>Test Type: static test   |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): 470 mg/l<br>Exposure time: 24 h  |
| Toxicity to algae/aquatic plants                                       | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 8.64 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201   |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Pimephales promelas (fathead minnow)): > 1.357 mg/l<br>Exposure time: 42 d<br>Test Type: flow-through test<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 1.4 mg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 211   |
| Toxicity to microorganisms   | : | EC50 (activated sludge): 135 mg/l<br>Exposure time: 3 h   |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

Test Type: Respiration inhibition  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **indoxacarb (ISO):**

Biodegradability : Result: Not readily biodegradable.

##### **propane-1,2-diol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 23.6 %  
Exposure time: 64 d  
Method: OECD Test Guideline 306

##### **2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:**

Biodegradability : Result: Not readily biodegradable.

##### **sodium decyl sulphate:**

Biodegradability : Inoculum: activated sludge  
Result: Readily biodegradable.  
Biodegradation: 98 %  
Exposure time: 30 d  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

##### **indoxacarb (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 77.3  
Exposure time: 21 d  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.52 (68 °F / 20 °C)  
Method: OECD Test Guideline 107  
GLP: yes

##### **propane-1,2-diol:**

Partition coefficient: n-octanol/water : log Pow: -1.07

##### **sodium decyl sulphate:**

Partition coefficient: n-octanol/water : log Pow: 1.72 (77 °F / 25 °C)  
pH: 7.94 - 7.95

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version 1.0	Revision Date: 07/11/2024	SDS Number: 50002925	Date of last issue: - Date of first issue: 07/11/2024
----------------	------------------------------	-------------------------	--

### Mobility in soil

#### Components:

##### **indoxacarb (ISO):**

Distribution among environmental compartments : Koc: 4483 ml/g, log Koc: 3.65  
Remarks: Low mobility in soil.

Kd: 46 - 150

Stability in soil :

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

#### Components:

##### **indoxacarb (ISO):**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

### UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

### IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

### IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR Road

UN/ID/NA number	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(Indoxacarb)
Remarks	: Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

Remarks	: 49CFR: no dangerous good in non-bulk packaging
---------	--

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### SECTION 15. REGULATORY INFORMATION

#### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol	57-55-6	>= 5 - < 10 %
------------------	---------	---------------

#### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

phosphoric acid	7664-38-2	>= 0 - < 0.1 %
-----------------	-----------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

phosphoric acid	7664-38-2	>= 0 - < 0.1 %
-----------------	-----------	----------------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### US State Regulations

##### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

##### Pennsylvania Right To Know

water	7732-18-5
indoxacarb (ISO)	173584-44-6
propane-1,2-diol	57-55-6
sodium sulphate	7757-82-6

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version 1.0	Revision Date: 07/11/2024	SDS Number: 50002925	Date of last issue: - Date of first issue: 07/11/2024
----------------	------------------------------	-------------------------	--

phosphoric acid

7664-38-2

### Maine Chemicals of High Concern

Product does not contain any listed chemicals

### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

### Washington Chemicals of High Concern

Product does not contain any listed chemicals

### The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### CAUTION



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control


Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

Causes eye irritation, Avoid contact with skin, eyes and clothing., Avoid breathing dust or spray mist., Harmful if swallowed, Harmful if absorbed through the skin., Harmful if inhaled, Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., Remove and wash contaminated clothing before reuse., Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals., Very toxic to aquatic life with long lasting effects.

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

##### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)  
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population;

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Steward® eVo insect control

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/11/2024	50002925	Date of first issue: 07/11/2024

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

### Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet