According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name HU-MAN 15

Other means of identification

Product code 50001155

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : A fertilizer for use in agriculture

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Agro Limited

Rectors Lane, Pentre

Flintshire CH5 2DH United Kingdom

Telephone: + 44 1244 537370 E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency: England and Wales: 111 Scotland: 84 54 24 2424

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Serious eye damage, Category 1 H318: Causes serious eye damage.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

Specific target organ toxicity - repeated

exposure, Category 2

H373: May cause damage to organs through pro-

longed or repeated exposure.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :







Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or

repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P260 Do not breathe mist or vapours.P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor. P391 Collect spillage.

Hazardous components which must be listed on the label:

Manganese sulfate, monohydrate zinc nitrate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Manganese sulfate, monohydrate	10034-96-5	Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Chronic 2; H411	>= 30 - < 50
zinc nitrate	7779-88-6 231-943-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 1 - < 2.5
ethanediol	107-21-1 203-473-3 603-027-00-1	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney)	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention if irritation develops and persists.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.

May cause damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing : High volume water jet

4/24

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

media Do not spread spilled material with high-pressure water

streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Carbon oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Advice on common storage : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Fertilizers

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Manganese sul- fate, monohydrate	10034-96-5	TWA (Inhalable)	0.2 mg/m3 (Manganese)	GB EH40
•		TWA (Respirable	0.05 mg/m3	GB EH40

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

VersionRevision Date:SDS Number:Date of last issue: 04.04.20251.508.04.202550001155Date of first issue: 19.07.2018

		fraction)	(Manganese)		
		TWA (inhalable	0.2 mg/m3	2017/164/EU	
		fraction)	(Manganese)		
	Further infor	mation: Indicative			
		TWA (Respirable fraction)	0.05 mg/m3 (Manganese)	2017/164/EU	
	Further infor	mation: Indicative	,	•	
ethanediol	107-21-1	TWA (particles)	10 mg/m3	GB EH40	
	Further infor	mation: Can be absor	bed through the skin. The	assigned sub-	
			are concerns that dermal		
	lead to syste	emic toxicity.		•	
	-	TWA (Vapour)	20 ppm	GB EH40	
		, , ,	52 mg/m3		
	Further infor	mation: Can be absor	bed through the skin. The	assigned sub-	
	stances are	those for which there	are concerns that dermal	absorption will	
	lead to syste	lead to systemic toxicity.			
		STEL (Vapour)	40 ppm	GB EH40	
		<u> </u>	104 mg/m3		
		Further information: Can be absorbed through the skin. The assigned sub-			
		stances are those for which there are concerns that dermal absorption will			
	lead to syste	emic toxicity.	1	1	
		TWA	20 ppm	2000/39/EC	
			52 mg/m3		
		Further information: Identifies the possibility of significant uptake through the			
	skin, Indicat	skin, Indicative			
		STEL	40 ppm	2000/39/EC	
			104 mg/m3		
		Further information: Identifies the possibility of significant uptake through the skin, Indicative			

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Manganese sulfate, monohydrate	Fresh water	0.03 mg/l
	Fresh water sediment	0.011 mg/kg
	Marine sediment	0.001 mg/kg
	Soil	25.1 mg/kg
ethanediol	Fresh water	10 mg/l
	Marine water	1 mg/l
	Sewage treatment plant	199.5 mg/l
	Fresh water sediment	37 mg/kg dry weight (d.w.)
	Marine sediment	3.7 mg/kg dry weight (d.w.)
	Soil	1.53 mg/kg dry weight (d.w.)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 08.04.2025 50001155 Date of first issue: 19.07.2018 1.5

8.2 Exposure controls

Personal protective equipment

Eye/face protection Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Respiratory protection No personal respiratory protective equipment normally re-

quired.

Protective measures Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment.

Ensure that eye flushing systems and safety showers are

located close to the working place.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid Form liquid Colour brown Odour characteristic Odour Threshold No data available

2.1 - 4.0 Hq

Concentration: 100 %

Melting point/freezing point Initial boiling point and boiling

No data available

range No data available Flash point No data available Upper explosion limit / Upper No data available

flammability limit

Lower explosion limit / Lower No data available

flammability limit

Vapour pressure No data available

8/24

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

Relative vapour density : No data available Relative density : 1.38 - 1.40

Solubility(ies)

Water solubility : soluble

Partition coefficient: n- : No data available

octanol/water

Auto-ignition temperature : No data available
Decomposition temperature : No data available

Viscosity

Viscosity, dynamic

No data available No data available

Viscosity, kinematic Explosive properties

:

No data available

Oxidizing properties

Non-oxidizing

9.2 Other information

Particle size : No data available Particle Size Distribution : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Nitrogen oxides (NOx) Sulphur oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2025

 1.5
 08.04.2025
 50001155
 Date of first issue: 19.07.2018

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Manganese sulfate, monohydrate:

Acute oral toxicity : LD50 (Rat, male and female): 2,150 mg/kg

Acute inhalation toxicity : LC0 (Rat, male and female): > 4.45 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: no mortality

zinc nitrate:

Acute oral toxicity : LD50 (Rat, male and female): > 300 mg/kg

Method: OECD Test Guideline 423

Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat, female): 1.975 mg/l

Exposure time: 0.25 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The component/mixture is minimally toxic after

single contact with skin.

ethanediol:

Acute inhalation toxicity : LC0 (Rat, male and female): > 2.5 mg/l

Exposure time: 6 h

Test atmosphere: dust/mist Remarks: no mortality

Acute dermal toxicity : LD50 (Mouse, male and female): > 3,500 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Assessment : Not classified as irritant

Remarks : Extremely corrosive and destructive to tissue.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

Components:

Manganese sulfate, monohydrate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

zinc nitrate:

Assessment : Irritating to skin.

ethanediol:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result : Risk of serious damage to eyes.

Remarks : May cause irreversible eye damage.

Components:

Manganese sulfate, monohydrate:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 405

Result : irritating

zinc nitrate:

Species : Chicken eye

Method : OECD Test Guideline 438
Result : Irreversible effects on the eye

ethanediol:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

Product:

Remarks : No data available

Components:

Manganese sulfate, monohydrate:

Test Type : Patch test Exposure routes : Dermal Species : Humans

Result : Not a skin sensitizer.

zinc nitrate:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

ethanediol:

Test Type : Maximisation Test Species : Guinea pig

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Manganese sulfate, monohydrate:

Genotoxicity in vitro : Test Type: gene mutation test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (female) Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

zinc nitrate:

Genotoxicity in vitro : Test Type: gene mutation test

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)
Application Route: Intraperitoneal injection

Exposure time: 30h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

Result: negative

ethanediol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OPPTS 870.5100

Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Rat

Application Route: Oral

Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Manganese sulfate, monohydrate:

Species : Mouse, male and female

Application Route : Ingestion Result : negative

zinc nitrate:

Species : Mouse, male and female

Application Route : Oral
Exposure time : 365 d
Result : negative

Remarks : Based on data from similar materials

ethanediol:

Species : Mouse Application Route : Oral

Exposure time : 24 month(s)
Result : negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Manganese sulfate, monohydrate:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Species: Rat

Application Route: Inhalation
Method: OECD Test Guideline 414

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2025

 1.5
 08.04.2025
 50001155
 Date of first issue: 19.07.2018

Result: negative

zinc nitrate:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

zinc nitrate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

ethanediol:

Exposure routes : Oral Target Organs : Kidney

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Manganese sulfate, monohydrate:

Species : Rat, male and female

NOAEL : 2000 mg/kg Application Route : Ingestion Exposure time : 13 w

zinc nitrate:

Species : Rat, male and female

Application Route : Oral - feed

Method : OECD Test Guideline 408

Remarks : Based on data from similar materials

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

ethanediol:

Species : Rat

NOAEL : 150 mg/kg Application Route : Oral Exposure time : 12 Months

Species : Dog

NOAEL : > 2,200 - < 4,400 mg/kg

Application Route : Dermal Exposure time : 4 Weeks

Method : OECD Test Guideline 410

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Manganese sulfate, monohydrate:

Toxicity to fish : LC50 (Salmo trutta (brown trout)): 49.9 mg/l

Exposure time: 96 h
Test Type: flow-through test

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Crustaceans): 13.7 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 61 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 4.496 mg/l Exposure time: 35 d

Species: Danio rerio (zebra fish)
Method: OECD Test Guideline 210

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2025 08.04.2025 50001155 Date of first issue: 19.07.2018 1.5

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.020 mg/l Exposure time: 14 d

Species: Crassostrea virginica

Test Type: static test

zinc nitrate:

Toxicity to fish LC50 (Thymallus arcticus): 0.315 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.14 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC10 (Chlorella pyrenoidosa (algae)): 0.350 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

icity)

1

Toxicity to microorganisms EC50 (activated sludge): 5.2 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.440 mg/l

Exposure time: 72 d

Species: Oncorhynchus mykiss (rainbow trout) Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.031 mg/l Exposure time: 50 d

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

1

Toxicity to soil dwelling or-

ganisms

NOEC: 199 mg/kg Exposure time: 56 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

ethanediol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 72,860 mg/l

Exposure time: 96 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

IC50 (Pseudokirchneriella subcapitata (green algae)): 10,940

mg/

Exposure time: 96 h

Toxicity to microorganisms : (activated sludge): > 1,995 mg/l

Exposure time: 30 min Method: ISO 8192

Toxicity to fish (Chronic tox-

icity)

1,500 mg/l

Exposure time: 28 d

Species: Menidia peninsulae (tidewater silverside)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

is to visited

Exposure time: 21 d

33,911 mg/l

ic toxicity)

Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

Components:

ethanediol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 90 - 100 %

Exposure time: 10 d

Method: OECD Test Guideline 301A

12.3 Bioaccumulative potential

Components:

zinc nitrate:

Bioaccumulation : Species: Danio rerio (zebra fish)

Bioconcentration factor (BCF): 96.05

Remarks: Based on data from similar materials

ethanediol:

Partition coefficient: n-

octanol/water

: log Pow: -1.36

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2025

 1.5
 08.04.2025
 50001155
 Date of first issue: 19.07.2018

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Manganese Sulfate, Zinc nitrate)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

N.O.S.

(Manganese Sulfate, Zinc nitrate)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Manganese Sulfate, Zinc nitrate)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Manganese Sulfate, Zinc nitrate)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Manganese Sulfate, Zinc nitrate)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo

aircraft)

Packing instruction (LQ) : Y964

19/24

964

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

rid

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered:

Number on list 3

ethanediol (Number on list 3) nitric acid …% [C ≤ 70 %] (Number

on list 3)

Alcohols, C11-14-iso-, C13-rich, ethoxylated (Number on list 3)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

UK REACH Candidate list of substances of very high : Not applicable

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained : Not applicable

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EU) No 2024/590 on substances that de:

plete the ozone layer

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

E2

Control of Major Accident Hazards Regulations E2

2015 (COMAH)

ENVIRONMENTAL HAZARDS

Not applicable

E1

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains chemical substance(s) exempt from

CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control

product.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H318 : Causes serious eye damage. H335 : May cause respiratory irritation.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit 2017/164/EU / TWA : Limit Value - eight hours

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regula-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

tion (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Eye Dam. 1 H318 Based on product data or assessment

STOT RE 2 H373 Calculation method Aquatic Chronic 2 H411 Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HU-MAN 15

Version Revision Date: SDS Number: Date of last issue: 04.04.2025 1.5 08.04.2025 50001155 Date of first issue: 19.07.2018

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB/6N